

LOCAL GOVERNMENT INFRASTRUCTURE PLAN
PLAN FOR TRUNK INFRASTRUCTURE -
STORMWATER

- Property Boundary
- Catchment Boundary
- Future Trunk Stormwater Quantity**
 - Stormwater Network Upgrade
 - Channels Upgrade
 - Roads Raising
 - Culverts Upgrade
 - Levees
 - Detention Basin
 - Drainage Investigation Area
- Future Trunk Stormwater Quality**
 - RainGardens
 - Riparian Vegetation
 - Natural Channel Design
 - Bioretention Basin
 - Constructed Wetland
- Existing Trunk Stormwater Network**
 - Bioretention Basin
 - Constructed Wetland
 - Sediment Basin
 - Detention Basin
 - Stormwater Network
 - Stormwater Channels
 - Road Culvert

Where future trunk infrastructure is located outside the PIA it is intended to service population within the relevant district catchment of the PIA.

Effective from 21 December 2021

0 400 800 1,200 Metres


SCALE (A3): 1:30,000

N

Date Produced: 25 November 2021
Projection: Map Grid of Australia, Zone 56
Horizontal Datum: Geocentric Datum of Australia 1994

DISCLAIMER: Some of the information shown in this document has been provided to Council from external third parties. Council makes no representation and gives no warranty about the accuracy, reliability, completeness or suitability for any particular purpose of the information. Persons should not rely on the information shown in this document to make any decision with financial or legal implications and should instead rely on their own enquiries. To the full extent that it is able to do so in law, Council disclaims all liability (including liability in negligence) for all costs, losses and damages (including indirect and consequential costs, losses and damages) caused by or arising from anyone using or relying on the information shown in this document for any purpose whatsoever. © Copyright Moreton Bay Regional Council 2021

DCDB (Version July 2021) is reproduced with the permission of the State of Queensland.




LGIP-1 SW



LGIP-1 - LGIP-18 SW v2_Smoo20210712_v2.mxd

LGIP-1_LGIP-18 SW v2_Smoo20210712_v2.mxd




LOCAL GOVERNMENT INFRASTRUCTURE PLAN
PLAN FOR TRUNK INFRASTRUCTURE -
STORMWATER

- Property Boundary
- Catchment Boundary
- Future Trunk Stormwater Quantity**
 - Stormwater Network Upgrade
 - Channels Upgrade
 - Roads Raising
 - Culverts Upgrade
 - Levees
 - Detention Basin
 - Drainage Investigation Area
- Future Trunk Stormwater Quality**
 - RainGardens
 - Riparian Vegetation
 - Natural Channel Design
 - Bioretention Basin
 - Constructed Wetland
- Existing Trunk Stormwater Network**
 - Bioretention Basin
 - Constructed Wetland
 - Sediment Basin
 - Detention Basin
 - Stormwater Network
 - Stormwater Channels
 - Road Culvert


Where future trunk infrastructure is located outside the PIA it is intended to service population within the relevant district catchment of the PIA.

Effective from 21 December 2021



DISCLAIMER: Some of the information shown in this document has been provided to Council from external third parties. Council makes no representation and gives no warranty about the accuracy, reliability, completeness or suitability for any particular purpose of the information. Persons should not rely on the information shown in this document to make any decision with financial or legal implications and should instead rely on their own enquiries. To the full extent that it is able to do so in law, Council disclaims all liability (including liability in negligence) for all costs, losses and damages (including indirect and consequential costs, losses and damages) caused by or arising from anyone using or relying on the information shown in this document for any purpose whatsoever. © Copyright Moreton Bay Regional Council 2021

DCDB (Version July 2021) is reproduced with the permission of the State of Queensland.



Published 8:09:40 AM, Thursday 25 November 2021

LGIP-1 - LGIP-18 SW v2_Smoo20210712_v2.mxd



LOCAL GOVERNMENT INFRASTRUCTURE PLAN
PLAN FOR TRUNK INFRASTRUCTURE -
STORMWATER

- Property Boundary
- Catchment Boundary
- Future Trunk Stormwater Quantity**
 - Stormwater Network Upgrade
 - Channels Upgrade
 - Roads Raising
 - Culverts Upgrade
 - Levees
- Detention Basin
- Drainage Investigation Area
- Future Trunk Stormwater Quality**
 - RainGardens
 - Riparian Vegetation
 - Natural Channel Design
 - Bioretention Basin
 - Constructed Wetland
- Existing Trunk Stormwater Network**
 - Bioretention Basin
 - Constructed Wetland
 - Sediment Basin
 - Detention Basin
 - Stormwater Network
 - Stormwater Channels
 - Road Culvert

Where future trunk infrastructure is located outside the PIA it is intended to service population within the relevant district catchment of the PIA.

Effective from 21 December 2021

0 400 800 1,200 Metres




SCALE (A3): 1:30,000

Date Produced: 25 November 2021
Projection: Map Grid of Australia, Zone 56
Horizontal Datum: Geocentric Datum of Australia 1994

DISCLAIMER: Some of the information shown in this document has been provided to Council from external third parties. Council makes no representation and gives no warranty about the accuracy, reliability, completeness or suitability for any particular purpose of the information. Persons should not rely on the information shown in this document to make any decision with financial or legal implications and should instead rely on their own enquiries. To the full extent that it is able to do so in law, Council disclaims all liability (including liability in negligence) for all costs, losses and damages (including indirect and consequential costs, losses and damages) caused by or arising from anyone using or relying on the information shown in this document for any purpose whatsoever. © Copyright Moreton Bay Regional Council 2021

DCDB (Version July 2021) is reproduced with the permission of the State of Queensland.




Published 8:09:45 AM, Thursday 25 November 2021

LOCAL GOVERNMENT INFRASTRUCTURE PLAN
PLAN FOR TRUNK INFRASTRUCTURE -
STORMWATER

- Property Boundary
- Catchment Boundary
- Future Trunk Stormwater Quantity**
 - Stormwater Network Upgrade
 - Channels Upgrade
 - Roads Raising
 - Culverts Upgrade
 - Levees
 - Detention Basin
 - Drainage Investigation Area
- Future Trunk Stormwater Quality**
 - RainGardens
 - Riparian Vegetation
 - Natural Channel Design
 - Bioretention Basin
 - Constructed Wetland
- Existing Trunk Stormwater Network**
 - Bioretention Basin
 - Constructed Wetland
 - Sediment Basin
 - Detention Basin
 - Stormwater Network
 - Stormwater Channels
 - Road Culvert


Where future trunk infrastructure is located outside the PIA it is intended to service population within the relevant district catchment of the PIA.

Effective from 21 December 2021




DISCLAIMER: Some of the information shown in this document has been provided to Council from external third parties. Council makes no representation and gives no warranty about the accuracy, reliability, completeness or suitability for any particular purpose of the information. Persons should not rely on the information shown in this document to make any decision with financial or legal implications and should instead rely on their own enquiries. To the full extent that it is able to do so in law, Council disclaims all liability (including liability in negligence) for all costs, losses and damages (including indirect and consequential costs, losses and damages) caused by or arising from anyone using or relying on the information shown in this document for any purpose whatsoever. © Copyright Moreton Bay Regional Council 2021

DCDB (Version July 2021) is reproduced with the permission of the State of Queensland.



LGIP-4 SW



LOCAL GOVERNMENT INFRASTRUCTURE PLAN
PLAN FOR TRUNK INFRASTRUCTURE -
STORMWATER

- Property Boundary
Catchment Boundary
Future Trunk Stormwater Quantity
Stormwater Network Upgrade
Channels Upgrade
Roads Raising
Culverts Upgrade
Levees
Detention Basin
Drainage Investigation Area
Future Trunk Stormwater Quality
RainGardens
Riparian Vegetation
Natural Channel Design
Bioretention Basin
Constructed Wetland
Existing Trunk Stormwater Network
Bioretention Basin
Constructed Wetland
Sediment Basin
Detention Basin
Stormwater Network
Stormwater Channels
Road Culvert

Where future trunk infrastructure is located outside the PIA it is intended to service population within the relevant district catchment of the PIA.


Effective from 21 December 2021

0 400 800 1,200 Metres
SCALE (A3): 1:30,000


N
Date Produced: 25 November 2021
Projection: Map Grid of Australia, Zone 56
Horizontal Datum: Geocentric Datum of Australia 1994

DISCLAIMER: Some of the information shown in this document has been provided to Council from external third parties. Council makes no representation and gives no warranty about the accuracy, reliability, completeness or suitability for any particular purpose of the information. Persons should not rely on the information shown in this document to make any decision with financial or legal implications and should instead rely on their own enquiries. To the full extent that it is able to do so in law, Council disclaims all liability (including liability in negligence) for all costs, losses and damages (including indirect and consequential costs, losses and damages) caused by or arising from anyone using or relying on the information shown in this document for any purpose whatsoever. © Copyright Moreton Bay Regional Council 2021

DCDB (Version July 2021) is reproduced with the permission of the State of Queensland.



LGIP-5 SW




LOCAL GOVERNMENT INFRASTRUCTURE PLAN
PLAN FOR TRUNK INFRASTRUCTURE -
STORMWATER

- Property Boundary
- Catchment Boundary
- Future Trunk Stormwater Quantity**
 - Stormwater Network Upgrade
 - Channels Upgrade
 - Roads Raising
 - Culverts Upgrade
 - Levees
- Detention Basin
- Drainage Investigation Area
- Future Trunk Stormwater Quality**
 - RainGardens
 - Riparian Vegetation
 - Natural Channel Design
 - Bioretention Basin
 - Constructed Wetland
- Existing Trunk Stormwater Network**
 - Bioretention Basin
 - Constructed Wetland
 - Sediment Basin
 - Detention Basin
 - Stormwater Network
 - Stormwater Channels
 - Road Culvert


Where future trunk infrastructure is located outside the PIA it is intended to service population within the relevant district catchment of the PIA.

Effective from 21 December 2021



DISCLAIMER: Some of the information shown in this document has been provided to Council from external third parties. Council makes no representation and gives no warranty about the accuracy, reliability, completeness or suitability for any particular purpose of the information. Persons should not rely on the information shown in this document to make any decision with financial or legal implications and should instead rely on their own enquiries. To the full extent that it is able to do so in law, Council disclaims all liability (including liability in negligence) for all costs, losses and damages (including indirect and consequential costs, losses and damages) caused by or arising from anyone using or relying on the information shown in this document for any purpose whatsoever. © Copyright Moreton Bay Regional Council 2021


DCDB (Version July 2021) is reproduced with the permission of the State of Queensland.



LGIP-6 SW



LGIP-1 - LGIP-7B SW v2_Smoo20210712_v2.mxd




LOCAL GOVERNMENT INFRASTRUCTURE PLAN
PLAN FOR TRUNK INFRASTRUCTURE -
STORMWATER

- Property Boundary
- Catchment Boundary
- Future Trunk Stormwater Quantity**
 - Stormwater Network Upgrade
 - Channels Upgrade
 - Roads Raising
 - Culverts Upgrade
 - Levees
 - Detention Basin
 - Drainage Investigation Area
- Future Trunk Stormwater Quality**
 - RainGardens
 - Riparian Vegetation
 - Natural Channel Design
 - Bioretention Basin
 - Constructed Wetland
- Existing Trunk Stormwater Network**
 - Bioretention Basin
 - Constructed Wetland
 - Sediment Basin
 - Detention Basin
 - Stormwater Network
 - Stormwater Channels
 - Road Culvert


Where future trunk infrastructure is located outside the PIA it is intended to service population within the relevant district catchment of the PIA.

Effective from 21 December 2021




DISCLAIMER: Some of the information shown in this document has been provided to Council from external third parties. Council makes no representation and gives no warranty about the accuracy, reliability, completeness or suitability for any particular purpose of the information. Persons should not rely on the information shown in this document to make any decision with financial or legal implications and should instead rely on their own enquiries. To the full extent that it is able to do so in law, Council disclaims all liability (including liability in negligence) for all costs, losses and damages (including indirect and consequential costs, losses and damages) caused by or arising from anyone using or relying on the information shown in this document for any purpose whatsoever. © Copyright Moreton Bay Regional Council 2021

DCDB (Version July 2021) is reproduced with the permission of the State of Queensland.



LGIP-7 SW

LGIP-1 - LGIP-18 SW v2_Smoo20210712_v2.mxd




LOCAL GOVERNMENT INFRASTRUCTURE PLAN
PLAN FOR TRUNK INFRASTRUCTURE -
STORMWATER

- Property Boundary
- Catchment Boundary
- Future Trunk Stormwater Quantity**
 - Stormwater Network Upgrade
 - Channels Upgrade
 - Roads Raising
 - Culverts Upgrade
 - Levees
- Detention Basin
- Drainage Investigation Area
- Future Trunk Stormwater Quality**
 - RainGardens
 - Riparian Vegetation
 - Natural Channel Design
 - Bioretention Basin
 - Constructed Wetland
- Existing Trunk Stormwater Network**
 - Bioretention Basin
 - Constructed Wetland
 - Sediment Basin
 - Detention Basin
 - Stormwater Network
 - Stormwater Channels
 - Road Culvert

Where future trunk infrastructure is located outside the PIA it is intended to service population within the relevant district catchment of the PIA.


Effective from 21 December 2021



DISCLAIMER: Some of the information shown in this document has been provided to Council from external third parties. Council makes no representation and gives no warranty about the accuracy, reliability, completeness or suitability for any particular purpose of the information. Persons should not rely on the information shown in this document to make any decision with financial or legal implications and should instead rely on their own enquiries. To the full extent that it is able to do so in law, Council disclaims all liability (including liability in negligence) for all costs, losses and damages (including indirect and consequential costs, losses and damages) caused by or arising from anyone using or relying on the information shown in this document for any purpose whatsoever. © Copyright Moreton Bay Regional Council 2021


DCDB (Version July 2021) is reproduced with the permission of the State of Queensland.

Published 8:10:15 AM, Thursday 25 November 2021



LGIP-8 SW

LGIP-1_LGIP-18 SW v2_Smoo20210712_v2.mxd




LOCAL GOVERNMENT INFRASTRUCTURE PLAN
PLAN FOR TRUNK INFRASTRUCTURE -
STORMWATER

- Property Boundary
- Catchment Boundary
- Future Trunk Stormwater Quantity**
 - Stormwater Network Upgrade
 - Channels Upgrade
 - Roads Raising
 - Culverts Upgrade
 - Levees
- Detention Basin
- Drainage Investigation Area
- Future Trunk Stormwater Quality**
 - RainGardens
 - Riparian Vegetation
 - Natural Channel Design
 - Bioretention Basin
 - Constructed Wetland
- Existing Trunk Stormwater Network**
 - Bioretention Basin
 - Constructed Wetland
 - Sediment Basin
 - Detention Basin
 - Stormwater Network
 - Stormwater Channels
 - Road Culvert


Where future trunk infrastructure is located outside the PIA it is intended to service population within the relevant district catchment of the PIA.

Effective from 21 December 2021



DISCLAIMER: Some of the information shown in this document has been provided to Council from external third parties. Council makes no representation and gives no warranty about the accuracy, reliability, completeness or suitability for any particular purpose of the information. Persons should not rely on the information shown in this document to make any decision with financial or legal implications and should instead rely on their own enquiries. To the full extent that it is able to do so in law, Council disclaims all liability (including liability in negligence) for all costs, losses and damages (including indirect and consequential costs, losses and damages) caused by or arising from anyone using or relying on the information shown in this document for any purpose whatsoever. © Copyright Moreton Bay Regional Council 2021

DCDB (Version July 2021) is reproduced with the permission of the State of Queensland.



LOCAL GOVERNMENT INFRASTRUCTURE PLAN
PLAN FOR TRUNK INFRASTRUCTURE -
STORMWATER

- Property Boundary
Catchment Boundary
Future Trunk Stormwater Quantity
Stormwater Network Upgrade
Channels Upgrade
Roads Raising
Culverts Upgrade
Levees
Detention Basin
Drainage Investigation Area
Future Trunk Stormwater Quality
RainGardens
Riparian Vegetation
Natural Channel Design
Bioretention Basin
Constructed Wetland
Existing Trunk Stormwater Network
Bioretention Basin
Constructed Wetland
Sediment Basin
Detention Basin
Stormwater Network
Stormwater Channels
Road Culvert

Where future trunk infrastructure is located outside the PIA it is intended to service population within the relevant district catchment of the PIA.


Effective from 21 December 2021

0 400 800 1,200 Metres

SCALE (A3): 1:30,000
Date Produced: 25 November 2021
Projection: Map Grid of Australia, Zone 56
Horizontal Datum: Geocentric Datum of Australia 1994

DISCLAIMER: Some of the information shown in this document has been provided to Council from external third parties. Council makes no representation and gives no warranty about the accuracy, reliability, completeness or suitability for any particular purpose of the information. Persons should not rely on the information shown in this document to make any decision with financial or legal implications and should instead rely on their own enquiries. To the full extent that it is able to do so in law, Council disclaims all liability (including liability in negligence) for all costs, losses and damages (including indirect and consequential costs, losses and damages) caused by or arising from anyone using or relying on the information shown in this document for any purpose whatsoever. © Copyright Moreton Bay Regional Council 2021

DCDB (Version July 2021) is reproduced with the permission of the State of Queensland.



LGIP-10 SW



LGIP-1 - LGIP-18 SW v2_Smoo20210712_v2.mxd




LOCAL GOVERNMENT INFRASTRUCTURE PLAN
PLAN FOR TRUNK INFRASTRUCTURE -
STORMWATER

- Property Boundary
- Catchment Boundary
- Future Trunk Stormwater Quantity**
 - Stormwater Network Upgrade
 - Channels Upgrade
 - Roads Raising
 - Culverts Upgrade
 - Levees
- Detention Basin
- Drainage Investigation Area
- Future Trunk Stormwater Quality**
 - RainGardens
 - Riparian Vegetation
 - Natural Channel Design
 - Bioretention Basin
 - Constructed Wetland
- Existing Trunk Stormwater Network**
 - Bioretention Basin
 - Constructed Wetland
 - Sediment Basin
 - Detention Basin
 - Stormwater Network
 - Stormwater Channels
 - Road Culvert


Where future trunk infrastructure is located outside the PIA it is intended to service population within the relevant district catchment of the PIA.

Effective from 21 December 2021



DISCLAIMER: Some of the information shown in this document has been provided to Council from external third parties. Council makes no representation and gives no warranty about the accuracy, reliability, completeness or suitability for any particular purpose of the information. Persons should not rely on the information shown in this document to make any decision with financial or legal implications and should instead rely on their own enquiries. To the full extent that it is able to do so in law, Council disclaims all liability (including liability in negligence) for all costs, losses and damages (including indirect and consequential costs, losses and damages) caused by or arising from anyone using or relying on the information shown in this document for any purpose whatsoever. © Copyright Moreton Bay Regional Council 2021

DCDB (Version July 2021) is reproduced with the permission of the State of Queensland.



LGIP-11 SW

- Where future trunk infrastructure is located outside the PIA it is intended to service population within the relevant district catchment of the PIA.

Effective from 21 December 2021




N
SCALE (A3): 1:30,000
Date Produced: 25 November 2021
Projection: Map Grid of Australia, Zone 56
Horizontal Datum: Geocentric Datum of Australia 1994


DISCLAIMER: Some of the information shown in this document has been provided to Council from external third parties. Council makes no representation and gives no warranty about the accuracy, reliability, completeness or suitability for any particular purpose of the information. Persons should not rely on the information shown in this document to make any decision with financial or legal implications and should instead rely on their own enquiries. To the full extent that it is able to do so in law, Council disclaims all liability (including liability in negligence) for all costs, losses and damages (including indirect and consequential costs, losses and damages) caused by or arising from anyone's reliance on the information shown in this document for any purpose whatsoever.

© Copyright Moreton Bay Regional Council 2021

OCDB (Version July 2021) is reproduced with the permission of the State of Queensland.

**LGIP-12 SW**

LGIP-1 - LGIP-13 SW v2_Smoo20210712_v2.mxd




LOCAL GOVERNMENT INFRASTRUCTURE PLAN
PLAN FOR TRUNK INFRASTRUCTURE -
STORMWATER

- Property Boundary
- Catchment Boundary
- Future Trunk Stormwater Quantity**
 - Stormwater Network Upgrade
 - Channels Upgrade
 - Roads Raising
 - Culverts Upgrade
 - Levees
 - Detention Basin
 - Drainage Investigation Area
- Future Trunk Stormwater Quality**
 - RainGardens
 - Riparian Vegetation
 - Natural Channel Design
 - Bioretention Basin
 - Constructed Wetland
- Existing Trunk Stormwater Network**
 - Bioretention Basin
 - Constructed Wetland
 - Sediment Basin
 - Detention Basin
 - Stormwater Network
 - Stormwater Channels
 - Road Culvert


Where future trunk infrastructure is located outside the PIA it is intended to service population within the relevant district catchment of the PIA.

Effective from 21 December 2021




DISCLAIMER: Some of the information shown in this document has been provided to Council from external third parties. Council makes no representation and gives no warranty about the accuracy, reliability, completeness or suitability for any particular purpose of the information. Persons should not rely on the information shown in this document to make any decision with financial or legal implications and should instead rely on their own enquiries. To the full extent that it is able to do so in law, Council disclaims all liability (including liability in negligence) for all costs, losses and damages (including indirect and consequential costs, losses and damages) caused by or arising from anyone using or relying on the information shown in this document for any purpose whatsoever. © Copyright Moreton Bay Regional Council 2021

DCDB (Version July 2021) is reproduced with the permission of the State of Queensland.



LGIP-13 SW

LGIP-14 LGIP-18 SW v2_Smoo20210712_v2.mxd




LOCAL GOVERNMENT INFRASTRUCTURE PLAN
PLAN FOR TRUNK INFRASTRUCTURE -
STORMWATER

- Property Boundary
- Catchment Boundary
- Future Trunk Stormwater Quantity**
 - Stormwater Network Upgrade
 - Channels Upgrade
 - Roads Raising
 - Culverts Upgrade
 - Levees
 - Detention Basin
 - Drainage Investigation Area
- Future Trunk Stormwater Quality**
 - RainGardens
 - Riparian Vegetation
 - Natural Channel Design
 - Bioretention Basin
 - Constructed Wetland
- Existing Trunk Stormwater Network**
 - Bioretention Basin
 - Constructed Wetland
 - Sediment Basin
 - Detention Basin
 - Stormwater Network
 - Stormwater Channels
 - Road Culvert


Where future trunk infrastructure is located outside the PIA it is intended to service population within the relevant district catchment of the PIA.

Effective from 21 December 2021



DISCLAIMER: Some of the information shown in this document has been provided to Council from external third parties. Council makes no representation and gives no warranty about the accuracy, reliability, completeness or suitability for any particular purpose of the information. Persons should not rely on the information shown in this document to make any decision with financial or legal implications and should instead rely on their own enquiries. To the full extent that it is able to do so in law, Council disclaims all liability (including liability in negligence) for all costs, losses and damages (including indirect and consequential costs, losses and damages) caused by or arising from anyone using or relying on the information shown in this document for any purpose whatsoever. © Copyright Moreton Bay Regional Council 2021

DCDB (Version July 2021) is reproduced with the permission of the State of Queensland.



LGIP-14 SW

LGIP-1 - LGIP-15 SW v2_Smoo20210712_v2.mxd



PUMICESTONE
PASSAGE
CATCHMENT




LOCAL GOVERNMENT INFRASTRUCTURE PLAN
PLAN FOR TRUNK INFRASTRUCTURE -
STORMWATER

- Property Boundary
- Catchment Boundary
- Future Trunk Stormwater Quantity**
 - Stormwater Network Upgrade
 - Channels Upgrade
 - Roads Raising
 - Culverts Upgrade
 - Levees
- Detention Basin
- Drainage Investigation Area
- Future Trunk Stormwater Quality**
 - RainGardens
 - Riparian Vegetation
 - Natural Channel Design
 - Bioretention Basin
 - Constructed Wetland
- Existing Trunk Stormwater Network**
 - Bioretention Basin
 - Constructed Wetland
 - Sediment Basin
 - Detention Basin
 - Stormwater Network
 - Stormwater Channels
 - Road Culvert


Where future trunk infrastructure is located outside the PIA it is intended to service population within the relevant district catchment of the PIA.

Effective from 21 December 2021




DISCLAIMER: Some of the information shown in this document has been provided to Council from external third parties. Council makes no representation and gives no warranty about the accuracy, reliability, completeness or suitability for any particular purpose of the information. Persons should not rely on the information shown in this document to make any decision with financial or legal implications and should instead rely on their own enquiries. To the full extent that it is able to do so in law, Council disclaims all liability (including liability in negligence) for all costs, losses and damages (including indirect and consequential costs, losses and damages) caused by or arising from anyone using or relying on the information shown in this document for any purpose whatsoever. © Copyright Moreton Bay Regional Council 2021

DCDB (Version July 2021) is reproduced with the permission of the State of Queensland.



LGIP-15 SW

LGIP-1 - LGIP-16 SW v2_Smoo20210712_v2.mxd




LOCAL GOVERNMENT INFRASTRUCTURE PLAN
PLAN FOR TRUNK INFRASTRUCTURE -
STORMWATER

- Property Boundary
- Catchment Boundary
- Future Trunk Stormwater Quantity**
 - Stormwater Network Upgrade
 - Channels Upgrade
 - Roads Raising
 - Culverts Upgrade
 - Levees
 - Detention Basin
 - Drainage Investigation Area
- Future Trunk Stormwater Quality**
 - RainGardens
 - Riparian Vegetation
 - Natural Channel Design
 - Bioretention Basin
 - Constructed Wetland
- Existing Trunk Stormwater Network**
 - Bioretention Basin
 - Constructed Wetland
 - Sediment Basin
 - Detention Basin
 - Stormwater Network
 - Stormwater Channels
 - Road Culvert


Where future trunk infrastructure is located outside the PIA it is intended to service population within the relevant district catchment of the PIA.

Effective from 21 December 2021



DISCLAIMER: Some of the information shown in this document has been provided to Council from external third parties. Council makes no representation and gives no warranty about the accuracy, reliability, completeness or suitability for any particular purpose of the information. Persons should not rely on the information shown in this document to make any decision with financial or legal implications and should instead rely on their own enquiries. To the full extent that it is able to do so in law, Council disclaims all liability (including liability in negligence) for all costs, losses and damages (including indirect and consequential costs, losses and damages) caused by or arising from anyone using or relying on the information shown in this document for any purpose whatsoever. © Copyright Moreton Bay Regional Council 2021

DCDB (Version July 2021) is reproduced with the permission of the State of Queensland.




LGIP-16 SW

LOCAL GOVERNMENT INFRASTRUCTURE PLAN
PLAN FOR TRUNK INFRASTRUCTURE -
STORMWATER

- Property Boundary
- Catchment Boundary
- Future Trunk Stormwater Quantity**
 - Stormwater Network Upgrade
 - Channels Upgrade
 - Roads Raising
 - Culverts Upgrade
 - Levees
- Detention Basin
- Drainage Investigation Area
- Future Trunk Stormwater Quality**
 - RainGardens
 - Riparian Vegetation
 - Natural Channel Design
 - Bioretention Basin
 - Constructed Wetland
- Existing Trunk Stormwater Network**
 - Bioretention Basin
 - Constructed Wetland
 - Sediment Basin
 - Detention Basin
 - Stormwater Network
 - Stormwater Channels
 - Road Culvert


Where future trunk infrastructure is located outside the PIA it is intended to service population within the relevant district catchment of the PIA.

Effective from 21 December 2021




DISCLAIMER: Some of the information shown in this document has been provided to Council from external third parties. Council makes no representation and gives no warranty about the accuracy, reliability, completeness or suitability for any particular purpose of the information. Persons should not rely on the information shown in this document to make any decision with financial or legal implications and should instead rely on their own enquiries. To the full extent that it is able to do so in law, Council disclaims all liability (including liability in negligence) for all costs, losses and damages (including indirect and consequential costs, losses and damages) caused by or arising from anyone using or relying on the information shown in this document for any purpose whatsoever. © Copyright Moreton Bay Regional Council 2021

DCDB (Version July 2021) is reproduced with the permission of the State of Queensland.



LGIP-17 SW



LGIP-1 - LGIP-18 SW v2_Smoo20210712_v2.mxd




LOCAL GOVERNMENT INFRASTRUCTURE PLAN
PLAN FOR TRUNK INFRASTRUCTURE -
STORMWATER

- Property Boundary
- Catchment Boundary
- Future Trunk Stormwater Quantity**
 - Stormwater Network Upgrade
 - Channels Upgrade
 - Roads Raising
 - Culverts Upgrade
 - Levees
 - Detention Basin
 - Drainage Investigation Area
- Future Trunk Stormwater Quality**
 - RainGardens
 - Riparian Vegetation
 - Natural Channel Design
 - Bioretention Basin
 - Constructed Wetland
- Existing Trunk Stormwater Network**
 - Bioretention Basin
 - Constructed Wetland
 - Sediment Basin
 - Detention Basin
 - Stormwater Network
 - Stormwater Channels
 - Road Culvert


Where future trunk infrastructure is located outside the PIA it is intended to service population within the relevant district catchment of the PIA.

Effective from 21 December 2021




DISCLAIMER: Some of the information shown in this document has been provided to Council from external third parties. Council makes no representation and gives no warranty about the accuracy, reliability, completeness or suitability for any particular purpose of the information. Persons should not rely on the information shown in this document to make any decision with financial or legal implications and should instead rely on their own enquiries. To the full extent that it is able to do so in law, Council disclaims all liability (including liability in negligence) for all costs, losses and damages (including indirect and consequential costs, losses and damages) caused by or arising from anyone using or relying on the information shown in this document for any purpose whatsoever. © Copyright Moreton Bay Regional Council 2021

DCDB (Version July 2021) is reproduced with the permission of the State of Queensland.



LGIP-18 SW

LGIP-1 - LGIP-19 SW v2_Smoo20210712_v2.mxd




LOCAL GOVERNMENT INFRASTRUCTURE PLAN
PLAN FOR TRUNK INFRASTRUCTURE -
STORMWATER

- Property Boundary
- Catchment Boundary
- Future Trunk Stormwater Quantity**
 - Stormwater Network Upgrade
 - Channels Upgrade
 - Roads Raising
 - Culverts Upgrade
 - Levees
 - Detention Basin
 - Drainage Investigation Area
- Future Trunk Stormwater Quality**
 - RainGardens
 - Riparian Vegetation
 - Natural Channel Design
 - Bioretention Basin
 - Constructed Wetland
- Existing Trunk Stormwater Network**
 - Bioretention Basin
 - Constructed Wetland
 - Sediment Basin
 - Detention Basin
 - Stormwater Network
 - Stormwater Channels
 - Road Culvert


Where future trunk infrastructure is located outside the PIA it is intended to service population within the relevant district catchment of the PIA.

Effective from 21 December 2021




DISCLAIMER: Some of the information shown in this document has been provided to Council from external third parties. Council makes no representation and gives no warranty about the accuracy, reliability, completeness or suitability for any particular purpose of the information. Persons should not rely on the information shown in this document to make any decision with financial or legal implications and should instead rely on their own enquiries. To the full extent that it is able to do so in law, Council disclaims all liability (including liability in negligence) for all costs, losses and damages (including indirect and consequential costs, losses and damages) caused by or arising from anyone using or relying on the information shown in this document for any purpose whatsoever. © Copyright Moreton Bay Regional Council 2021

DCDB (Version July 2021) is reproduced with the permission of the State of Queensland.



LGIP-19 SW

LGIP-1 - LGIP-18 SW v2_Smoo20210712_v2.mxd




LOCAL GOVERNMENT INFRASTRUCTURE PLAN
PLAN FOR TRUNK INFRASTRUCTURE -
STORMWATER

- Property Boundary
- Catchment Boundary
- Future Trunk Stormwater Quantity**
 - Stormwater Network Upgrade
 - Channels Upgrade
 - Roads Raising
 - Culverts Upgrade
 - Levees
 - Detention Basin
 - Drainage Investigation Area
- Future Trunk Stormwater Quality**
 - RainGardens
 - Riparian Vegetation
 - Natural Channel Design
 - Bioretention Basin
 - Constructed Wetland
- Existing Trunk Stormwater Network**
 - Bioretention Basin
 - Constructed Wetland
 - Sediment Basin
 - Detention Basin
 - Stormwater Network
 - Stormwater Channels
 - Road Culvert

Where future trunk infrastructure is located outside the PIA it is intended to service population within the relevant district catchment of the PIA.


Effective from 21 December 2021



Date Produced: 25 November 2021
Projection: Map Grid of Australia, Zone 56
Horizontal Datum: Geocentric Datum of Australia 1994

DISCLAIMER: Some of the information shown in this document has been provided to Council from external third parties. Council makes no representation and gives no warranty about the accuracy, reliability, completeness or suitability for any particular purpose of the information. Persons should not rely on the information shown in this document to make any decision with financial or legal implications and should instead rely on their own enquiries. To the full extent that it is able to do so in law, Council disclaims all liability (including liability in negligence) for all costs, losses and damages (including indirect and consequential costs, losses and damages) caused by or arising from anyone using or relying on the information shown in this document for any purpose whatsoever. © Copyright Moreton Bay Regional Council 2021

DCDB (Version July 2021) is reproduced with the permission of the State of Queensland.



LGIP-20 SW

LGIP-1 - LGIP-18 SW v2_Smoo20210712_v2.mxd




LOCAL GOVERNMENT INFRASTRUCTURE PLAN
PLAN FOR TRUNK INFRASTRUCTURE -
STORMWATER

- Property Boundary
- Catchment Boundary
- Future Trunk Stormwater Quantity**
 - Stormwater Network Upgrade
 - Channels Upgrade
 - Roads Raising
 - Culverts Upgrade
 - Levees
- Detention Basin
- Drainage Investigation Area
- Future Trunk Stormwater Quality**
 - RainGardens
 - Riparian Vegetation
 - Natural Channel Design
 - Bioretention Basin
 - Constructed Wetland
- Existing Trunk Stormwater Network**
 - Bioretention Basin
 - Constructed Wetland
 - Sediment Basin
 - Detention Basin
 - Stormwater Network
 - Stormwater Channels
 - Road Culvert


Where future trunk infrastructure is located outside the PIA it is intended to service population within the relevant district catchment of the PIA.

Effective from 21 December 2021



DISCLAIMER: Some of the information shown in this document has been provided to Council from external third parties. Council makes no representation and gives no warranty about the accuracy, reliability, completeness or suitability for any particular purpose of the information. Persons should not rely on the information shown in this document to make any decision with financial or legal implications and should instead rely on their own enquiries. To the full extent that it is able to do so in law, Council disclaims all liability (including liability in negligence) for all costs, losses and damages (including indirect and consequential costs, losses and damages) caused by or arising from anyone using or relying on the information shown in this document for any purpose whatsoever. © Copyright Moreton Bay Regional Council 2021

DCDB (Version July 2021) is reproduced with the permission of the State of Queensland.




LOCAL GOVERNMENT INFRASTRUCTURE PLAN
PLAN FOR TRUNK INFRASTRUCTURE -
STORMWATER

- Property Boundary
- Catchment Boundary
- Future Trunk Stormwater Quantity**
 - Stormwater Network Upgrade
 - Channels Upgrade
 - Roads Raising
 - Culverts Upgrade
 - Levees
- Detention Basin
- Drainage Investigation Area
- Future Trunk Stormwater Quality**
 - RainGardens
 - Riparian Vegetation
 - Natural Channel Design
 - Bioretention Basin
 - Constructed Wetland
- Existing Trunk Stormwater Network**
 - Bioretention Basin
 - Constructed Wetland
 - Sediment Basin
 - Detention Basin
 - Stormwater Network
 - Stormwater Channels
 - Road Culvert


Where future trunk infrastructure is located outside the PIA it is intended to service population within the relevant district catchment of the PIA.

Effective from 21 December 2021



DISCLAIMER: Some of the information shown in this document has been provided to Council from external third parties. Council makes no representation and gives no warranty about the accuracy, reliability, completeness or suitability for any particular purpose of the information. Persons should not rely on the information shown in this document to make any decision with financial or legal implications and should instead rely on their own enquiries. To the full extent that it is able to do so in law, Council disclaims all liability (including liability in negligence) for all costs, losses and damages (including indirect and consequential costs, losses and damages) caused by or arising from anyone using or relying on the information shown in this document for any purpose whatsoever. © Copyright Moreton Bay Regional Council 2021

DCDB (Version July 2021) is reproduced with the permission of the State of Queensland.




LGIP-22 SW

LOCAL GOVERNMENT INFRASTRUCTURE PLAN
PLAN FOR TRUNK INFRASTRUCTURE -
STORMWATER

- Property Boundary
- Catchment Boundary
- Future Trunk Stormwater Quantity**
 - Stormwater Network Upgrade
 - Channels Upgrade
 - Roads Raising
 - Culverts Upgrade
 - Levees
- Detention Basin
- Drainage Investigation Area
- Future Trunk Stormwater Quality**
 - RainGardens
 - Riparian Vegetation
 - Natural Channel Design
 - Bioretention Basin
 - Constructed Wetland
- Existing Trunk Stormwater Network**
 - Bioretention Basin
 - Constructed Wetland
 - Sediment Basin
 - Detention Basin
 - Stormwater Network
 - Stormwater Channels
 - Road Culvert


Where future trunk infrastructure is located outside the PIA it is intended to service population within the relevant district catchment of the PIA.

Effective from 21 December 2021




DISCLAIMER: Some of the information shown in this document has been provided to Council from external third parties. Council makes no representation and gives no warranty about the accuracy, reliability, completeness or suitability for any particular purpose of the information. Persons should not rely on the information shown in this document to make any decision with financial or legal implications and should instead rely on their own enquiries. To the full extent that it is able to do so in law, Council disclaims all liability (including liability in negligence) for all costs, losses and damages (including indirect and consequential costs, losses and damages) caused by or arising from anyone using or relying on the information shown in this document for any purpose whatsoever. © Copyright Moreton Bay Regional Council 2021


DCDB (Version July 2021) is reproduced with the permission of the State of Queensland.



LGIP-23 SW



LGIP-1 - LGIP-18 SW v2_Smoo20210712_v2.mxd




LOCAL GOVERNMENT INFRASTRUCTURE PLAN
PLAN FOR TRUNK INFRASTRUCTURE -
STORMWATER

- Property Boundary
- Catchment Boundary
- Future Trunk Stormwater Quantity**
- Stormwater Network Upgrade
- Channels Upgrade
- Roads Raising
- Culverts Upgrade
- Levees
- Detention Basin
- Drainage Investigation Area
- Future Trunk Stormwater Quality**
- RainGardens
- Riparian Vegetation
- Natural Channel Design
- Bioretention Basin
- Constructed Wetland
- Existing Trunk Stormwater Network**
- Bioretention Basin
- Constructed Wetland
- Sediment Basin
- Detention Basin
- Stormwater Network
- Stormwater Channels
- Road Culvert


Where future trunk infrastructure is located outside the PIA it is intended to service population within the relevant district catchment of the PIA.

Effective from 21 December 2021



DISCLAIMER: Some of the information shown in this document has been provided to Council from external third parties. Council makes no representation and gives no warranty about the accuracy, reliability, completeness or suitability for any particular purpose of the information. Persons should not rely on the information shown in this document to make any decision with financial or legal implications and should instead rely on their own enquiries. To the full extent that it is able to do so in law, Council disclaims all liability (including liability in negligence) for all costs, losses and damages (including indirect and consequential costs, losses and damages) caused by or arising from anyone using or relying on the information shown in this document for any purpose whatsoever. © Copyright Moreton Bay Regional Council 2021

DCDB (Version July 2021) is reproduced with the permission of the State of Queensland.




LGIP-24 SW

LOCAL GOVERNMENT INFRASTRUCTURE PLAN
PLAN FOR TRUNK INFRASTRUCTURE -
STORMWATER

- Property Boundary
- Catchment Boundary
- Future Trunk Stormwater Quantity**
 - Stormwater Network Upgrade
 - Channels Upgrade
 - Roads Raising
 - Culverts Upgrade
 - Levees
- Future Trunk Stormwater Quality**
 - Rain Gardens
 - Riparian Vegetation
 - Natural Channel Design
 - Bioretention Basin
 - Constructed Wetland
- Existing Trunk Stormwater Network**
 - Bioretention Basin
 - Constructed Wetland
 - Sediment Basin
 - Detention Basin
 - Stormwater Network
 - Stormwater Channels
 - Road Culvert


Where future trunk infrastructure is located outside the PIA it is intended to service population within the relevant district catchment of the PIA.

Effective from 21 December 2021




DISCLAIMER: Some of the information shown in this document has been provided to Council from external third parties. Council makes no representation and gives no warranty about the accuracy, reliability, completeness or suitability for any particular purpose of the information. Persons should not rely on the information shown in this document to make any decision with financial or legal implications and should instead rely on their own enquiries. To the full extent that it is able to do so in law, Council disclaims all liability (including liability in negligence) for all costs, losses and damages (including indirect and consequential costs, losses and damages) caused by or arising from anyone using or relying on the information shown in this document for any purpose whatsoever. © Copyright Moreton Bay Regional Council 2021


DCDB (Version July 2021) is reproduced with the permission of the State of Queensland.



LGIP-25 SW



LGIP-1 - LGIP-18 SW v2_Smoo20210712_v2.mxd




LOCAL GOVERNMENT INFRASTRUCTURE PLAN
PLAN FOR TRUNK INFRASTRUCTURE -
STORMWATER

- Property Boundary
- Catchment Boundary
- Future Trunk Stormwater Quantity**
 - Stormwater Network Upgrade
 - Channels Upgrade
 - Roads Raising
 - Culverts Upgrade
 - Levees
- Detention Basin
- Drainage Investigation Area
- Future Trunk Stormwater Quality**
 - RainGardens
 - Riparian Vegetation
 - Natural Channel Design
 - Bioretention Basin
 - Constructed Wetland
- Existing Trunk Stormwater Network**
 - Bioretention Basin
 - Constructed Wetland
 - Sediment Basin
 - Detention Basin
 - Stormwater Network
 - Stormwater Channels
 - Road Culvert


Where future trunk infrastructure is located outside the PIA it is intended to service population within the relevant district catchment of the PIA.

Effective from 21 December 2021



DISCLAIMER: Some of the information shown in this document has been provided to Council from external third parties. Council makes no representation and gives no warranty about the accuracy, reliability, completeness or suitability for any particular purpose of the information. Persons should not rely on the information shown in this document to make any decision with financial or legal implications and should instead rely on their own enquiries. To the full extent that it is able to do so in law, Council disclaims all liability (including liability in negligence) for all costs, losses and damages (including indirect and consequential costs, losses and damages) caused by or arising from anyone using or relying on the information shown in this document for any purpose whatsoever. © Copyright Moreton Bay Regional Council 2021

DCDB (Version July 2021) is reproduced with the permission of the State of Queensland.




LOCAL GOVERNMENT INFRASTRUCTURE PLAN
PLAN FOR TRUNK INFRASTRUCTURE -
STORMWATER

- Property Boundary
- Catchment Boundary
- Future Trunk Stormwater Quantity**
 - Stormwater Network Upgrade
 - Channels Upgrade
 - Roads Raising
 - Culverts Upgrade
 - Levees
- Detention Basin
- Drainage Investigation Area
- Future Trunk Stormwater Quality**
 - RainGardens
 - Riparian Vegetation
 - Natural Channel Design
 - Bioretention Basin
 - Constructed Wetland
- Existing Trunk Stormwater Network**
 - Bioretention Basin
 - Constructed Wetland
 - Sediment Basin
 - Detention Basin
 - Stormwater Network
 - Stormwater Channels
 - Road Culvert


Where future trunk infrastructure is located outside the PIA it is intended to service population within the relevant district catchment of the PIA.

Effective from 21 December 2021




DISCLAIMER: Some of the information shown in this document has been provided to Council from external third parties. Council makes no representation and gives no warranty about the accuracy, reliability, completeness or suitability for any particular purpose of the information. Persons should not rely on the information shown in this document to make any decision with financial or legal implications and should instead rely on their own enquiries. To the full extent that it is able to do so in law, Council disclaims all liability (including liability in negligence) for all costs, losses and damages (including indirect and consequential costs, losses and damages) caused by or arising from anyone using or relying on the information shown in this document for any purpose whatsoever. © Copyright Moreton Bay Regional Council 2021

DCDB (Version July 2021) is reproduced with the permission of the State of Queensland.



LGIP-27 SW



LGIP-1 - LGIP-18 SW v2_Smoo20210712_v2.mxd




LOCAL GOVERNMENT INFRASTRUCTURE PLAN
PLAN FOR TRUNK INFRASTRUCTURE -
STORMWATER

- Property Boundary
- Catchment Boundary
- Future Trunk Stormwater Quantity**
 - Stormwater Network Upgrade
 - Channels Upgrade
 - Roads Raising
 - Culverts Upgrade
 - Levees
- Detention Basin
- Drainage Investigation Area
- Future Trunk Stormwater Quality**
 - RainGardens
 - Riparian Vegetation
 - Natural Channel Design
 - Bioretention Basin
 - Constructed Wetland
- Existing Trunk Stormwater Network**
 - Bioretention Basin
 - Constructed Wetland
 - Sediment Basin
 - Detention Basin
 - Stormwater Network
 - Stormwater Channels
 - Road Culvert


Where future trunk infrastructure is located outside the PIA it is intended to service population within the relevant district catchment of the PIA.

Effective from 21 December 2021



DISCLAIMER: Some of the information shown in this document has been provided to Council from external third parties. Council makes no representation and gives no warranty about the accuracy, reliability, completeness or suitability for any particular purpose of the information. Persons should not rely on the information shown in this document to make any decision with financial or legal implications and should instead rely on their own enquiries. To the full extent that it is able to do so in law, Council disclaims all liability (including liability in negligence) for all costs, losses and damages (including indirect and consequential costs, losses and damages) caused by or arising from anyone using or relying on the information shown in this document for any purpose whatsoever. © Copyright Moreton Bay Regional Council 2021

DCDB (Version July 2021) is reproduced with the permission of the State of Queensland.




LGIP-28 SW

LOCAL GOVERNMENT INFRASTRUCTURE PLAN
PLAN FOR TRUNK INFRASTRUCTURE -
STORMWATER

- Property Boundary
- Catchment Boundary
- Future Trunk Stormwater Quantity**
 - Stormwater Network Upgrade
 - Channels Upgrade
 - Roads Raising
 - Culverts Upgrade
 - Levees
 - Detention Basin
 - Drainage Investigation Area
- Future Trunk Stormwater Quality**
 - RainGardens
 - Riparian Vegetation
 - Natural Channel Design
 - Bioretention Basin
 - Constructed Wetland
- Existing Trunk Stormwater Network**
 - Bioretention Basin
 - Constructed Wetland
 - Sediment Basin
 - Detention Basin
 - Stormwater Network
 - Stormwater Channels
 - Road Culvert



Where future trunk infrastructure is located outside the PIA it is intended to service population within the relevant district catchment of the PIA.

Effective from 21 December 2021



DISCLAIMER: Some of the information shown in this document has been provided to Council from external third parties. Council makes no representation and gives no warranty about the accuracy, reliability, completeness or suitability for any particular purpose of the information. Persons should not rely on the information shown in this document to make any decision with financial or legal implications and should instead rely on their own enquiries. To the full extent that it is able to do so in law, Council disclaims all liability (including liability in negligence) for all costs, losses and damages (including indirect and consequential costs, losses and damages) caused by or arising from anyone using or relying on the information shown in this document for any purpose whatsoever. © Copyright Moreton Bay Regional Council 2021

DCDB (Version July 2021) is reproduced with the permission of the State of Queensland.




LOCAL GOVERNMENT INFRASTRUCTURE PLAN
PLAN FOR TRUNK INFRASTRUCTURE -
STORMWATER

- Property Boundary
- Catchment Boundary
- Future Trunk Stormwater Quantity**
 - Stormwater Network Upgrade
 - Channels Upgrade
 - Roads Raising
 - Culverts Upgrade
 - Levees
 - Detention Basin
 - Drainage Investigation Area
- Future Trunk Stormwater Quality**
 - RainGardens
 - Riparian Vegetation
 - Natural Channel Design
 - Bioretention Basin
 - Constructed Wetland
- Existing Trunk Stormwater Network**
 - Bioretention Basin
 - Constructed Wetland
 - Sediment Basin
 - Detention Basin
 - Stormwater Network
 - Stormwater Channels
 - Road Culvert


Where future trunk infrastructure is located outside the PIA it is intended to service population within the relevant district catchment of the PIA.

Effective from 21 December 2021



DISCLAIMER: Some of the information shown in this document has been provided to Council from external third parties. Council makes no representation and gives no warranty about the accuracy, reliability, completeness or suitability for any particular purpose of the information. Persons should not rely on the information shown in this document to make any decision with financial or legal implications and should instead rely on their own enquiries. To the full extent that it is able to do so in law, Council disclaims all liability (including liability in negligence) for all costs, losses and damages (including indirect and consequential costs, losses and damages) caused by or arising from anyone using or relying on the information shown in this document for any purpose whatsoever. © Copyright Moreton Bay Regional Council 2021

DCDB (Version July 2021) is reproduced with the permission of the State of Queensland.




LOCAL GOVERNMENT INFRASTRUCTURE PLAN
PLAN FOR TRUNK INFRASTRUCTURE -
STORMWATER

- Property Boundary
- Catchment Boundary
- Future Trunk Stormwater Quantity**
 - Stormwater Network Upgrade
 - Channels Upgrade
 - Roads Raising
 - Culverts Upgrade
 - Levees
 - Detention Basin
 - Drainage Investigation Area
- Future Trunk Stormwater Quality**
 - RainGardens
 - Riparian Vegetation
 - Natural Channel Design
 - Bioretention Basin
 - Constructed Wetland
- Existing Trunk Stormwater Network**
 - Bioretention Basin
 - Constructed Wetland
 - Sediment Basin
 - Detention Basin
 - Stormwater Network
 - Stormwater Channels
 - Road Culvert


Where future trunk infrastructure is located outside the PIA it is intended to service population within the relevant district catchment of the PIA.

Effective from 21 December 2021




DISCLAIMER: Some of the information shown in this document has been provided to Council from external third parties. Council makes no representation and gives no warranty about the accuracy, reliability, completeness or suitability for any particular purpose of the information. Persons should not rely on the information shown in this document to make any decision with financial or legal implications and should instead rely on their own enquiries. To the full extent that it is able to do so in law, Council disclaims all liability (including liability in negligence) for all costs, losses and damages (including indirect and consequential costs, losses and damages) caused by or arising from anyone using or relying on the information shown in this document for any purpose whatsoever. © Copyright Moreton Bay Regional Council 2021

DCDB (Version July 2021) is reproduced with the permission of the State of Queensland.



LGIP-31 SW



LOCAL GOVERNMENT INFRASTRUCTURE PLAN
PLAN FOR TRUNK INFRASTRUCTURE -
STORMWATER

- Property Boundary
- Catchment Boundary
- Future Trunk Stormwater Quantity**
 - Stormwater Network Upgrade
 - Channels Upgrade
 - Roads Raising
 - Culverts Upgrade
 - Levees
 - Detention Basin
 - Drainage Investigation Area
- Future Trunk Stormwater Quality**
 - RainGardens
 - Riparian Vegetation
 - Natural Channel Design
 - Bioretention Basin
 - Constructed Wetland
- Existing Trunk Stormwater Network**
 - Bioretention Basin
 - Constructed Wetland
 - Sediment Basin
 - Detention Basin
 - Stormwater Network
 - Stormwater Channels
 - Road Culvert


Where future trunk infrastructure is located outside the PIA it is intended to service population within the relevant district catchment of the PIA.

Effective from 21 December 2021


0 200 400 600 Metres
SCALE (A3): 1:15,000
Date Produced: 25 November 2021
Projection: Map Grid of Australia, Zone 56
Horizontal Datum: Geocentric Datum of Australia 1994

DISCLAIMER: Some of the information shown in this document has been provided to Council from external third parties. Council makes no representation and gives no warranty about the accuracy, reliability, completeness or suitability for any particular purpose of the information. Persons should not rely on the information shown in this document to make any decision with financial or legal implications and should instead rely on their own enquiries. To the full extent that it is able to do so in law, Council disclaims all liability (including liability in negligence) for all costs, losses and damages (including indirect and consequential costs, losses and damages) caused by or arising from anyone using or relying on the information shown in this document for any purpose whatsoever.
© Copyright Moreton Bay Regional Council 2021

DCDB (Version July 2021) is reproduced with the permission of the State of Queensland.



LGIP-32 SW




LOCAL GOVERNMENT INFRASTRUCTURE PLAN
PLAN FOR TRUNK INFRASTRUCTURE -
STORMWATER

- Property Boundary
- Catchment Boundary
- Future Trunk Stormwater Quantity**
 - Stormwater Network Upgrade
 - Channels Upgrade
 - Roads Raising
 - Culverts Upgrade
 - Levees
- Detention Basin
- Drainage Investigation Area
- Future Trunk Stormwater Quality**
 - RainGardens
 - Riparian Vegetation
 - Natural Channel Design
 - Bioretention Basin
 - Constructed Wetland
- Existing Trunk Stormwater Network**
 - Bioretention Basin
 - Constructed Wetland
 - Sediment Basin
 - Detention Basin
 - Stormwater Network
 - Stormwater Channels
 - Road Culvert


Where future trunk infrastructure is located outside the PIA it is intended to service population within the relevant district catchment of the PIA.

Effective from 21 December 2021



DISCLAIMER: Some of the information shown in this document has been provided to Council from external third parties. Council makes no representation and gives no warranty about the accuracy, reliability, completeness or suitability for any particular purpose of the information. Persons should not rely on the information shown in this document to make any decision with financial or legal implications and should instead rely on their own enquiries. To the full extent that it is able to do so in law, Council disclaims all liability (including liability in negligence) for all costs, losses and damages (including indirect and consequential costs, losses and damages) caused by or arising from anyone using or relying on the information shown in this document for any purpose whatsoever. © Copyright Moreton Bay Regional Council 2021


DCDB (Version July 2021) is reproduced with the permission of the State of Queensland.



LGIP-33 SW



LGIP-1 - LGIP-78 SW v2_Signed20210712_v2.mxd



LOCAL GOVERNMENT INFRASTRUCTURE PLAN
PLAN FOR TRUNK INFRASTRUCTURE -
STORMWATER

- Property Boundary
- Catchment Boundary
- Future Trunk Stormwater Quantity**
 - Stormwater Network Upgrade
 - Channels Upgrade
 - Roads Raising
 - Culverts Upgrade
 - Levees
 - Detention Basin
 - Drainage Investigation Area
- Future Trunk Stormwater Quality**
 - RainGardens
 - Riparian Vegetation
 - Natural Channel Design
 - Bioretention Basin
 - Constructed Wetland
- Existing Trunk Stormwater Network**
 - Bioretention Basin
 - Constructed Wetland
 - Sediment Basin
 - Detention Basin
 - Stormwater Network
 - Stormwater Channels
 - Road Culvert

Where future trunk infrastructure is located outside the PIA it is intended to service population within the relevant district catchment of the PIA.

Effective from 21 December 2021

0 200 400 600 Metres




SCALE (A3): 1:15,000

Date Produced: 25 November 2021
Projection: Map Grid of Australia, Zone 56
Horizontal Datum: Geocentric Datum of Australia 1994

DISCLAIMER: Some of the information shown in this document has been provided to Council from external third parties. Council makes no representation and gives no warranty about the accuracy, reliability, completeness or suitability for any particular purpose of the information. Persons should not rely on the information shown in this document to make any decision with financial or legal implications and should instead rely on their own enquiries. To the full extent that it is able to do so in law, Council disclaims all liability (including liability in negligence) for all costs, losses and damages (including indirect and consequential costs, losses and damages) caused by or arising from anyone using or relying on the information shown in this document for any purpose whatsoever. © Copyright Moreton Bay Regional Council 2021

DCDB (Version July 2021) is reproduced with the permission of the State of Queensland.




LGIP-34 SW

LOCAL GOVERNMENT INFRASTRUCTURE PLAN
PLAN FOR TRUNK INFRASTRUCTURE -
STORMWATER

- Property Boundary
- Catchment Boundary
- Future Trunk Stormwater Quantity**
 - Stormwater Network Upgrade
 - Channels Upgrade
 - Roads Raising
 - Culverts Upgrade
 - Levees
 - Detention Basin
 - Drainage Investigation Area
- Future Trunk Stormwater Quality**
 - RainGardens
 - Riparian Vegetation
 - Natural Channel Design
 - Bioretention Basin
 - Constructed Wetland
- Existing Trunk Stormwater Network**
 - Bioretention Basin
 - Constructed Wetland
 - Sediment Basin
 - Detention Basin
 - Stormwater Network
 - Stormwater Channels
 - Road Culvert


Where future trunk infrastructure is located outside the PIA it is intended to service population within the relevant district catchment of the PIA.

Effective from 21 December 2021




DISCLAIMER: Some of the information shown in this document has been provided to Council from external third parties. Council makes no representation and gives no warranty about the accuracy, reliability, completeness or suitability for any particular purpose of the information. Persons should not rely on the information shown in this document to make any decision with financial or legal implications and should instead rely on their own enquiries. To the full extent that it is able to do so in law, Council disclaims all liability (including liability in negligence) for all costs, losses and damages (including indirect and consequential costs, losses and damages) caused by or arising from anyone using or relying on the information shown in this document for any purpose whatsoever. © Copyright Moreton Bay Regional Council 2021

DCDB (Version July 2021) is reproduced with the permission of the State of Queensland.



LGIP-35 SW




LOCAL GOVERNMENT INFRASTRUCTURE PLAN
PLAN FOR TRUNK INFRASTRUCTURE -
STORMWATER

- Property Boundary
- Catchment Boundary
- Future Trunk Stormwater Quantity**
 - Stormwater Network Upgrade
 - Channels Upgrade
 - Roads Raising
 - Culverts Upgrade
 - Levees
 - Detention Basin
 - Drainage Investigation Area
- Future Trunk Stormwater Quality**
 - RainGardens
 - Riparian Vegetation
 - Natural Channel Design
 - Bioretention Basin
 - Constructed Wetland
- Existing Trunk Stormwater Network**
 - Bioretention Basin
 - Constructed Wetland
 - Sediment Basin
 - Detention Basin
 - Stormwater Network
 - Stormwater Channels
 - Road Culvert


Where future trunk infrastructure is located outside the PIA it is intended to service population within the relevant district catchment of the PIA.

Effective from 21 December 2021




DISCLAIMER: Some of the information shown in this document has been provided to Council from external third parties. Council makes no representation and gives no warranty about the accuracy, reliability, completeness or suitability for any particular purpose of the information. Persons should not rely on the information shown in this document to make any decision with financial or legal implications and should instead rely on their own enquiries. To the full extent that it is able to do so in law, Council disclaims all liability (including liability in negligence) for all costs, losses and damages (including indirect and consequential costs, losses and damages) caused by or arising from anyone using or relying on the information shown in this document for any purpose whatsoever. © Copyright Moreton Bay Regional Council 2021

DCDB (Version July 2021) is reproduced with the permission of the State of Queensland.



LGIP-36 SW



LGIP-1 - LGIP-78 SW v2_Smoo20210712_v2.mxd




LOCAL GOVERNMENT INFRASTRUCTURE PLAN
PLAN FOR TRUNK INFRASTRUCTURE -
STORMWATER

- Property Boundary
- Catchment Boundary
- Future Trunk Stormwater Quantity**
 - Stormwater Network Upgrade
 - Channels Upgrade
 - Roads Raising
 - Culverts Upgrade
 - Levees
 - Detention Basin
 - Drainage Investigation Area
- Future Trunk Stormwater Quality**
 - RainGardens
 - Riparian Vegetation
 - Natural Channel Design
 - Bioretention Basin
 - Constructed Wetland
- Existing Trunk Stormwater Network**
 - Bioretention Basin
 - Constructed Wetland
 - Sediment Basin
 - Detention Basin
 - Stormwater Network
 - Stormwater Channels
 - Road Culvert


Where future trunk infrastructure is located outside the PIA it is intended to service population within the relevant district catchment of the PIA.

Effective from 21 December 2021




DISCLAIMER: Some of the information shown in this document has been provided to Council from external third parties. Council makes no representation and gives no warranty about the accuracy, reliability, completeness or suitability for any particular purpose of the information. Persons should not rely on the information shown in this document to make any decision with financial or legal implications and should instead rely on their own enquiries. To the full extent that it is able to do so in law, Council disclaims all liability (including liability in negligence) for all costs, losses and damages (including indirect and consequential costs, losses and damages) caused by or arising from anyone using or relying on the information shown in this document for any purpose whatsoever. © Copyright Moreton Bay Regional Council 2021

DCDB (Version July 2021) is reproduced with the permission of the State of Queensland.



LGIP-37 SW

LGIP-1 - LGIP-78 SW v2_Smoo20210712_v2.mxd




LOCAL GOVERNMENT INFRASTRUCTURE PLAN
PLAN FOR TRUNK INFRASTRUCTURE -
STORMWATER

- Property Boundary
- Catchment Boundary
- Future Trunk Stormwater Quantity**
 - Stormwater Network Upgrade
 - Channels Upgrade
 - Roads Raising
 - Culverts Upgrade
 - Levees
- Detention Basin
- Drainage Investigation Area
- Future Trunk Stormwater Quality**
 - RainGardens
 - Riparian Vegetation
 - Natural Channel Design
 - Bioretention Basin
 - Constructed Wetland
- Existing Trunk Stormwater Network**
 - Bioretention Basin
 - Constructed Wetland
 - Sediment Basin
 - Detention Basin
 - Stormwater Network
 - Stormwater Channels
 - Road Culvert


Where future trunk infrastructure is located outside the PIA it is intended to service population within the relevant district catchment of the PIA.

Effective from 21 December 2021



DISCLAIMER: Some of the information shown in this document has been provided to Council from external third parties. Council makes no representation and gives no warranty about the accuracy, reliability, completeness or suitability for any particular purpose of the information. Persons should not rely on the information shown in this document to make any decision with financial or legal implications and should instead rely on their own enquiries. To the full extent that it is able to do so in law, Council disclaims all liability (including liability in negligence) for all costs, losses and damages (including indirect and consequential costs, losses and damages) caused by or arising from anyone using or relying on the information shown in this document for any purpose whatsoever. © Copyright Moreton Bay Regional Council 2021

DCDB (Version July 2021) is reproduced with the permission of the State of Queensland.



CABOOLTURE RIVER
CATCHMENT

MOUNT MEE ROAD

7000000

Joins LGIP-22

6990000

6980000

6970000

Joins LGIP-38

6960000

478000

Joins LGIP-23

479000

480000

481000

482000

Joins LGIP-45

483000

484000

485000

486000

487000

488000

489000

490000

491000

492000

493000

494000

495000

496000

497000

498000

499000

500000

501000

502000

503000

504000

505000

506000

507000

508000

509000

510000

511000

512000

513000

514000

515000

516000

517000

518000

519000

520000

521000

522000

523000

524000

525000

526000

527000

528000

529000

530000

531000

532000

533000

534000

535000

536000

537000

538000

539000

540000

541000

542000

543000

544000

545000

546000

547000

548000

549000

550000

551000

552000

553000

554000

555000

556000

557000

558000

559000

560000

561000

562000

563000

564000

565000

566000

567000

568000

569000

570000

571000

572000

573000

574000

575000

576000

577000

578000

579000

580000

581000

582000

583000

584000

585000

586000

587000

588000

589000

590000

591000

592000

593000

594000

595000

596000

597000

598000

599000

600000

601000

602000

603000

604000

605000

606000

607000

608000

609000

610000

611000

612000

613000

614000

615000

616000

617000

618000

619000

620000

621000

622000

623000

624000

625000

626000

627000

628000

629000

630000

631000

632000

633000

634000

635000

636000

637000

638000

639000

640000

641000

642000

643000

644000

645000

646000

647000

648000

649000

650000

651000

652000

653000

654000

655000

656000

657000

658000

659000

660000

661000

662000

663000

664000

665000

666000

667000

668000

669000

670000

671000

672000

673000

674000

675000

676000

677000

678000

679000

680000

681000

682000

683000

684000

685000

686000

687000

688000

689000

690000

691000

692000

693000

694000

695000

696000

697000

698000

699000

700000

701000

702000

703000

704000

705000

706000

707000

708000

709000

710000

711000

712000

713000

714000

715000

716000

717000

718000

719000

720000

721000

722000

723000

724000

725000

726000

727000

728000

729000

730000

731000

732000

733000

734000

735000

736000

737000

738000

739000

740000

741000

742000

743000

744000

745000

746000

747000

748000

749000

750000

751000

752000

753000

754000

755000

756000

757000

758000

759000

760000

761000

762000

763000

764000

765000

766000

767000

768000

769000

770000

771000

772000

773000

774000

775000

776000

777000

778000

779000

780000

781000

782000

783000

784000

785000

786000

787000

788000

789000

790000

791000

792000

793000

794000

795000

796000

797000






















798000

799000

800000




LOCAL GOVERNMENT INFRASTRUCTURE PLAN PLAN FOR TRUNK INFRASTRUCTURE - STORMWATER

-  Property Boundary
-  Catchment Boundary
- Future Trunk Stormwater Quantity**
-  Stormwater Network Upgrade
-  Channels Upgrade
-  Roads Raising
-  Culverts Upgrade
-  Levees
-  Detention Basin
-  Drainage Investigation Area
- Future Trunk Stormwater Quality**
-  Rain Gardens
-  Riparian Vegetation
-  Natural Channel Design
-  Bioretention Basin
-  Constructed Wetland
- Existing Trunk Stormwater Network**
-  Bioretention Basin
-  Constructed Wetland
-  Sediment Basin
-  Detention Basin
-  Stormwater Network
-  Stormwater Channels
-  Road Culvert

Where future trunk infrastructure is located outside the PIA it is intended to service population within the relevant district catchment area, not the PIA.


Effective from 21 December 2021



DISCLAIMER: Some of the information shown in this document has been provided to Council from external third parties. Council makes no representation and gives no warranty about the accuracy, reliability, completeness or suitability for any particular purpose of the information. Persons should not rely on the information shown in this document to make any decision with financial or legal implications and should instead rely on their own enquiries. To the full extent that it is able to do so in law, Council disclaims all liability (including liability in negligence) for all costs, losses and damages (including indirect and consequential costs, losses and damages) caused by or arising from any reliance on the information shown in this document for any purpose whatsoever.

Copyright Moreton Bay Regional Council 2021

OCDB (Version July 2021) is reproduced with the permission of the State of Queensland

**LGIP-40 SW**

LOCAL GOVERNMENT INFRASTRUCTURE PLAN
PLAN FOR TRUNK INFRASTRUCTURE -
STORMWATER

- Property Boundary
- Catchment Boundary
- Future Trunk Stormwater Quantity**
 - Stormwater Network Upgrade
 - Channels Upgrade
 - Roads Raising
 - Culverts Upgrade
 - Levees
- Detention Basin
- Drainage Investigation Area
- Future Trunk Stormwater Quality**
 - RainGardens
 - Riparian Vegetation
 - Natural Channel Design
 - Bioretention Basin
 - Constructed Wetland
- Existing Trunk Stormwater Network**
 - Bioretention Basin
 - Constructed Wetland
 - Sediment Basin
 - Detention Basin
 - Stormwater Network
 - Stormwater Channels
 - Road Culvert

Where future trunk infrastructure is located outside the PIA it is intended to service population within the relevant district catchment of the PIA.


Effective from 21 December 2021

0 200 400 600 Metres


SCALE (A3): 1:15,000
Date Produced: 25 November 2021
Projection: Map Grid of Australia, Zone 56
Horizontal Datum: Geocentric Datum of Australia 1994

DISCLAIMER: Some of the information shown in this document has been provided to Council from external third parties. Council makes no representation and gives no warranty about the accuracy, reliability, completeness or suitability for any particular purpose of the information. Persons should not rely on the information shown in this document to make any decision with financial or legal implications and should instead rely on their own enquiries. To the full extent that it is able to do so in law, Council disclaims all liability (including liability in negligence) for all costs, losses and damages (including indirect and consequential costs, losses and damages) caused by or arising from anyone using or relying on the information shown in this document for any purpose whatsoever. © Copyright Moreton Bay Regional Council 2021

DCDB (Version July 2021) is reproduced with the permission of the State of Queensland.



LGIP-41 SW




LOCAL GOVERNMENT INFRASTRUCTURE PLAN
PLAN FOR TRUNK INFRASTRUCTURE -
STORMWATER

- Property Boundary
- Catchment Boundary
- Future Trunk Stormwater Quantity**
 - Stormwater Network Upgrade
 - Channels Upgrade
 - Roads Raising
 - Culverts Upgrade
 - Levees
 - Detention Basin
 - Drainage Investigation Area
- Future Trunk Stormwater Quality**
 - RainGardens
 - Riparian Vegetation
 - Natural Channel Design
 - Bioretention Basin
 - Constructed Wetland
- Existing Trunk Stormwater Network**
 - Bioretention Basin
 - Constructed Wetland
 - Sediment Basin
 - Detention Basin
 - Stormwater Network
 - Stormwater Channels
 - Road Culvert

Where future trunk infrastructure is located outside the PIA it is intended to service population within the relevant district catchment of the PIA.


Effective from 21 December 2021




DISCLAIMER: Some of the information shown in this document has been provided to Council from external third parties. Council makes no representation and gives no warranty about the accuracy, reliability, completeness or suitability for any particular purpose of the information. Persons should not rely on the information shown in this document to make any decision with financial or legal implications and should instead rely on their own enquiries. To the full extent that it is able to do so in law, Council disclaims all liability (including liability in negligence) for all costs, losses and damages (including indirect and consequential costs, losses and damages) caused by or arising from anyone using or relying on the information shown in this document for any purpose whatsoever.

© Copyright Moreton Bay Regional Council 2021


DCDB (Version July 2021) is reproduced with the permission of the State of Queensland.



LGIP-42 SW



LGIP-1_LGIP-18 SW_V2_Smoo20210712_v2.mxd




LOCAL GOVERNMENT INFRASTRUCTURE PLAN
PLAN FOR TRUNK INFRASTRUCTURE -
STORMWATER

- Property Boundary
- Catchment Boundary
- Future Trunk Stormwater Quantity**
 - Stormwater Network Upgrade
 - Channels Upgrade
 - Roads Raising
 - Culverts Upgrade
 - Levees
- Detention Basin
- Drainage Investigation Area
- Future Trunk Stormwater Quality**
 - RainGardens
 - Riparian Vegetation
 - Natural Channel Design
 - Bioretention Basin
 - Constructed Wetland
- Existing Trunk Stormwater Network**
 - Bioretention Basin
 - Constructed Wetland
 - Sediment Basin
 - Detention Basin
 - Stormwater Network
 - Stormwater Channels
 - Road Culvert

Where future trunk infrastructure is located outside the PIA it is intended to service population within the relevant district catchment of the PIA.


Effective from 21 December 2021



DISCLAIMER: Some of the information shown in this document has been provided to Council from external third parties. Council makes no representation and gives no warranty about the accuracy, reliability, completeness or suitability for any particular purpose of the information. Persons should not rely on the information shown in this document to make any decision with financial or legal implications and should instead rely on their own enquiries. To the full extent that it is able to do so in law, Council disclaims all liability (including liability in negligence) for all costs, losses and damages (including indirect and consequential costs, losses and damages) caused by or arising from anyone using or relying on the information shown in this document for any purpose whatsoever. © Copyright Moreton Bay Regional Council 2021

DCDB (Version July 2021) is reproduced with the permission of the State of Queensland.

Published 8:15:22 AM, Thursday 25 November 2021



LGIP-43 SW

LGIP-1 - LGIP-78 SW v2_Smoo20210712_v2.mxd




LOCAL GOVERNMENT INFRASTRUCTURE PLAN
PLAN FOR TRUNK INFRASTRUCTURE -
STORMWATER

- Property Boundary
- Catchment Boundary
- Future Trunk Stormwater Quantity**
 - Stormwater Network Upgrade
 - Channels Upgrade
 - Roads Raising
 - Culverts Upgrade
 - Levees
 - Detention Basin
 - Drainage Investigation Area
- Future Trunk Stormwater Quality**
 - RainGardens
 - Riparian Vegetation
 - Natural Channel Design
 - Bioretention Basin
 - Constructed Wetland
- Existing Trunk Stormwater Network**
 - Bioretention Basin
 - Constructed Wetland
 - Sediment Basin
 - Detention Basin
 - Stormwater Network
 - Stormwater Channels
 - Road Culvert


Where future trunk infrastructure is located outside the PIA it is intended to service population within the relevant district catchment of the PIA.

Effective from 21 December 2021




DISCLAIMER: Some of the information shown in this document has been provided to Council from external third parties. Council makes no representation and gives no warranty about the accuracy, reliability, completeness or suitability for any particular purpose of the information. Persons should not rely on the information shown in this document to make any decision with financial or legal implications and should instead rely on their own enquiries. To the full extent that it is able to do so in law, Council disclaims all liability (including liability in negligence) for all costs, losses and damages (including indirect and consequential costs, losses and damages) caused by or arising from anyone using or relying on the information shown in this document for any purpose whatsoever. © Copyright Moreton Bay Regional Council 2021

DCDB (Version July 2021) is reproduced with the permission of the State of Queensland.



LGIP-44 SW

LGIP-1 - LGIP-78 SW v2_Smoo20210712_v2.mxd




LOCAL GOVERNMENT INFRASTRUCTURE PLAN
PLAN FOR TRUNK INFRASTRUCTURE -
STORMWATER

- Property Boundary
- Catchment Boundary
- Future Trunk Stormwater Quantity**
 - Stormwater Network Upgrade
 - Channels Upgrade
 - Roads Raising
 - Culverts Upgrade
 - Levees
- Detention Basin
- Drainage Investigation Area
- Future Trunk Stormwater Quality**
 - RainGardens
 - Riparian Vegetation
 - Natural Channel Design
 - Bioretention Basin
 - Constructed Wetland
- Existing Trunk Stormwater Network**
 - Bioretention Basin
 - Constructed Wetland
 - Sediment Basin
 - Detention Basin
 - Stormwater Network
 - Stormwater Channels
 - Road Culvert


Where future trunk infrastructure is located outside the PIA it is intended to service population within the relevant district catchment of the PIA.

Effective from 21 December 2021




DISCLAIMER: Some of the information shown in this document has been provided to Council from external third parties. Council makes no representation and gives no warranty about the accuracy, reliability, completeness or suitability for any particular purpose of the information. Persons should not rely on the information shown in this document to make any decision with financial or legal implications and should instead rely on their own enquiries. To the full extent that it is able to do so in law, Council disclaims all liability (including liability in negligence) for all costs, losses and damages (including indirect and consequential costs, losses and damages) caused by or arising from anyone using or relying on the information shown in this document for any purpose whatsoever. © Copyright Moreton Bay Regional Council 2021

DCDB (Version July 2021) is reproduced with the permission of the State of Queensland.



LGIP-45 SW

LGIP-1 - LGIP-18 SW v2_Smoo20210712_v2.mxd




LOCAL GOVERNMENT INFRASTRUCTURE PLAN
PLAN FOR TRUNK INFRASTRUCTURE -
STORMWATER

- Property Boundary
- Catchment Boundary
- Future Trunk Stormwater Quantity**
- Stormwater Network Upgrade
- Channels Upgrade
- Roads Raising
- Culverts Upgrade
- Levees
- Detention Basin
- Drainage Investigation Area
- Future Trunk Stormwater Quality**
- RainGardens
- Riparian Vegetation
- Natural Channel Design
- Bioretention Basin
- Constructed Wetland
- Existing Trunk Stormwater Network**
- Bioretention Basin
- Constructed Wetland
- Sediment Basin
- Detention Basin
- Stormwater Network
- Stormwater Channels
- Road Culvert


Where future trunk infrastructure is located outside the PIA it is intended to service population within the relevant district catchment of the PIA.

Effective from 21 December 2021




DISCLAIMER: Some of the information shown in this document has been provided to Council from external third parties. Council makes no representation and gives no warranty about the accuracy, reliability, completeness or suitability for any particular purpose of the information. Persons should not rely on the information shown in this document to make any decision with financial or legal implications and should instead rely on their own enquiries. To the full extent that it is able to do so in law, Council disclaims all liability (including liability in negligence) for all costs, losses and damages (including indirect and consequential costs, losses and damages) caused by or arising from anyone using or relying on the information shown in this document for any purpose whatsoever. © Copyright Moreton Bay Regional Council 2021

DCDB (Version July 2021) is reproduced with the permission of the State of Queensland.



LGIP-46 SW

LGIP-1 - LGIP-78 SW v2_Smoo20210712_v2.mxd




LOCAL GOVERNMENT INFRASTRUCTURE PLAN
PLAN FOR TRUNK INFRASTRUCTURE -
STORMWATER

- Property Boundary
- Catchment Boundary
- Future Trunk Stormwater Quantity**
 - Stormwater Network Upgrade
 - Channels Upgrade
 - Roads Raising
 - Culverts Upgrade
 - Levees
- Detention Basin
- Drainage Investigation Area
- Future Trunk Stormwater Quality**
 - RainGardens
 - Riparian Vegetation
 - Natural Channel Design
 - Bioretention Basin
 - Constructed Wetland
- Existing Trunk Stormwater Network**
 - Bioretention Basin
 - Constructed Wetland
 - Sediment Basin
 - Detention Basin
 - Stormwater Network
 - Stormwater Channels
 - Road Culvert


Where future trunk infrastructure is located outside the PIA it is intended to service population within the relevant district catchment of the PIA.

Effective from 21 December 2021



DISCLAIMER: Some of the information shown in this document has been provided to Council from external third parties. Council makes no representation and gives no warranty about the accuracy, reliability, completeness or suitability for any particular purpose of the information. Persons should not rely on the information shown in this document to make any decision with financial or legal implications and should instead rely on their own enquiries. To the full extent that it is able to do so in law, Council disclaims all liability (including liability in negligence) for all costs, losses and damages (including indirect and consequential costs, losses and damages) caused by or arising from anyone using or relying on the information shown in this document for any purpose whatsoever. © Copyright Moreton Bay Regional Council 2021

DCDB (Version July 2021) is reproduced with the permission of the State of Queensland.



Published 8:15:50 AM, Thursday 25 November 2021

LOCAL GOVERNMENT INFRASTRUCTURE PLAN
PLAN FOR TRUNK INFRASTRUCTURE -
STORMWATER

- Property Boundary
- Catchment Boundary
- Future Trunk Stormwater Quantity**
 - Stormwater Network Upgrade
 - Channels Upgrade
 - Roads Raising
 - Culverts Upgrade
 - Levees
 - Detention Basin
 - Drainage Investigation Area
- Future Trunk Stormwater Quality**
 - RainGardens
 - Riparian Vegetation
 - Natural Channel Design
 - Bioretention Basin
 - Constructed Wetland
- Existing Trunk Stormwater Network**
 - Bioretention Basin
 - Constructed Wetland
 - Sediment Basin
 - Detention Basin
 - Stormwater Network
 - Stormwater Channels
 - Road Culvert

Where future trunk infrastructure is located outside the PIA it is intended to service population within the relevant district catchment of the PIA.


Effective from 21 December 2021

0 200 400 600 Metres


SCALE (A3): 1:15,000
Date Produced: 25 November 2021
Projection: Map Grid of Australia, Zone 56
Horizontal Datum: Geocentric Datum of Australia 1994

DISCLAIMER: Some of the information shown in this document has been provided to Council from external third parties. Council makes no representation and gives no warranty about the accuracy, reliability, completeness or suitability for any particular purpose of the information. Persons should not rely on the information shown in this document to make any decision with financial or legal implications and should instead rely on their own enquiries. To the full extent that it is able to do so in law, Council disclaims all liability (including liability in negligence) for all costs, losses and damages (including indirect and consequential costs, losses and damages) caused by or arising from anyone using or relying on the information shown in this document for any purpose whatsoever. © Copyright Moreton Bay Regional Council 2021

DCDB (Version July 2021) is reproduced with the permission of the State of Queensland.



LGIP-48 SW




LOCAL GOVERNMENT INFRASTRUCTURE PLAN
PLAN FOR TRUNK INFRASTRUCTURE -
STORMWATER

- Property Boundary
- Catchment Boundary
- Future Trunk Stormwater Quantity**
 - Stormwater Network Upgrade
 - Channels Upgrade
 - Roads Raising
 - Culverts Upgrade
 - Levees
- Detention Basin
- Drainage Investigation Area
- Future Trunk Stormwater Quality**
 - RainGardens
 - Riparian Vegetation
 - Natural Channel Design
 - Bioretention Basin
 - Constructed Wetland
- Existing Trunk Stormwater Network**
 - Bioretention Basin
 - Constructed Wetland
 - Sediment Basin
 - Detention Basin
 - Stormwater Network
 - Stormwater Channels
 - Road Culvert


Where future trunk infrastructure is located outside the PIA it is intended to service population within the relevant district catchment of the PIA.

Effective from 21 December 2021




DISCLAIMER: Some of the information shown in this document has been provided to Council from external third parties. Council makes no representation and gives no warranty about the accuracy, reliability, completeness or suitability for any particular purpose of the information. Persons should not rely on the information shown in this document to make any decision with financial or legal implications and should instead rely on their own enquiries. To the full extent that it is able to do so in law, Council disclaims all liability (including liability in negligence) for all costs, losses and damages (including indirect and consequential costs, losses and damages) caused by or arising from anyone using or relying on the information shown in this document for any purpose whatsoever.
© Copyright Moreton Bay Regional Council 2021


DCDB (Version July 2021) is reproduced with the permission of the State of Queensland.



LGIP-49 SW



LGIP-1 - LGIP-78 SW v2_Smoo20210712_v2.mxd




LOCAL GOVERNMENT INFRASTRUCTURE PLAN
PLAN FOR TRUNK INFRASTRUCTURE -
STORMWATER

- Property Boundary
- Catchment Boundary
- Future Trunk Stormwater Quantity**
 - Stormwater Network Upgrade
 - Channels Upgrade
 - Roads Raising
 - Culverts Upgrade
 - Levees
- Detention Basin
- Drainage Investigation Area
- Future Trunk Stormwater Quality**
 - RainGardens
 - Riparian Vegetation
 - Natural Channel Design
 - Bioretention Basin
 - Constructed Wetland
- Existing Trunk Stormwater Network**
 - Bioretention Basin
 - Constructed Wetland
 - Sediment Basin
 - Detention Basin
 - Stormwater Network
 - Stormwater Channels
 - Road Culvert


Where future trunk infrastructure is located outside the PIA it is intended to service population within the relevant district catchment of the PIA.

Effective from 21 December 2021




DISCLAIMER: Some of the information shown in this document has been provided to Council from external third parties. Council makes no representation and gives no warranty about the accuracy, reliability, completeness or suitability for any particular purpose of the information. Persons should not rely on the information shown in this document to make any decision with financial or legal implications and should instead rely on their own enquiries. To the full extent that it is able to do so in law, Council disclaims all liability (including liability in negligence) for all costs, losses and damages (including indirect and consequential costs, losses and damages) caused by or arising from anyone using or relying on the information shown in this document for any purpose whatsoever. © Copyright Moreton Bay Regional Council 2021

DCDB (Version July 2021) is reproduced with the permission of the State of Queensland.



LGIP-50 SW




LOCAL GOVERNMENT INFRASTRUCTURE PLAN
PLAN FOR TRUNK INFRASTRUCTURE -
STORMWATER

- Property Boundary
- Catchment Boundary
- Future Trunk Stormwater Quantity**
 - Stormwater Network Upgrade
 - Channels Upgrade
 - Roads Raising
 - Culverts Upgrade
 - Levees
- Detention Basin
- Drainage Investigation Area
- Future Trunk Stormwater Quality**
 - RainGardens
 - Riparian Vegetation
 - Natural Channel Design
 - Bioretention Basin
 - Constructed Wetland
- Existing Trunk Stormwater Network**
 - Bioretention Basin
 - Constructed Wetland
 - Sediment Basin
 - Detention Basin
 - Stormwater Network
 - Stormwater Channels
 - Road Culvert


Where future trunk infrastructure is located outside the PIA it is intended to service population within the relevant district catchment of the PIA.

Effective from 21 December 2021



DISCLAIMER: Some of the information shown in this document has been provided to Council from external third parties. Council makes no representation and gives no warranty about the accuracy, reliability, completeness or suitability for any particular purpose of the information. Persons should not rely on the information shown in this document to make any decision with financial or legal implications and should instead rely on their own enquiries. To the full extent that it is able to do so in law, Council disclaims all liability (including liability in negligence) for all costs, losses and damages (including indirect and consequential costs, losses and damages) caused by or arising from anyone using or relying on the information shown in this document for any purpose whatsoever. © Copyright Moreton Bay Regional Council 2021


DCDB (Version July 2021) is reproduced with the permission of the State of Queensland.



LGIP-51 SW

- Where future trunk infrastructure is located outside the PIA it is intended to service population within the relevant district catchment of the PIA.


Effective from 21 December 2021




DISCLAIMER: Some of the information shown in this document has been provided to Council from external third parties. Council makes no representation and gives no warranty about the accuracy, reliability, completeness or suitability for any particular purpose of the information. Persons should not rely on the information shown in this document to make any decision with financial or legal implications and should instead rely on their own enquiries. To the full extent that it is able to do so in law, Council disclaims all liability (including liability in negligence) for all costs, losses and damages (including indirect and consequential costs, losses and damages) caused by or arising from anyone using or relying on the information shown in this document for any purpose whatsoever.

© Copyright Moreton Bay Regional Council 2021

DCDB (Version July 2021) is reproduced with the permission of the State of Queensland



LGIP-1 - LGIP-78 SW v2_Smoo20210712_v2.mxd




LOCAL GOVERNMENT INFRASTRUCTURE PLAN
PLAN FOR TRUNK INFRASTRUCTURE -
STORMWATER

- Property Boundary
- Catchment Boundary
- Future Trunk Stormwater Quantity**
 - Stormwater Network Upgrade
 - Channels Upgrade
 - Roads Raising
 - Culverts Upgrade
 - Levees
- Detention Basin
- Drainage Investigation Area
- Future Trunk Stormwater Quality**
 - RainGardens
 - Riparian Vegetation
 - Natural Channel Design
 - Bioretention Basin
 - Constructed Wetland
- Existing Trunk Stormwater Network**
 - Bioretention Basin
 - Constructed Wetland
 - Sediment Basin
 - Detention Basin
 - Stormwater Network
 - Stormwater Channels
 - Road Culvert


Where future trunk infrastructure is located outside the PIA it is intended to service population within the relevant district catchment of the PIA.

Effective from 21 December 2021




DISCLAIMER: Some of the information shown in this document has been provided to Council from external third parties. Council makes no representation and gives no warranty about the accuracy, reliability, completeness or suitability for any particular purpose of the information. Persons should not rely on the information shown in this document to make any decision with financial or legal implications and should instead rely on their own enquiries. To the full extent that it is able to do so in law, Council disclaims all liability (including liability in negligence) for all costs, losses and damages (including indirect and consequential costs, losses and damages) caused by or arising from anyone using or relying on the information shown in this document for any purpose whatsoever. © Copyright Moreton Bay Regional Council 2021

DCDB (Version July 2021) is reproduced with the permission of the State of Queensland.



LGP-53 SW




LOCAL GOVERNMENT INFRASTRUCTURE PLAN
PLAN FOR TRUNK INFRASTRUCTURE -
STORMWATER

- Property Boundary
- Catchment Boundary
- Future Trunk Stormwater Quantity**
 - Stormwater Network Upgrade
 - Channels Upgrade
 - Roads Raising
 - Culverts Upgrade
 - Levees
 - Detention Basin
 - Drainage Investigation Area
- Future Trunk Stormwater Quality**
 - RainGardens
 - Riparian Vegetation
 - Natural Channel Design
 - Bioretention Basin
 - Constructed Wetland
- Existing Trunk Stormwater Network**
 - Bioretention Basin
 - Constructed Wetland
 - Sediment Basin
 - Detention Basin
 - Stormwater Network
 - Stormwater Channels
 - Road Culvert


Where future trunk infrastructure is located outside the PIA it is intended to service population within the relevant district catchment of the PIA.

Effective from 21 December 2021



DISCLAIMER: Some of the information shown in this document has been provided to Council from external third parties. Council makes no representation and gives no warranty about the accuracy, reliability, completeness or suitability for any particular purpose of the information. Persons should not rely on the information shown in this document to make any decision with financial or legal implications and should instead rely on their own enquiries. To the full extent that it is able to do so in law, Council disclaims all liability (including liability in negligence) for all costs, losses and damages (including indirect and consequential costs, losses and damages) caused by or arising from anyone using or relying on the information shown in this document for any purpose whatsoever. © Copyright Moreton Bay Regional Council 2021

DCDB (Version July 2021) is reproduced with the permission of the State of Queensland.




LOCAL GOVERNMENT INFRASTRUCTURE PLAN
PLAN FOR TRUNK INFRASTRUCTURE -
STORMWATER

- Property Boundary
- Catchment Boundary
- Future Trunk Stormwater Quantity**
 - Stormwater Network Upgrade
 - Channels Upgrade
 - Roads Raising
 - Culverts Upgrade
 - Levees
- Detention Basin
- Drainage Investigation Area
- Future Trunk Stormwater Quality**
 - RainGardens
 - Riparian Vegetation
 - Natural Channel Design
 - Bioretention Basin
 - Constructed Wetland
- Existing Trunk Stormwater Network**
 - Bioretention Basin
 - Constructed Wetland
 - Sediment Basin
 - Detention Basin
 - Stormwater Network
 - Stormwater Channels
 - Road Culvert


Where future trunk infrastructure is located outside the PIA it is intended to service population within the relevant district catchment of the PIA.

Effective from 21 December 2021




DISCLAIMER: Some of the information shown in this document has been provided to Council from external third parties. Council makes no representation and gives no warranty about the accuracy, reliability, completeness or suitability for any particular purpose of the information. Persons should not rely on the information shown in this document to make any decision with financial or legal implications and should instead rely on their own enquiries. To the full extent that it is able to do so in law, Council disclaims all liability (including liability in negligence) for all costs, losses and damages (including indirect and consequential costs, losses and damages) caused by or arising from anyone using or relying on the information shown in this document for any purpose whatsoever. © Copyright Moreton Bay Regional Council 2021

DCDB (Version July 2021) is reproduced with the permission of the State of Queensland.



LGIP-55 SW




LOCAL GOVERNMENT INFRASTRUCTURE PLAN
PLAN FOR TRUNK INFRASTRUCTURE -
STORMWATER

- Property Boundary
- Catchment Boundary
- Future Trunk Stormwater Quantity**
- Stormwater Network Upgrade
- Channels Upgrade
- Roads Raising
- Culverts Upgrade
- Levees
- Detention Basin
- Drainage Investigation Area
- Future Trunk Stormwater Quality**
- RainGardens
- Riparian Vegetation
- Natural Channel Design
- Bioretention Basin
- Constructed Wetland
- Existing Trunk Stormwater Network**
- Bioretention Basin
- Constructed Wetland
- Sediment Basin
- Detention Basin
- Stormwater Network
- Stormwater Channels
- Road Culvert


Where future trunk infrastructure is located outside the PIA it is intended to service population within the relevant district catchment of the PIA.

Effective from 21 December 2021



DISCLAIMER: Some of the information shown in this document has been provided to Council from external third parties. Council makes no representation and gives no warranty about the accuracy, reliability, completeness or suitability for any particular purpose of the information. Persons should not rely on the information shown in this document to make any decision with financial or legal implications and should instead rely on their own enquiries. To the full extent that it is able to do so in law, Council disclaims all liability (including liability in negligence) for all costs, losses and damages (including indirect and consequential costs, losses and damages) caused by or arising from anyone using or relying on the information shown in this document for any purpose whatsoever. © Copyright Moreton Bay Regional Council 2021

DCDB (Version July 2021) is reproduced with the permission of the State of Queensland.



LGIP-56 SW




LOCAL GOVERNMENT INFRASTRUCTURE PLAN
PLAN FOR TRUNK INFRASTRUCTURE -
STORMWATER

- Property Boundary
- Catchment Boundary
- Future Trunk Stormwater Quantity**
- Stormwater Network Upgrade
- Channels Upgrade
- Roads Raising
- Culverts Upgrade
- Levees
- Detention Basin
- Drainage Investigation Area
- Future Trunk Stormwater Quality**
- RainGardens
- Riparian Vegetation
- Natural Channel Design
- Bioretention Basin
- Constructed Wetland
- Existing Trunk Stormwater Network**
- Bioretention Basin
- Constructed Wetland
- Sediment Basin
- Detention Basin
- Stormwater Network
- Stormwater Channels
- Road Culvert


Where future trunk infrastructure is located outside the PIA it is intended to service population within the relevant district catchment of the PIA.

Effective from 21 December 2021




DISCLAIMER: Some of the information shown in this document has been provided to Council from external third parties. Council makes no representation and gives no warranty about the accuracy, reliability, completeness or suitability for any particular purpose of the information. Persons should not rely on the information shown in this document to make any decision with financial or legal implications and should instead rely on their own enquiries. To the full extent that it is able to do so in law, Council disclaims all liability (including liability in negligence) for all costs, losses and damages (including indirect and consequential costs, losses and damages) caused by or arising from anyone using or relying on the information shown in this document for any purpose whatsoever. © Copyright Moreton Bay Regional Council 2021

DCDB (Version July 2021) is reproduced with the permission of the State of Queensland.



LGIP-57 SW




LOCAL GOVERNMENT INFRASTRUCTURE PLAN
PLAN FOR TRUNK INFRASTRUCTURE -
STORMWATER

- Property Boundary
- Catchment Boundary
- Future Trunk Stormwater Quantity**
 - Stormwater Network Upgrade
 - Channels Upgrade
 - Roads Raising
 - Culverts Upgrade
 - Levees
 - Detention Basin
 - Drainage Investigation Area
- Future Trunk Stormwater Quality**
 - RainGardens
 - Riparian Vegetation
 - Natural Channel Design
 - Bioretention Basin
 - Constructed Wetland
- Existing Trunk Stormwater Network**
 - Bioretention Basin
 - Constructed Wetland
 - Sediment Basin
 - Detention Basin
 - Stormwater Network
 - Stormwater Channels
 - Road Culvert


Where future trunk infrastructure is located outside the PIA it is intended to service population within the relevant district catchment of the PIA.

Effective from 21 December 2021




DISCLAIMER: Some of the information shown in this document has been provided to Council from external third parties. Council makes no representation and gives no warranty about the accuracy, reliability, completeness or suitability for any particular purpose of the information. Persons should not rely on the information shown in this document to make any decision with financial or legal implications and should instead rely on their own enquiries. To the full extent that it is able to do so in law, Council disclaims all liability (including liability in negligence) for all costs, losses and damages (including indirect and consequential costs, losses and damages) caused by or arising from anyone using or relying on the information shown in this document for any purpose whatsoever. © Copyright Moreton Bay Regional Council 2021

DCDB (Version July 2021) is reproduced with the permission of the State of Queensland.



LGIP-58 SW




LOCAL GOVERNMENT INFRASTRUCTURE PLAN
PLAN FOR TRUNK INFRASTRUCTURE -
STORMWATER

- Property Boundary
- Catchment Boundary
- Future Trunk Stormwater Quantity**
 - Stormwater Network Upgrade
 - Channels Upgrade
 - Roads Raising
 - Culverts Upgrade
 - Levees
 - Detention Basin
 - Drainage Investigation Area
- Future Trunk Stormwater Quality**
 - RainGardens
 - Riparian Vegetation
 - Natural Channel Design
 - Bioretention Basin
 - Constructed Wetland
- Existing Trunk Stormwater Network**
 - Bioretention Basin
 - Constructed Wetland
 - Sediment Basin
 - Detention Basin
 - Stormwater Network
 - Stormwater Channels
 - Road Culvert


Where future trunk infrastructure is located outside the PIA it is intended to service population within the relevant district catchment of the PIA.

Effective from 21 December 2021




DISCLAIMER: Some of the information shown in this document has been provided to Council from external third parties. Council makes no representation and gives no warranty about the accuracy, reliability, completeness or suitability for any particular purpose of the information. Persons should not rely on the information shown in this document to make any decision with financial or legal implications and should instead rely on their own enquiries. To the full extent that it is able to do so in law, Council disclaims all liability (including liability in negligence) for all costs, losses and damages (including indirect and consequential costs, losses and damages) caused by or arising from anyone using or relying on the information shown in this document for any purpose whatsoever. © Copyright Moreton Bay Regional Council 2021

DCDB (Version July 2021) is reproduced with the permission of the State of Queensland.



LGIP-59 SW




LOCAL GOVERNMENT INFRASTRUCTURE PLAN
PLAN FOR TRUNK INFRASTRUCTURE -
STORMWATER

- Property Boundary
- Catchment Boundary
- Future Trunk Stormwater Quantity**
 - Stormwater Network Upgrade
 - Channels Upgrade
 - Roads Raising
 - Culverts Upgrade
 - Levees
 - Detention Basin
 - Drainage Investigation Area
- Future Trunk Stormwater Quality**
 - RainGardens
 - Riparian Vegetation
 - Natural Channel Design
 - Bioretention Basin
 - Constructed Wetland
- Existing Trunk Stormwater Network**
 - Bioretention Basin
 - Constructed Wetland
 - Sediment Basin
 - Detention Basin
 - Stormwater Network
 - Stormwater Channels
 - Road Culvert


Where future trunk infrastructure is located outside the PIA it is intended to service population within the relevant district catchment of the PIA.

Effective from 21 December 2021




DISCLAIMER: Some of the information shown in this document has been provided to Council from external third parties. Council makes no representation and gives no warranty about the accuracy, reliability, completeness or suitability for any particular purpose of the information. Persons should not rely on the information shown in this document to make any decision with financial or legal implications and should instead rely on their own enquiries. To the full extent that it is able to do so in law, Council disclaims all liability (including liability in negligence) for all costs, losses and damages (including indirect and consequential costs, losses and damages) caused by or arising from anyone using or relying on the information shown in this document for any purpose whatsoever. © Copyright Moreton Bay Regional Council 2021

DCDB (Version July 2021) is reproduced with the permission of the State of Queensland.



LGIP-60 SW




LOCAL GOVERNMENT INFRASTRUCTURE PLAN
PLAN FOR TRUNK INFRASTRUCTURE -
STORMWATER

- Property Boundary
- Catchment Boundary
- Future Trunk Stormwater Quantity**
 - Stormwater Network Upgrade
 - Channels Upgrade
 - Roads Raising
 - Culverts Upgrade
 - Levees
 - Detention Basin
 - Drainage Investigation Area
- Future Trunk Stormwater Quality**
 - RainGardens
 - Riparian Vegetation
 - Natural Channel Design
 - Bioretention Basin
 - Constructed Wetland
- Existing Trunk Stormwater Network**
 - Bioretention Basin
 - Constructed Wetland
 - Sediment Basin
 - Detention Basin
 - Stormwater Network
 - Stormwater Channels
 - Road Culvert


Where future trunk infrastructure is located outside the PIA it is intended to service population within the relevant district catchment of the PIA.

Effective from 21 December 2021




DISCLAIMER: Some of the information shown in this document has been provided to Council from external third parties. Council makes no representation and gives no warranty about the accuracy, reliability, completeness or suitability for any particular purpose of the information. Persons should not rely on the information shown in this document to make any decision with financial or legal implications and should instead rely on their own enquiries. To the full extent that it is able to do so in law, Council disclaims all liability (including liability in negligence) for all costs, losses and damages (including indirect and consequential costs, losses and damages) caused by or arising from anyone using or relying on the information shown in this document for any purpose whatsoever. © Copyright Moreton Bay Regional Council 2021

DCDB (Version July 2021) is reproduced with the permission of the State of Queensland.



LGP-61 SW



LOCAL GOVERNMENT INFRASTRUCTURE PLAN
PLAN FOR TRUNK INFRASTRUCTURE -
STORMWATER

- Property Boundary
- Catchment Boundary
- Future Trunk Stormwater Quantity**
- Stormwater Network Upgrade
- Channels Upgrade
- Roads Raising
- Culverts Upgrade
- Levees
- Detention Basin
- Drainage Investigation Area
- Future Trunk Stormwater Quality**
- RainGardens
- Riparian Vegetation
- Natural Channel Design
- Bioretention Basin
- Constructed Wetland
- Existing Trunk Stormwater Network**
- Bioretention Basin
- Constructed Wetland
- Sediment Basin
- Detention Basin
- Stormwater Network
- Stormwater Channels
- Road Culvert

Where future trunk infrastructure is located outside the PIA it is intended to service population within the relevant district catchment of the PIA.

Effective from 21 December 2021

0 400 800 1,200 Metres


SCALE (A3): 1:30,000

N


Date Produced: 25 November 2021
Projection: Map Grid of Australia, Zone 56
Horizontal Datum: Geocentric Datum of Australia 1994

DISCLAIMER: Some of the information shown in this document has been provided to Council from external third parties. Council makes no representation and gives no warranty about the accuracy, reliability, completeness or suitability for any particular purpose of the information. Persons should not rely on the information shown in this document to make any decision with financial or legal implications and should instead rely on their own enquiries. To the full extent that it is able to do so in law, Council disclaims all liability (including liability in negligence) for all costs, losses and damages (including indirect and consequential costs, losses and damages) caused by or arising from anyone using or relying on the information shown in this document for any purpose whatsoever. © Copyright Moreton Bay Regional Council 2021


DCDB (Version July 2021) is reproduced with the permission of the State of Queensland.



LGIP-62 SW



LGIP-1_LGIP-78 SW v2_Smoo20210712_v2.mxd




LOCAL GOVERNMENT INFRASTRUCTURE PLAN
PLAN FOR TRUNK INFRASTRUCTURE -
STORMWATER

- Property Boundary
- Catchment Boundary
- Future Trunk Stormwater Quantity**
 - Stormwater Network Upgrade
 - Channels Upgrade
 - Roads Raising
 - Culverts Upgrade
 - Levees
- Detention Basin
- Drainage Investigation Area
- Future Trunk Stormwater Quality**
 - RainGardens
 - Riparian Vegetation
 - Natural Channel Design
 - Bioretention Basin
 - Constructed Wetland
- Existing Trunk Stormwater Network**
 - Bioretention Basin
 - Constructed Wetland
 - Sediment Basin
 - Detention Basin
 - Stormwater Network
 - Stormwater Channels
 - Road Culvert


Where future trunk infrastructure is located outside the PIA it is intended to service population within the relevant district catchment of the PIA.

Effective from 21 December 2021




DISCLAIMER: Some of the information shown in this document has been provided to Council from external third parties. Council makes no representation and gives no warranty about the accuracy, reliability, completeness or suitability for any particular purpose of the information. Persons should not rely on the information shown in this document to make any decision with financial or legal implications and should instead rely on their own enquiries. To the full extent that it is able to do so in law, Council disclaims all liability (including liability in negligence) for all costs, losses and damages (including indirect and consequential costs, losses and damages) caused by or arising from anyone using or relying on the information shown in this document for any purpose whatsoever. © Copyright Moreton Bay Regional Council 2021

DCDB (Version July 2021) is reproduced with the permission of the State of Queensland.



LGIP-63 SW




LOCAL GOVERNMENT INFRASTRUCTURE PLAN
PLAN FOR TRUNK INFRASTRUCTURE -
STORMWATER

- Property Boundary
- Catchment Boundary
- Future Trunk Stormwater Quantity**
 - Stormwater Network Upgrade
 - Channels Upgrade
 - Roads Raising
 - Culverts Upgrade
 - Levees
 - Detention Basin
 - Drainage Investigation Area
- Future Trunk Stormwater Quality**
 - RainGardens
 - Riparian Vegetation
 - Natural Channel Design
 - Bioretention Basin
 - Constructed Wetland
- Existing Trunk Stormwater Network**
 - Bioretention Basin
 - Constructed Wetland
 - Sediment Basin
 - Detention Basin
 - Stormwater Network
 - Stormwater Channels
 - Road Culvert


Where future trunk infrastructure is located outside the PIA it is intended to service population within the relevant district catchment of the PIA.


Effective from 21 December 2021



DISCLAIMER: Some of the information shown in this document has been provided to Council from external third parties. Council makes no representation and gives no warranty about the accuracy, reliability, completeness or suitability for any particular purpose of the information. Persons should not rely on the information shown in this document to make any decision with financial or legal implications and should instead rely on their own enquiries. To the full extent that it is able to do so in law, Council disclaims all liability (including liability in negligence) for all costs, losses and damages (including indirect and consequential costs, losses and damages) caused by or arising from anyone using or relying on the information shown in this document for any purpose whatsoever. © Copyright Moreton Bay Regional Council 2021

DCDB (Version July 2021) is reproduced with the permission of the State of Queensland.






LOCAL GOVERNMENT INFRASTRUCTURE PLAN
PLAN FOR TRUNK INFRASTRUCTURE -
STORMWATER

- Property Boundary
- Catchment Boundary
- Future Trunk Stormwater Quantity**
 - Stormwater Network Upgrade
 - Channels Upgrade
 - Roads Raising
 - Culverts Upgrade
 - Levees
 - Detention Basin
 - Drainage Investigation Area
- Future Trunk Stormwater Quality**
 - RainGardens
 - Riparian Vegetation
 - Natural Channel Design
 - Bioretention Basin
 - Constructed Wetland
- Existing Trunk Stormwater Network**
 - Bioretention Basin
 - Constructed Wetland
 - Sediment Basin
 - Detention Basin
 - Stormwater Network
 - Stormwater Channels
 - Road Culvert


Where future trunk infrastructure is located outside the PIA it is intended to service population within the relevant district catchment of the PIA.

Effective from 21 December 2021



DISCLAIMER: Some of the information shown in this document has been provided to Council from external third parties. Council makes no representation and gives no warranty about the accuracy, reliability, completeness or suitability for any particular purpose of the information. Persons should not rely on the information shown in this document to make any decision with financial or legal implications and should instead rely on their own enquiries. To the full extent that it is able to do so in law, Council disclaims all liability (including liability in negligence) for all costs, losses and damages (including indirect and consequential costs, losses and damages) caused by or arising from anyone using or relying on the information shown in this document for any purpose whatsoever. © Copyright Moreton Bay Regional Council 2021

DCDB (Version July 2021) is reproduced with the permission of the State of Queensland.



LGIP-65 SW

LGIP-1 - LGIP-78 SW v2_Smoo20210712_v2.mxd




LOCAL GOVERNMENT INFRASTRUCTURE PLAN
PLAN FOR TRUNK INFRASTRUCTURE -
STORMWATER

- Property Boundary
- Catchment Boundary
- Future Trunk Stormwater Quantity**
 - Stormwater Network Upgrade
 - Channels Upgrade
 - Roads Raising
 - Culverts Upgrade
 - Levees
 - Detention Basin
 - Drainage Investigation Area
- Future Trunk Stormwater Quality**
 - RainGardens
 - Riparian Vegetation
 - Natural Channel Design
 - Bioretention Basin
 - Constructed Wetland
- Existing Trunk Stormwater Network**
 - Bioretention Basin
 - Constructed Wetland
 - Sediment Basin
 - Detention Basin
 - Stormwater Network
 - Stormwater Channels
 - Road Culvert


Where future trunk infrastructure is located outside the PIA it is intended to service population within the relevant district catchment of the PIA.

Effective from 21 December 2021




DISCLAIMER: Some of the information shown in this document has been provided to Council from external third parties. Council makes no representation and gives no warranty about the accuracy, reliability, completeness or suitability for any particular purpose of the information. Persons should not rely on the information shown in this document to make any decision with financial or legal implications and should instead rely on their own enquiries. To the full extent that it is able to do so in law, Council disclaims all liability (including liability in negligence) for all costs, losses and damages (including indirect and consequential costs, losses and damages) caused by or arising from anyone using or relying on the information shown in this document for any purpose whatsoever. © Copyright Moreton Bay Regional Council 2021

DCDB (Version July 2021) is reproduced with the permission of the State of Queensland.



LGIP-66 SW

LGIP-1 - LGIP-78 SW v2_Smoo20210712_v2.mxd




LOCAL GOVERNMENT INFRASTRUCTURE PLAN
PLAN FOR TRUNK INFRASTRUCTURE -
STORMWATER

- Property Boundary
- Catchment Boundary
- Future Trunk Stormwater Quantity**
 - Stormwater Network Upgrade
 - Channels Upgrade
 - Roads Raising
 - Culverts Upgrade
 - Levees
- Detention Basin
- Drainage Investigation Area
- Future Trunk Stormwater Quality**
 - RainGardens
 - Riparian Vegetation
 - Natural Channel Design
 - Bioretention Basin
 - Constructed Wetland
- Existing Trunk Stormwater Network**
 - Bioretention Basin
 - Constructed Wetland
 - Sediment Basin
 - Detention Basin
 - Stormwater Network
 - Stormwater Channels
 - Road Culvert


Where future trunk infrastructure is located outside the PIA it is intended to service population within the relevant district catchment of the PIA.

Effective from 21 December 2021




DISCLAIMER: Some of the information shown in this document has been provided to Council from external third parties. Council makes no representation and gives no warranty about the accuracy, reliability, completeness or suitability for any particular purpose of the information. Persons should not rely on the information shown in this document to make any decision with financial or legal implications and should instead rely on their own enquiries. To the full extent that it is able to do so in law, Council disclaims all liability (including liability in negligence) for all costs, losses and damages (including indirect and consequential costs, losses and damages) caused by or arising from anyone using or relying on the information shown in this document for any purpose whatsoever. © Copyright Moreton Bay Regional Council 2021

DCDB (Version July 2021) is reproduced with the permission of the State of Queensland.



LGP-1_LGP-78 SW v2_Smoo20210712_v2.mxd




LOCAL GOVERNMENT INFRASTRUCTURE PLAN
PLAN FOR TRUNK INFRASTRUCTURE -
STORMWATER

- Property Boundary
- Catchment Boundary
- Future Trunk Stormwater Quantity**
 - Stormwater Network Upgrade
 - Channels Upgrade
 - Roads Raising
 - Culverts Upgrade
 - Levees
 - Detention Basin
 - Drainage Investigation Area
- Future Trunk Stormwater Quality**
 - RainGardens
 - Riparian Vegetation
 - Natural Channel Design
 - Bioretention Basin
 - Constructed Wetland
- Existing Trunk Stormwater Network**
 - Bioretention Basin
 - Constructed Wetland
 - Sediment Basin
 - Detention Basin
 - Stormwater Network
 - Stormwater Channels
 - Road Culvert


Where future trunk infrastructure is located outside the PIA it is intended to service population within the relevant district catchment of the PIA.

Effective from 21 December 2021



DISCLAIMER: Some of the information shown in this document has been provided to Council from external third parties. Council makes no representation and gives no warranty about the accuracy, reliability, completeness or suitability for any particular purpose of the information. Persons should not rely on the information shown in this document to make any decision with financial or legal implications and should instead rely on their own enquiries. To the full extent that it is able to do so in law, Council disclaims all liability (including liability in negligence) for all costs, losses and damages (including indirect and consequential costs, losses and damages) caused by or arising from anyone using or relying on the information shown in this document for any purpose whatsoever. © Copyright Moreton Bay Regional Council 2021

DCDB (Version July 2021) is reproduced with the permission of the State of Queensland.




LGP-68 SW

LOCAL GOVERNMENT INFRASTRUCTURE PLAN
PLAN FOR TRUNK INFRASTRUCTURE -
STORMWATER

- Property Boundary
- Catchment Boundary
- Future Trunk Stormwater Quantity**
 - Stormwater Network Upgrade
 - Channels Upgrade
 - Roads Raising
 - Culverts Upgrade
 - Levees
 - Detention Basin
 - Drainage Investigation Area
- Future Trunk Stormwater Quality**
 - RainGardens
 - Riparian Vegetation
 - Natural Channel Design
 - Bioretention Basin
 - Constructed Wetland
- Existing Trunk Stormwater Network**
 - Bioretention Basin
 - Constructed Wetland
 - Sediment Basin
 - Detention Basin
 - Stormwater Network
 - Stormwater Channels
 - Road Culvert


Where future trunk infrastructure is located outside the PIA it is intended to service population within the relevant district catchment of the PIA.

Effective from 21 December 2021





DISCLAIMER: Some of the information shown in this document has been provided to Council from external third parties. Council makes no representation and gives no warranty about the accuracy, reliability, completeness or suitability for any particular purpose of the information. Persons should not rely on the information shown in this document to make any decision with financial or legal implications and should instead rely on their own enquiries. To the full extent that it is able to do so in law, Council disclaims all liability (including liability in negligence) for all costs, losses and damages (including indirect and consequential costs, losses and damages) caused by or arising from anyone using or relying on the information shown in this document for any purpose whatsoever. © Copyright Moreton Bay Regional Council 2021

DCDB (Version July 2021) is reproduced with the permission of the State of Queensland.



LGIP-69 SW





LOCAL GOVERNMENT INFRASTRUCTURE PLAN
PLAN FOR TRUNK INFRASTRUCTURE -
STORMWATER

- Property Boundary
- Catchment Boundary
- Future Trunk Stormwater Quantity**
 - Stormwater Network Upgrade
 - Channels Upgrade
 - Roads Raising
 - Culverts Upgrade
 - Levees
- Detention Basin
- Drainage Investigation Area
- Future Trunk Stormwater Quality**
 - RainGardens
 - Riparian Vegetation
 - Natural Channel Design
 - Bioretention Basin
 - Constructed Wetland
- Existing Trunk Stormwater Network**
 - Bioretention Basin
 - Constructed Wetland
 - Sediment Basin
 - Detention Basin
 - Stormwater Network
 - Stormwater Channels
 - Road Culvert

Where future trunk infrastructure is located outside the PIA it is intended to service population within the relevant district catchment of the PIA.

Effective from 21 December 2021

0 400 800 1,200 Metres


SCALE (A3): 1:30,000

N

Date Produced: 25 November 2021
Projection: Map Grid of Australia, Zone 56
Horizontal Datum: Geocentric Datum of Australia 1994


DISCLAIMER: Some of the information shown in this document has been provided to Council from external third parties. Council makes no representation and gives no warranty about the accuracy, reliability, completeness or suitability for any particular purpose of the information. Persons should not rely on the information shown in this document to make any decision with financial or legal implications and should instead rely on their own enquiries. To the full extent that it is able to do so in law, Council disclaims all liability (including liability in negligence) for all costs, losses and damages (including indirect and consequential costs, losses and damages) caused by or arising from anyone using or relying on the information shown in this document for any purpose whatsoever. © Copyright Moreton Bay Regional Council 2021

DCDB (Version July 2021) is reproduced with the permission of the State of Queensland.



LGP-70 SW

LGIP-1 - LGIP-78 SW v2_Smoo20210712_v2.mxd




LOCAL GOVERNMENT INFRASTRUCTURE PLAN
PLAN FOR TRUNK INFRASTRUCTURE -
STORMWATER

- Property Boundary
- Catchment Boundary
- Future Trunk Stormwater Quantity**
- Stormwater Network Upgrade
- Channels Upgrade
- Roads Raising
- Culverts Upgrade
- Levees
- Detention Basin
- Drainage Investigation Area
- Future Trunk Stormwater Quality**
- RainGardens
- Riparian Vegetation
- Natural Channel Design
- Bioretention Basin
- Constructed Wetland
- Existing Trunk Stormwater Network**
- Bioretention Basin
- Constructed Wetland
- Sediment Basin
- Detention Basin
- Stormwater Network
- Stormwater Channels
- Road Culvert


Where future trunk infrastructure is located outside the PIA it is intended to service population within the relevant district catchment of the PIA.

Effective from 21 December 2021




DISCLAIMER: Some of the information shown in this document has been provided to Council from external third parties. Council makes no representation and gives no warranty about the accuracy, reliability, completeness or suitability for any particular purpose of the information. Persons should not rely on the information shown in this document to make any decision with financial or legal implications and should instead rely on their own enquiries. To the full extent that it is able to do so in law, Council disclaims all liability (including liability in negligence) for all costs, losses and damages (including indirect and consequential costs, losses and damages) caused by or arising from anyone using or relying on the information shown in this document for any purpose whatsoever. © Copyright Moreton Bay Regional Council 2021

DCDB (Version July 2021) is reproduced with the permission of the State of Queensland.



LGIP-71 SW

LGIP-1 - LGIP-78 SW v2_Smoo20210712_v2.mxd




LOCAL GOVERNMENT INFRASTRUCTURE PLAN
PLAN FOR TRUNK INFRASTRUCTURE -
STORMWATER

- Property Boundary
- Catchment Boundary
- Future Trunk Stormwater Quantity**
- Stormwater Network Upgrade
- Channels Upgrade
- Roads Raising
- Culverts Upgrade
- Levees
- Detention Basin
- Drainage Investigation Area
- Future Trunk Stormwater Quality**
- RainGardens
- Riparian Vegetation
- Natural Channel Design
- Bioretention Basin
- Constructed Wetland
- Existing Trunk Stormwater Network**
- Bioretention Basin
- Constructed Wetland
- Sediment Basin
- Detention Basin
- Stormwater Network
- Stormwater Channels
- Road Culvert


Where future trunk infrastructure is located outside the PIA it is intended to service population within the relevant district catchment of the PIA.

Effective from 21 December 2021



DISCLAIMER: Some of the information shown in this document has been provided to Council from external third parties. Council makes no representation and gives no warranty about the accuracy, reliability, completeness or suitability for any particular purpose of the information. Persons should not rely on the information shown in this document to make any decision with financial or legal implications and should instead rely on their own enquiries. To the full extent that it is able to do so in law, Council disclaims all liability (including liability in negligence) for all costs, losses and damages (including indirect and consequential costs, losses and damages) caused by or arising from anyone using or relying on the information shown in this document for any purpose whatsoever. © Copyright Moreton Bay Regional Council 2021

DCDB (Version July 2021) is reproduced with the permission of the State of Queensland.




LGIP-72 SW

LOCAL GOVERNMENT INFRASTRUCTURE PLAN
PLAN FOR TRUNK INFRASTRUCTURE -
STORMWATER

- Property Boundary
- Catchment Boundary
- Future Trunk Stormwater Quantity**
 - Stormwater Network Upgrade
 - Channels Upgrade
 - Roads Raising
 - Culverts Upgrade
 - Levees
 - Detention Basin
 - Drainage Investigation Area
- Future Trunk Stormwater Quality**
 - RainGardens
 - Riparian Vegetation
 - Natural Channel Design
 - Bioretention Basin
 - Constructed Wetland
- Existing Trunk Stormwater Network**
 - Bioretention Basin
 - Constructed Wetland
 - Sediment Basin
 - Detention Basin
 - Stormwater Network
 - Stormwater Channels
 - Road Culvert


Where future trunk infrastructure is located outside the PIA it is intended to service population within the relevant district catchment of the PIA.

Effective from 21 December 2021




DISCLAIMER: Some of the information shown in this document has been provided to Council from external third parties. Council makes no representation and gives no warranty about the accuracy, reliability, completeness or suitability for any particular purpose of the information. Persons should not rely on the information shown in this document to make any decision with financial or legal implications and should instead rely on their own enquiries. To the full extent that it is able to do so in law, Council disclaims all liability (including liability in negligence) for all costs, losses and damages (including indirect and consequential costs, losses and damages) caused by or arising from anyone using or relying on the information shown in this document for any purpose whatsoever. © Copyright Moreton Bay Regional Council 2021


DCDB (Version July 2021) is reproduced with the permission of the State of Queensland.



LGIP-73 SW



LGIP-1 - LGIP-75 SW v2_Smoo20210712_v2.mxd




LOCAL GOVERNMENT INFRASTRUCTURE PLAN
PLAN FOR TRUNK INFRASTRUCTURE -
STORMWATER

- Property Boundary
- Catchment Boundary
- Future Trunk Stormwater Quantity**
 - Stormwater Network Upgrade
 - Channels Upgrade
 - Roads Raising
 - Culverts Upgrade
 - Levees
- Detention Basin
- Drainage Investigation Area
- Future Trunk Stormwater Quality**
 - RainGardens
 - Riparian Vegetation
 - Natural Channel Design
 - Bioretention Basin
 - Constructed Wetland
- Existing Trunk Stormwater Network**
 - Bioretention Basin
 - Constructed Wetland
 - Sediment Basin
 - Detention Basin
 - Stormwater Network
 - Stormwater Channels
 - Road Culvert

Where future trunk infrastructure is located outside the PIA it is intended to service population within the relevant district catchment of the PIA.


Effective from 21 December 2021



DISCLAIMER: Some of the information shown in this document has been provided to Council from external third parties. Council makes no representation and gives no warranty about the accuracy, reliability, completeness or suitability for any particular purpose of the information. Persons should not rely on the information shown in this document to make any decision with financial or legal implications and should instead rely on their own enquiries. To the full extent that it is able to do so in law, Council disclaims all liability (including liability in negligence) for all costs, losses and damages (including indirect and consequential costs, losses and damages) caused by or arising from anyone using or relying on the information shown in this document for any purpose whatsoever. © Copyright Moreton Bay Regional Council 2021


DCDB (Version July 2021) is reproduced with the permission of the State of Queensland.

Published 2:21:16 AM, Thursday 25 November 2021



LGIP-74 SW

LGIP-1 - LGIP-75 SW v2_Smoo20210712_v2.mxd




LOCAL GOVERNMENT INFRASTRUCTURE PLAN
PLAN FOR TRUNK INFRASTRUCTURE -
STORMWATER

- Property Boundary
- Catchment Boundary
- Future Trunk Stormwater Quantity**
 - Stormwater Network Upgrade
 - Channels Upgrade
 - Roads Raising
 - Culverts Upgrade
 - Levees
 - Detention Basin
 - Drainage Investigation Area
- Future Trunk Stormwater Quality**
 - RainGardens
 - Riparian Vegetation
 - Natural Channel Design
 - Bioretention Basin
 - Constructed Wetland
- Existing Trunk Stormwater Network**
 - Bioretention Basin
 - Constructed Wetland
 - Sediment Basin
 - Detention Basin
 - Stormwater Network
 - Stormwater Channels
 - Road Culvert


Where future trunk infrastructure is located outside the PIA it is intended to service population within the relevant district catchment of the PIA.

Effective from 21 December 2021



DISCLAIMER: Some of the information shown in this document has been provided to Council from external third parties. Council makes no representation and gives no warranty about the accuracy, reliability, completeness or suitability for any particular purpose of the information. Persons should not rely on the information shown in this document to make any decision with financial or legal implications and should instead rely on their own enquiries. To the full extent that it is able to do so in law, Council disclaims all liability (including liability in negligence) for all costs, losses and damages (including indirect and consequential costs, losses and damages) caused by or arising from anyone using or relying on the information shown in this document for any purpose whatsoever. © Copyright Moreton Bay Regional Council 2021

DCDB (Version July 2021) is reproduced with the permission of the State of Queensland.




LGIP-75 SW

LOCAL GOVERNMENT INFRASTRUCTURE PLAN
PLAN FOR TRUNK INFRASTRUCTURE -
STORMWATER

- Property Boundary
- Catchment Boundary
- Future Trunk Stormwater Quantity**
 - Stormwater Network Upgrade
 - Channels Upgrade
 - Roads Raising
 - Culverts Upgrade
 - Levees
 - Detention Basin
 - Drainage Investigation Area
- Future Trunk Stormwater Quality**
 - RainGardens
 - Riparian Vegetation
 - Natural Channel Design
 - Bioretention Basin
 - Constructed Wetland
- Existing Trunk Stormwater Network**
 - Bioretention Basin
 - Constructed Wetland
 - Sediment Basin
 - Detention Basin
 - Stormwater Network
 - Stormwater Channels
 - Road Culvert


Where future trunk infrastructure is located outside the PIA it is intended to service population within the relevant district catchment of the PIA.

Effective from 21 December 2021



DISCLAIMER: Some of the information shown in this document has been provided to Council from external third parties. Council makes no representation and gives no warranty about the accuracy, reliability, completeness or suitability for any particular purpose of the information. Persons should not rely on the information shown in this document to make any decision with financial or legal implications and should instead rely on their own enquiries. To the full extent that it is able to do so in law, Council disclaims all liability (including liability in negligence) for all costs, losses and damages (including indirect and consequential costs, losses and damages) caused by or arising from anyone using or relying on the information shown in this document for any purpose whatsoever. © Copyright Moreton Bay Regional Council 2021

DCDB (Version July 2021) is reproduced with the permission of the State of Queensland.



LGIP-76 SW

