The boundaries and design and aiting parameters shown hereon are subject to detailed engineering design, final survey and approval of subsequent development applications by the relevant authorities.

This Sector Plan drawing is to be considered in conjunction with the report for Residential Sector Twenty-nine (No. 013-4000).



MORTH LAKE

LEGEND

PROPOSED DEDICATED ROAD RESERVE
PUBLIC OPEN SPACE

BUILDING ENVELOPE

ZERO LOT LINE (Refer Cl 8.1.5.2(v) and 8.1.5.3(f)) NON—MANDATORY ZERO LOT LINE (Refer Cl 8.1.5.2(v) and 8.1.5.3(f))

(Hester CI 8.1.5.2(v) and 8.1.5.3(t)) 60% REAR BUILDING ENCROACHMENT AREA (Rester CI 8.1.5.2(v))

INDICITIVE VEHICLE ACCESS LOCATION

- Other locations possible.
Only one accessary per lot "Sering-In" access permitted where precisioble.
(Refer Cl 7.3.2.1, 7.3.2.2, 8.1.9.8 and 8.1.11.1)

RESTRICTED LOT ACCESS
(Rate C17.32.3)

POSSIBLE BUS ROUTE

Finel bue routes and bue stop locations
are subject to resolution with Queenstand

Transport, Council and bue service provider.

REDUCED REAR SETHACK FOR SQUARE SHAPED ALLOTMENTS

MAJOR PRIVATE OPEN SPACE - other locations possible (Refer Cl 8.1.8.1)

Minimum 60 aq m Minimum 40 aq m

LOCAL AREA TRAFFIC MANAGEMENT

Mid-street speed control device to be incorperated in the final streetscape design.

NOTE: Speed control devices may be installed at any intersection shown on the Sector Plan Map.

These devices may necessitate site specific driveway alignments for lots adjacent to intersections.

LOT TYPES

T TRADITIONAL LOT
PC PREMIUM COURTYARD LOT
(Economy traditional Lots in DCP)
C COURTYARD LOT

FUTURE ADJACENT RESIDENTIAL

⊗ PREDOMINANTLY TRADITIONAL LOTS
★ PREDOMINANTLY SMALLERL LOTS
(TYPICALLY ZERO LOT LINE)



GCE 'A' RESIDENTIAL PRECINCT RESIDENTIAL SECTOR 29

SECTOR PLAN MAP

6 10 20 30 40 50 60 70 80 90 100 metres Scale I:2000 qt A3



File No 2836-gce4 Dwg gcea4Fig5 January 2003

FIGURE 5