


Planning Scheme Policy Landslide Hazard



Planning scheme policy – Landslide hazard

Adoption

Moreton Bay Regional Council adopted this planning scheme policy on 24 November 2015.

Commencement

This planning scheme policy will take effect from 1 February 2016.

Amendment

Alignment amendment 1 2017

- Adopted by Moreton Bay Regional Council on 27 June 2017
- Took effect from 3 July 2017

Major amendment 1 2019

- Adopted by Moreton Bay Regional Council on 12 December 2019
- Took effect from 29 January 2020.

1. Introduction

This policy supports the Moreton Bay Regional Council Planning Scheme and has been made by Council in accordance with Chapter 2, Part 3, Division 2 of the *Planning Act 2016*.

1.1 Purpose

The purpose of this planning scheme policy is to provide technical guidance for the preparation of a Geotechnical Report required to support a development application that is in a landslide hazard area; being land with a slope of 15% or greater (refer to Overlay map – Landslide hazard area).

This policy has been prepared in accordance with the State Planning Policy (July 2014) and associated State Planning Policy guideline - Natural hazards, risk and resilience (July 2014).

Where the information required by this policy is not supplied when the development application is made, an information request may be made under the development assessment system.

1.2 Application

This planning scheme policy applies to accepted development subject to requirements and assessable development in the Landslide hazard area identified on Overlay map – Landslide hazard.

1.3 Interpretation

Terms used in this planning scheme policy are defined in Schedule 1 – Definitions of the planning scheme. Where a term is not defined in Schedule 1, section 1.3 Interpretation of the planning scheme applies.

2. Landslide hazard mapping

Land potentially susceptible to landslide hazard is identified on Overlay map – Landslide hazard and can be found in Schedule 2 Mapping, Overlay Map – Landslide hazard (OM-01 – OM-76 LSH). Landslide hazard areas identified on the overlay map reflects land with slopes of 15% and greater.

Where a site has been identified as potentially being subject to landslide hazard, a site-specific Geotechnical Report must be prepared commensurate to the level of landslide hazard risk to which the site is subject. The report is to include a geotechnical assessment to determine whether or not the site has landslide potential (refer to section 3 below for assessment requirements). Where the assessment determines a landslide potential exists, the Geotechnical Report is to include a management plan identify strategies to mitigate and manage any potential risk associated with the proposed development (refer to section 4 below for management plan requirements).

The level of detail required for a particular development application should be determined in consultation with Council's Development Services Department. Any report addressing landslide hazards or management must be prepared and signed by a Registered Professional Engineer specialising in geotechnical engineering.

The Geotechnical Report must be lodged with the development application.

3. Geotechnical Assessment

A site-specific geotechnical assessment must be prepared by a Registered Professional Engineer, specialising in geotechnical engineering, to analyse whether the site is subject to landslide hazard. The level of detail required in an assessment should be determined in consultation with Council's Development Services Department. This assessment is to address:-

1. the site's physical, environmental and visual suitability for the proposed development, including a site analysis, which identifies –
 - a. contour lines to AHD (1 metre vertical intervals);
 - b. existing vegetation;
 - c. geological information including, site geology and a history of landslide events in the region;
 - d. an accurate assessment and mapping of the extent of land on the site that has a slope of:
 - i. 15 to 20%;
 - ii. 20 to 25%; and
 - iii. above 25%.
 - e. the impact on the landslide characteristics due to clearing (e.g Bushfire Asset Protection Zones);
 - f. the impact on the landslide characteristics due to the addition of water from new effluent disposal areas;
 - g. the impact of diverting stormwater runoff to areas which may not be subject to stormwater flows.
2. the main indicators of landslide risk; and
3. the landslide risk to nearby land and adjoining properties as a result of the proposed development.

4. Potential Landslide Hazard Management

Where the site-specific geotechnical assessment determines a site is subject to landslide hazard, the Geotechnical Report is to identify strategies to mitigate and manage any potential risk associated with proposed development.

The report is to–

1. include an assessment of the impact that the proposed development would have on the stability of the site, nearby land and access to the site;
2. demonstrate how the proposed development will not increase the landslide risk to existing and future development on the site or nearby land; and
3. include completed Form A – Geotechnical declaration and verification, contained in Appendix 1.

The report is to also include:-

1. the recommended measures to reduce the risk to life and property (on and adjacent to the site) and to ensure the long term stability of the site and proposed development;
2. the recommended measures to limit the necessity for cutting and filling, retaining walls and vegetation clearing;
3. the design, siting and method of construction of buildings, structures and infrastructure (e.g. foundations, driveways, retaining walls, swimming pools and dams) including recommended design outcomes that are responsive to the site's physical and environmental characteristics and any visual characteristics;
4. recommendations on the design and construction of infrastructure proposed to be handed over to Council, or any other service provider (Council will not accept infrastructure which is subject to settlement or subsidence due to unstable land).
5. recommendations for the establishment and management of on-site effluent and stormwater disposal;
6. recommendations for the removal of existing vegetation and proposed revegetation;
7. recommendations for the management of any other changes to the natural surface or groundwater drainage systems; and
8. site maintenance and other management practices to ensure long-term site stability.

5. Reference list and supporting tools

1. State Planning Policy, July 2014. *Department of State Development, Infrastructure and Planning*.
2. State Planning Policy - state interest guideline. Natural hazards, risk and resilience, August 2014. *Department of State Development, Infrastructure and Planning*.
3. AGS (2007c). Practice Note Guidelines for Landslide Risk Management Australian Geomechanics Society. *Australian Geomechanics*, Vol 42, No1. <http://australiangeomechanics.org/admin/wp-content/uploads/2010/11/LRM2007-c.pdf>

End Notes

Amendment Number: 2 Adopted: 27 June 2017 Effective from: 3 July 2017	
Planning Scheme Policy Reference	Summary of amendment
-	<ul style="list-style-type: none">• Amendment to reflect the terminology used in the <i>Planning Act 2016</i>, the <i>Planning Regulation 2017</i> and related state planning instruments.
Amendment Number: 3 Adopted: 12 December 2019 Effective from: 29 January 2020	
Planning Scheme Policy Reference	Summary of amendment
-	<ul style="list-style-type: none">• The overall purpose and general effect of the adopted amendments to the existing planning scheme policies are to add clarity and improve usability.

Appendix 1

Form A - Geotechnical Declaration and Verification Development Application (Pages 33 – 34)
<http://australiangeomechanics.org/admin/wp-content/uploads/2010/11/LRM2007-c.pdf>

FORM	A	Page 2 of 2			
		Geotechnical Declaration and Verification Development Application			
Section 4 List of Drawings referenced in Geotechnical Report					
Design Documents	Description	Plan or Document No.	Revision or Version No.	Date	Author
Section 5 Declaration					
Declaration (Tick all that apply) Yes <input type="checkbox"/> No <input type="checkbox"/> <input type="checkbox"/> N/A <input type="checkbox"/> <input type="checkbox"/> N/A <input type="checkbox"/> <input type="checkbox"/> No <input type="checkbox"/> <input type="checkbox"/> No <input type="checkbox"/>	<p>I am a geotechnical engineer or engineering geologist as defined by the Moreton Bay Regional Council Development Control Plan and on behalf of the company below, I:</p> <p>am aware that the geotechnical report I have either prepared or am technically verifying (referenced above) is to be submitted in a support of a development application for the proposed development site (referenced above) and its findings will be relied upon by Moreton Bay Regional Council in determining the development application.</p> <p>prepared the geotechnical report referenced above in accordance with the AGS (2007c) as amended and the Moreton Bay Regional Council Development Control Plan where one has been prepared and approved.</p> <p>am willing to technically verify that the Geotechnical Report referenced above has been prepared in accordance with the AGS (2007c) as amended and the Moreton Bay Regional Council Geotechnical Development Control Plan where one has been prepared and approved.</p> <p>am willing to technically verify that the geotechnical report prepared for the development application for the site confirms the land will achieve the level of tolerable risk of slope instability in accordance with the AGS (2007c) and as a result of the considerations described in the Moreton Bay Regional Council Geotechnical Development Control Plan where prepared and approved, and taking into account the total development and site disturbances proposed.</p> <p>am willing to technically verify that the geotechnical report prepared for the site and related land being greater than two years old confirms the land will achieve the level of tolerable risk of slope instability in accordance with the AGS (2007c) and as a result of the considerations described in the Moreton Bay Regional Council Geotechnical Development Control Plan where prepared and approved, and taking into account the total development and site disturbances proposed.</p>				
Section 6 Geotechnical Engineer or Engineering Geologist Details					
Company/ Organisation Name					
Name (Company Representative)	Surname:		Mr /Mrs /Other:		
	Given Names:				
	Chartered Professional Status:		Registration No:		
Signature			Dated: / /		

Reference: AGS (2007c) *"Practice Note Guidelines for Landslide Risk Management"*. Australian Geomechanics Society, Australian Geomechanics, V42, .N1, March 2007.