6.2.10 Rural zone code

6.2.10.1 Application - Rural zone

This code applies to undertaking development in the Rural zone, if:

- 1. the development has been categorised as either accepted development subject to requirements or assessable development code assessment, and this code is identified as applicable to that development in the assessment benchmarks for assessable development and requirements for accepted development column of a table of assessment (Part 5);
- 2. the development has been categorised as assessable development impact assessment (Part 5).

When using this code, reference should be made to section 5.3.2 Determining the category of development and category of assessment and, where applicable, section 5.3.3 Determining and applying the requirements for accepted development and the assessment benchmarks for assessable development located in Part 5.

For accepted development subject to requirements or assessable development under this Code :

- 1. Part A of the code applies to accepted development subject to requirements
- 2. Part B of the code applies to assessable development.

A dwelling house⁽²²⁾ in this zone is not subject to Schedule 6, Part 2, Item 2. Development associated with a dwelling house⁽²²⁾ is subject to the relevant provisions in this code and not the dwelling house code.

6.2.10.2 Purpose - Rural zone

- 1. The Rural zone comprises land where general rural activities are established. In addition to land being zoned Rural, there are five separate precincts. Each precinct represents an area having significant qualities or character making them distinctive from the Rural zone in general, and each other. Therefore, in addition to the general Rural zone purpose statements, overall outcomes and assessment criteria, there are specific precinct based purpose statements, overall outcomes and assessment criteria. These provide specific guidance and directions to the land use outcomes sought in each precinct that are in addition to the Rural zone in general. Therefore, the general Rural zone overall outcomes also apply to this precinct. Where there is a conflict, the precinct specific overall outcomes and development tables take precedence and the general Rural zone outcomes and development tables take precedence and the general Rural zone outcomes and development tables take precedence and the general Rural zone outcomes and development tables take precedence and the general Rural zone outcomes and development tables take precedence and the general Rural zone outcomes and development tables take precedence and the general Rural zone outcomes and development tables do not apply.
- 2. The purpose of the **Rural zone** code is to:
 - a. provide for a wide range of rural uses including cropping⁽¹⁹⁾, intensive horticulture⁽⁴⁰⁾, intensive animal industries⁽³⁹⁾, animal husbandry⁽⁴⁾, animal keeping⁽⁵⁾ and other primary production activities;
 - b. provide for non-rural uses that are compatible with agriculture, the environment, and the landscape character of the rural area where they do not compromise the long-term use of the land for rural purposes;
 - c. protect and manage significant natural features, resources, and processes, including the capacity for primary production;
 - d. ensure the rural area remains a pleasant place for people to work, live and recreate;
 - e. restrict further encroachment of urban and rural residential activities into rural areas and reinforce the Regions' identified urban footprint;
 - f. implement the policy direction set in Part 3, Strategic Framework.
- 3. The purpose of the **Rural zone** will be achieved through the following overall outcomes:
 - a. A wide range of rural uses, as identified in the table below, are established.

- b. Rural activities and primary production activities are protected from intrusion by incompatible development.
- c. Intensive rural activities such as animal keeping⁽⁵⁾, aquaculture⁽⁶⁾, and intensive animal industry⁽³⁹⁾:
 - i. provide appropriate separation distance to sensitive land uses;
 - ii. avoid odour, dust, noise and visual impacts on sensitive land uses;
 - iii. avoid adversely affecting water quality in waterways and water catchments; and
 - iv. are not located adjacent to sensitive land uses or land zoned for residential and rural residential purposes.
- d. Residential uses are limited to a single dwelling house⁽²²⁾ per allotment. A secondary dwelling is permitted provided it functions and appears subordinate to the principal dwelling house⁽²²⁾.
- e. A range of housing options provide short-term accommodation⁽⁷⁷⁾ for tourists in proximity to tourist attractions⁽⁸³⁾.
- f. Accommodation for rural workers is provided on or in close proximity to rural activities.
- g. Active and passive outdoor recreational opportunities for residents and visitors to the region are established.
- h. Intensification of existing and new commercial and retail development does not occur.
- i. Development maintains the open area character and scenic amenity, including the low density, low intensity and dispersed built form which defines the rural place type.
- j. Development does not adversely affect the operation of aviation facilities at Mt Glorious (See Overlay map - Infrastructure buffers). This aviation facility comprises a VHF beacon.
- k. Development does not result in adverse or nuisance impacts on adjoining properties or the wider rural environment. Any adverse or nuisance impacts are contained and internalised to the lot through location, design, operation and on-site management practices.
- I. Development generating high volumes of traffic or involving heavy vehicle traffic movements is located on roads of a standard and capacity to accommodate traffic demand.
- m. Development does not result in the establishment of industrial activities, other than rural industry⁽⁷⁰⁾.
- n. General works associated with the development achieves the following:
 - i. a high standard of electricity, telecommunications, roads, sewerage, water supply and street lighting services is provided to new developments to meet the current and future needs of users of the site;
 - ii. the development manages stormwater to:
 - A. ensure the discharge of stormwater does not adversely affect the quality, environmental values or ecosystem functions of downstream receiving waters;
 - B. prevent stormwater contamination and the release of pollutants;
 - C. maintain or improve the structure and condition of drainage lines and riparian areas;
 - D. avoid off-site adverse impacts from stormwater.
 - iii. the development does not result in unacceptable impacts on the capacity on the capacity and safety of the external road network;
 - iv. the development ensures the safety, efficiency and useability of access ways and parking areas;
 - v. site works including earthworks are managed to be safe and have minimal impacts on adjoining or adjacent premises, the streetscape or the environment.

- o. Activities associated with the use do not cause a nuisance by way of aerosols, fumes, light, noise, odour, particles or smoke.
- p. Noise generating uses are designed, sited and constructed to minimise the transmission of noise to appropriate levels and do not cause environmental harm or nuisance.
- q. Noise sensitive uses are designed, sited and constructed so as not to be subject to levels of noise expected from rural activities.
- r. Development in a Water supply buffer is undertaken in a manner which contributes to the maintenance and enhancement where possible of water quality to protect the drinking water and aquatic ecosystem environmental values in those catchments.
- s. Development avoids areas subject to constraint, limitation, or environmental value. Where development cannot avoid these identified areas, it responds by:
 - i. adopting a 'least risk, least impact' approach when designing, siting and locating development in any area subject to a constraint, limitation or environmental value to minimise the potential risk to people, property and the environment;
 - ii. ensuring no further instability, erosion or degradation of the land, water or soil resource;
 - iii. when located within a Water buffer area, complying with the Water Quality Vision and Objectives contained in the Seqwater Development Guidelines: Development Guidelines for Water Quality Management in Drinking Water Catchments 2012.
 - iv. maintaining, restoring and rehabilitating environmental values, including natural, ecological, biological, aquatic, hydrological and amenity values, and enhancing these values through the provision of planting and landscaping, and facilitating safe wildlife movement and connectivity through:
 - A. the provision of replacement, restoration, rehabilitation planting and landscaping;
 - B. the location, design and management of development to avoid or minimise adverse impacts on ecological systems and processes;
 - C. the requiring of environmental offsets in accordance with the Environmental Offsets Act 2014.
 - v. protecting native species and protecting and enhancing species habitat;
 - vi. protecting and preserving the natural, aesthetic, architectural historic and cultural values of significant trees, places, objects and buildings of heritage and cultural significance;
 - vii. establishing effective separation distances, buffers and mitigation measures associated with identified infrastructure to minimise adverse effects on sensitive land uses from odour, noise, dust and other nuisance generating activities;
 - viii. establishing, maintaining and protecting appropriate buffers to waterways, wetlands, native vegetation and significant fauna habitat;
 - ix. ensuring it promotes and does not undermine the ongoing viability, integrity, operation, maintenance and safety of identified infrastructure;
 - x. ensuring effective and efficient disaster management response and recovery capabilities;
 - xi. where located in an overland flow path:
 - A. development siting, built form, layout and access responds to the risk presented by the overland flow and minimises risk to personal safety;
 - B. development is resilient to the impacts of overland flow by ensuring the siting and design accounts for the potential risks to property associated with the overland flow;
 - C. development does not impact on the conveyance of the overland flow for any event up to and including the 1% AEP for the fully developed upstream catchment;
 - D. development directly, indirectly and cumulatively avoid an increase in the severity of overland flow and potential for damage on the premises or other premises, public lands, watercourses, roads or infrastructure.
- t. Development in the Rural zone includes one or more of the following:

 Animal husbandry⁽⁴⁾ Dwelling house⁽²²⁾ Park⁽⁵⁷⁾
--

•	Animal keeping ⁽⁵⁾	•	Emergency services ⁽²⁵⁾	•	Permanent plantation ⁽⁵⁹⁾
	(excluding catteries and kennels)	•	Environment facility ⁽²⁶⁾	•	Roadside stall ⁽⁶⁸⁾
•	Aquaculture ⁽⁶⁾ (if water area	•	Home based business ⁽³⁵⁾	•	Rural industry ⁽⁷⁰⁾
	associated with ponds and dams are less than 200m ² or housed tanks less than	•	Intensive animal industry ⁽³⁹⁾	•	Rural workers' accommodation ⁽⁷¹⁾
	50m ²)	•	Intensive horticulture ⁽⁴⁰⁾	•	Sales office ⁽⁷²⁾
•	Community residence ⁽¹⁶⁾	•	Outdoor sports and recreation ⁽⁵⁵⁾ (if located on	•	Telecommunication
•	Cropping ⁽¹⁹⁾ , where not forestry for wood production		Council owned or controlled land and in accordance with		facility ⁽⁸¹⁾
•	Cropping ⁽¹⁹⁾ , where forestry		a Council approved Master Plan)	•	Transport depot ⁽⁸⁵⁾ (where on lots 16 ha or more)
	for wood production	•	Non-resident workforce	•	Veterinary services ⁽⁸⁷⁾
			accommodation ⁽⁵²⁾	•	Wholesale nursery ⁽⁸⁹⁾
				•	Winery ⁽⁹⁰⁾

u. Development in the Rural zone does not include any of the following:

 Bar⁽⁷⁾ Brothel⁽⁸⁾ Caretaker's accommodation⁽¹⁰⁾ Car wash⁽¹¹⁾ Child care centre⁽¹³⁾ Community care centre⁽¹⁵⁾ Detention facility⁽²⁰⁾ Burl accumpton (21) Hotel⁽³⁷⁾ Hotel⁽³⁷⁾ Hotel⁽³⁷⁾ Indoor sport and recreation⁽³⁸⁾ Indoor sport and recreation⁽³⁸⁾ Low impact industry⁽⁴²⁾ Residential care facil Major sports, recreation and entertainment facility⁽⁴⁴⁾ Marine industry⁽⁴⁵⁾ Medium impact industry⁽⁴⁷⁾ Shop⁽⁷⁵⁾ Shopping centre⁽⁷⁶⁾ 	
 Caretaker's accommodation⁽¹⁰⁾ Car wash⁽¹¹⁾ Child care centre⁽¹³⁾ Community care centre⁽¹⁵⁾ Detention facility⁽²⁰⁾ recreation⁽³⁸⁾ Low impact industry⁽⁴²⁾ Major sports, recreation and entertainment facility⁽⁴⁴⁾ Marine industry⁽⁴⁵⁾ Medium impact industry⁽⁴⁷⁾ Shop⁽⁷⁵⁾ Multiple dwelling⁽⁴⁹⁾ Shopping centre⁽⁷⁶⁾ 	rk ⁽⁶²⁾
 Caretaker's accommodation⁽¹⁰⁾ Car wash⁽¹¹⁾ Child care centre⁽¹³⁾ Community care centre⁽¹⁵⁾ Detention facility⁽²⁰⁾ Low impact industry⁽⁴²⁾ Major sports, recreation and entertainment facility⁽⁴⁴⁾ Major sports, recreation and entertainment facility⁽⁴⁴⁾ Marine industry⁽⁴⁵⁾ Medium impact industry⁽⁴⁷⁾ Shop⁽⁷⁵⁾ Multiple dwelling⁽⁴⁹⁾ Shopping centre⁽⁷⁶⁾ 	logy
 Child care centre⁽¹³⁾ Community care centre⁽¹⁵⁾ Detention facility⁽²⁰⁾ entertainment facility⁽⁴⁴⁾ Marine industry⁽⁴⁵⁾ Medium impact industry⁽⁴⁷⁾ Shop⁽⁷⁵⁾ Multiple dwelling⁽⁴⁹⁾ Shopping centre⁽⁷⁶⁾ 	ty ⁽⁶⁵⁾
 Child care centre⁽¹³⁾ Community care centre⁽¹⁵⁾ Detention facility⁽²⁰⁾ Marine industry⁽⁴⁵⁾ Medium impact industry⁽⁴⁷⁾ Shop⁽⁷⁵⁾ Shopping centre⁽⁷⁶⁾ 	
 Community care centre⁽¹³⁾ Detention facility⁽²⁰⁾ Multiple dwelling⁽⁴⁹⁾ Shopping centre⁽⁷⁶⁾ 	
Detention facility ⁽²⁰⁾ Multiple dwelling ⁽⁴⁹⁾ Shopping centre ⁽⁷⁶⁾	
 Dual occupancy⁽²¹⁾ Nightclub entertainment facility⁽⁵¹⁾ Showroom⁽⁷⁸⁾ 	
 Funeral parlour⁽³⁰⁾ Office⁽⁵³⁾ Special industry⁽⁷⁹⁾ 	
Hardware and trade Outdoor sales ⁽⁵⁴⁾ Theatre ⁽⁸²⁾	
• Warehouse ⁽³²⁾	
Health care services ⁽³³⁾	
High impact industry ⁽³⁴⁾	

Note - A dwelling provided for a caretaker of a non-residential use in the Rural zone is defined as Rural workers' accommodation⁽⁷¹⁾.

v. Development not listed in the tables above will be considered on its merit and where it reflects and supports the outcomes of the zone.

Precincts

- 4. The purpose of the **Agriculture precinct** is to recognise land that is highly suitable for productive agriculture and protecting the long-term productive capability of that land.
- 5. The purpose of the **Agriculture precinct** will be achieved through the following additional overall outcomes. Please note that the general Rural zone overall outcomes also apply to this precinct. Where there is a conflict, the precinct specific overall outcome takes precedence:
 - a. Uses having a focus on primary production or requiring access to fertile soils are established.
 - b. Development not supporting the continued use of land for primary production purposes or requiring access to fertile soils do not occur.
 - c. Permanent plantations⁽⁵⁹⁾ do not occur.
 - d. Development does not limit or constrain existing and future primary production capability of the land.
 - e. Development in the Agriculture precinct includes one or more of the following:

•	Animal husbandry ⁽⁴⁾	•	Home based business ⁽³⁵⁾	•	Park ⁽⁵⁷⁾
•	Aquaculture ⁽⁶⁾	•	Intensive animal industry ⁽³⁹⁾	•	Roadside stall ⁽⁶⁸⁾
•	Community residence ⁽¹⁶⁾	•	Intensive horticulture ⁽⁴⁰⁾	•	Rural industry ⁽⁷⁰⁾
•	Cropping ⁽¹⁹⁾ , where not forestry for wood production	•	Non-resident workforce accommodation ⁽⁵²⁾	•	Rural workers' accommodation ⁽⁷¹⁾
•	Cropping ⁽¹⁹⁾ , where forestry for wood production	•	Outdoor sports and recreation ⁽⁵⁵⁾ (if located on	•	Sales office ⁽⁷²⁾
•	Dwelling house ⁽²²⁾		Council owned or controlled land and in accordance with	•	Telecommunication facility ⁽⁸¹⁾
•	Emergency services ⁽²⁵⁾		a Council approved Master Plan)	•	Wholesale nursery ⁽⁸⁹⁾
•	Environment facility ⁽²⁶⁾			•	Winery ⁽⁹⁰⁾

f. Development in the Agriculture precinct does not include any of the following:

•	Adult store ⁽¹⁾	 Hardware and trade supplies⁽³²⁾ 	 Parking station⁽⁵⁸⁾
•	Agricultural supplies store ⁽²⁾		 Permanent plantation⁽⁵⁹⁾
•	Bar ⁽⁷⁾	Health care services ⁽³³⁾ (34)	 Port services⁽⁶¹⁾
•	Brothel ⁽⁸⁾	High impact industry ⁽³⁴⁾ (35)	 Relocatable home park⁽⁶²⁾
•	Caretaker's accommodation ⁽¹⁰⁾	 Hospital⁽³⁶⁾ Hotel⁽³⁷⁾ 	 Research and technology industry⁽⁶⁴⁾
•	Car wash ⁽¹¹⁾	 Indoor sport and recreation⁽³⁸⁾ 	• Residential care facility ⁽⁶⁵⁾
•	Child care centre ⁽¹³⁾	• Low impact industry ⁽⁴²⁾	 Retirement facility⁽⁶⁷⁾
1			

•	Club ⁽¹⁴⁾	•	Major sports, recreation and entertainment facility ⁽⁴⁴⁾	•	Rooming accommodation ⁽⁶⁹⁾
•	Community care centre ⁽¹⁵⁾ Crematorium ⁽¹⁸⁾	•	Marine industry ⁽⁴⁵⁾	•	Shop ⁽⁷⁵⁾
•	Detention facility ⁽²⁰⁾	•	Medium impact industry ⁽⁴⁷⁾ Multiple dwelling ⁽⁴⁹⁾	•	Shopping centre ⁽⁷⁶⁾ Showroom ⁽⁷⁸⁾
•	Dual occupancy ⁽²¹⁾ Dwelling unit ⁽²³⁾	•	Nightclub entertainment facility ⁽⁵¹⁾	•	Special industry ⁽⁷⁹⁾ Theatre ⁽⁸²⁾
•	Funeral parlour ⁽³⁰⁾ Garden centre ⁽³¹⁾	•	Office ⁽⁵³⁾	•	Warehouse ⁽⁸⁸⁾
•	Garden centre '	•	Outdoor sales ⁽⁵⁴⁾		

Note - A dwelling provided for a caretaker of a non-residential use in the rural zone is defined as Rural workers' accommodation⁽⁷¹⁾.

- g. Development not listed in the tables above will be considered on its merit and where it reflects and supports the outcomes of the precinct and zone.
- 6. The purpose of the **Cedarton Foresters Cooperative and Mt Nebo plant nursery precinct** is to recognise the presence of multiple dwellings⁽⁴⁹⁾ and buildings on a single lot at Cedarton and Mt Nebo respectively, supported by a land management plan addressing significant on-site constraints.
- 7. The purpose of the **Cedarton Foresters Cooperative and Mt Nebo plant nursery precinct** will be achieved through the following additional overall outcomes.
 - a. Development does not expand over and above the 22 residential entitlements (multiple dwelling units⁽²³⁾) for Cedarton Foresters Cooperative site, and the 16 residential entitlements (multiple dwelling units⁽²³⁾) for the Mt Nebo plant nursery site.
 - b. Development is limited and is permitted to occur only in accordance with the approved Cedarton Foresters Cooperative land management plan and Mt Nebo plant nursery land management plan located at the end of the zone code and identified as Table A and Table B respectively.
 - c. Development obtain all necessary planning, building and plumbing approvals in a timely manner.
 - d. Development of the **Cedarton Foresters Cooperative** land management plan site includes one or more of the following only where in accordance with the land management plan located at the end of the zone code and identified as Table A:

 Animal husbandry⁽⁴⁾ 	•	Cropping ⁽¹⁹⁾	•	Multiple dwelling ⁽⁴⁹⁾ and associated outbuildings
 Community use⁽¹⁷⁾, where for a community hall only 		Environmental facility ⁽²⁶⁾ Home based business ⁽³⁵⁾		Permanent plantation ⁽⁵⁹⁾ Roadside stall ⁽⁶⁸⁾

e. Development of the **Cedarton Foresters Cooperative** land management plan site does not include any of the following:

•	Adult store ⁽¹⁾	•	High impact industry ⁽³⁴⁾	•	Relocatable home park ⁽⁶²⁾	

	Agricultural supplies store ⁽²⁾		Hospital ⁽³⁶⁾		Renewable energy facility ⁽⁶³⁾
		•		•	
•	Air services ⁽³⁾	•	Hotel ⁽³⁷⁾	•	Research and technology industry ⁽⁶⁴⁾
•	Animal keeping ⁽⁵⁾	•	Indoor sport and recreation ⁽³⁸⁾	•	Residential care facility ⁽⁶⁵⁾
•	Aquaculture ⁽⁶⁾	•	Intensive animal industry ⁽³⁹⁾	•	Resort complex ⁽⁶⁶⁾
•	Bar ⁽⁷⁾	•	Intensive horticulture ⁽⁴⁰⁾	•	Retirement facility ⁽⁶⁷⁾
•	Brothel ⁽⁸⁾	•	Landing ⁽⁴¹⁾		
•	Bulk landscape supplies ⁽⁹⁾	•	Low impact industry ⁽⁴²⁾	•	Rooming accommodation ⁽⁶⁹⁾
•	Car wash ⁽¹¹⁾	•	Major electricity infrastructure ⁽⁴³⁾	•	Rural industry ⁽⁷⁰⁾ Rural workers,
•	Caretaker's accommodation ⁽¹⁰⁾	•	Major sport, recreation and entertainment facility ⁽⁴⁴⁾	•	accommodation ⁽⁷¹⁾ Sales office ⁽⁷²⁾
•	Cemetery ⁽¹²⁾		2		
•	Child care centre ⁽¹³⁾	•	Marine industry ⁽⁴⁵⁾	•	Service industry ⁽⁷³⁾
•	Club ⁽¹⁴⁾	•	Market ⁽⁴⁶⁾	•	Service station ⁽⁷⁴⁾
•	Community care centre ⁽¹⁵⁾	•	Medium impact industry ⁽⁴⁷⁾	•	Shop ⁽⁷⁵⁾
•	Community residence ⁽¹⁶⁾	•	Motor sport facility ⁽⁴⁸⁾	•	Shopping centre ⁽⁷⁶⁾
	Community use ⁽¹⁷⁾ not in	•	Multiple dwelling ⁽⁴⁹⁾ not in accordance with the	•	Short-term accommodation ⁽⁷⁷⁾
	accordance with Management Plan		Management Plan	•	Showroom ⁽⁷⁸⁾
•	Plan Crematorium ⁽¹⁸⁾	•	Nature-based tourism ⁽⁵⁰⁾	•	Special industry ⁽⁷⁹⁾
•	Detention facility ⁽²⁰⁾	•	Nightclub entertainment facility ⁽⁵¹⁾	•	Substation ⁽⁸⁰⁾
•	Dual occupancy ⁽²¹⁾	•	non-resident workforce	•	Telecommunications facility ⁽⁸¹⁾ Theatre ⁽⁸²⁾
•	Dwelling house ⁽²²⁾		accommodation ⁽⁵²⁾	•	
•	Dwelling unit ⁽²³⁾	•	Office ⁽⁵³⁾	•	Tourist attraction ⁽⁸³⁾
•	Educational establishment ⁽²⁴⁾	•	Outdoor sales ⁽⁵⁴⁾	•	Tourist park ⁽⁸⁴⁾
•	Emergency services ⁽²⁵⁾	•	Outdoor sport and recreation ⁽⁵⁵⁾	•	Transport depot ⁽⁸⁵⁾
•	Extractive industry ⁽²⁷⁾	•	Park ⁽⁵⁷⁾	•	Utility installation ⁽⁸⁶⁾
•	Food and drink outlet ⁽²⁸⁾	•	Parking station ⁽⁵⁸⁾	•	Veterinary services ⁽⁸⁷⁾
•	Function facility ⁽²⁹⁾	•	Place of worship ⁽⁶⁰⁾	•	Warehouse ⁽⁸⁸⁾
•	Funeral parlour ⁽³⁰⁾	•	Port services ⁽⁶¹⁾	•	Wholesale nursery ⁽⁸⁹⁾ not in accordance with the Management Plan
•	Garden centre ⁽³¹⁾				Winery ⁽⁹⁰⁾
•	Hardware and trade supplies ⁽³²⁾			•	vvii ici y
•	Health care services ⁽³³⁾				

f. Development of the **Mt Nebo plant nursery** land management plan site includes one or more of the following only where in accordance with the land management plan located at the end of the zone code and identified as Table B:

 Cropping⁽¹⁹⁾ Home based business⁽³⁵⁾ Permanent plantation⁽⁵⁹⁾ 	Animal husband	ry ⁽⁴⁾	Environmental facility ⁽²⁶⁾	•	Multiple dwelling ⁽⁴⁹⁾ and
Community use ⁽¹⁷⁾ , where for	 Cropping⁽¹⁹⁾ 	٠	Home based business ⁽³⁵⁾		associated outbuildings
	Community use	⁽¹⁷⁾ , where for		•	
a community hall only Roadside stall ⁽⁶⁸⁾	a community ha	ll only		•	Roadside stall ⁽⁶⁸⁾

g. Development of the **Mt Nebo plant nursery** land management plan site does not include any of the following:

					1
•	Adult store ⁽¹⁾	•	High impact industry ⁽³⁴⁾	•	Relocatable home park ⁽⁶²⁾
•	Agricultural supplies store ⁽²⁾	•	Hospital ⁽³⁶⁾	•	Renewable energy facility ⁽⁶³⁾
•	Air services ⁽³⁾	•	Hotel ⁽³⁷⁾	•	Research and technology industry ⁽⁶⁴⁾
•	Animal keeping ⁽⁵⁾	•	Indoor sport and recreation ⁽³⁸⁾		
•	Aquaculture ⁽⁶⁾	•	Intensive animal industry ⁽³⁹⁾	•	Residential care facility ⁽⁶⁵⁾
•	Bar ⁽⁷⁾	•	Intensive horticulture ⁽⁴⁰⁾	•	Resort complex ⁽⁶⁶⁾
•	Brothel ⁽⁸⁾	•	Landing ⁽⁴¹⁾	•	Retirement facility ⁽⁶⁷⁾
•	Bulk landscape supplies ⁽⁹⁾	•	Low impact industry ⁽⁴²⁾	•	Rooming accommodation ⁽⁶⁹⁾
•	Car wash ⁽¹¹⁾	•	Major electricity	•	Rural industry ⁽⁷⁰⁾
	Caretaker's		infrastructure ⁽⁴³⁾	•	Rural workers' accommodation ⁽⁷¹⁾
	accommodation ⁽¹⁰⁾	•	Major sport, recreation and entertainment facility ⁽⁴⁴⁾	•	Sales office ⁽⁷²⁾
•	Cemetery ⁽¹²⁾				
•	Child care centre ⁽¹³⁾	•	Marine industry ⁽⁴⁵⁾	•	Service industry ⁽⁷³⁾
•	Club ⁽¹⁴⁾	•	Market ⁽⁴⁶⁾	•	Service station ⁽⁷⁴⁾
•	Community care centre ⁽¹⁵⁾	•	Medium impact industry ⁽⁴⁷⁾	•	Shop ⁽⁷⁵⁾
•	Community residence ⁽¹⁶⁾	•	Motor sport facility ⁽⁴⁸⁾	•	Shopping centre ⁽⁷⁶⁾
	Community use ⁽¹⁷⁾ not in	•	Multiple dwelling ⁽⁴⁹⁾ not in accordance with the	•	Short-term accommodation ⁽⁷⁷⁾
	accordance with Management Plan		Management Plan	•	Showroom ⁽⁷⁸⁾
	Crematorium ⁽¹⁸⁾	•	Nature-based tourism ⁽⁵⁰⁾	•	Special industry ⁽⁷⁹⁾
•		•	Nightclub entertainment	•	Substation ⁽⁸⁰⁾
•	Detention facility ⁽²⁰⁾		facility ⁽⁵¹⁾	•	Telecommunications facility ⁽⁸¹⁾
•	Dual occupancy ⁽²¹⁾	•	Non-resident workforce accommodation ⁽⁵²⁾	•	Theatre
•	Dwelling house ⁽²²⁾	•	Office ⁽⁵³⁾	•	Tourist attraction ⁽⁸³⁾
•	Dwelling unit ⁽²³⁾			•	Tourist park ⁽⁸⁴⁾

•	Educational establishment ⁽²⁴⁾	•	Outdoor sales ⁽⁵⁴⁾	•	Transport depot ⁽⁸⁵⁾
•	Emergency services ⁽²⁵⁾ Extractive industry ⁽²⁷⁾ Food and drink outlet ⁽²⁸⁾ Function facility ⁽²⁹⁾ Funeral parlour ⁽³⁰⁾ Garden centre ⁽³¹⁾ Hardware and trade supplies ⁽³²⁾ Health care services ⁽³³⁾	•	Outdoor sport and recreation ⁽⁵⁵⁾ Park ⁽⁵⁷⁾ Parking station ⁽⁵⁸⁾ Place of worship ⁽⁶⁰⁾ Port services ⁽⁶¹⁾	•	Utility installation ⁽⁸⁶⁾ Veterinary services ⁽⁸⁷⁾ Warehouse ⁽⁸⁸⁾ Wholesale nursery ⁽⁸⁹⁾ not in accordance with the Management Plan Winery ⁽⁹⁰⁾

- h. Development not listed in the tables above will be considered on its merit and where it reflects and supports the outcomes of the precinct and zone.
- 8. The purpose of the **Hamlet precinct** is to recognise existing, isolated small lot residential development at Mt Mee, Mt Glorious and Mt Nebo.
- 9. The purpose of the **Hamlet precinct** will be achieved through the following additional overall outcomes. Please note that the general Rural zone overall outcomes also apply to this precinct. Where there is a conflict, the precinct specific overall outcome takes precedence :
 - a. Residential development is low density and in the form of low rise, single detached dwellings on large residential lots. Dual occupancy⁽²¹⁾ and other forms of multi-unit development do not establish.
 - b. No further urban expansion due to the separation and isolation from existing population centres resulting in the inefficient demand for additional facilities and services, presence of significant physical constraints (e.g flooding, bushfire etc) and servicing constraints.
 - c. Limited rural uses establish to protect existing sensitive land uses.
 - d. Development in the Hamlet precinct includes one or more of the following:

•	Animal husbandry ⁽⁴⁾	•	Emergency services ⁽²⁵⁾	•	Roadside stall ⁽⁶⁸⁾
•	Community residence ⁽¹⁶⁾	•	Environmental facility ⁽²⁶⁾	•	Sales office ⁽⁷²⁾
•	Dwelling house ⁽²²⁾	•	Home based business ⁽³⁵⁾	•	Telecommunication facility ⁽⁸¹⁾
		•	Park ⁽⁵⁷⁾		

e. Development in the Hamlet precinct does not include one or more of the following:

•	Adult store ⁽¹⁾	•	Health care services ⁽³³⁾	•	Office ⁽⁵³⁾
•	Agricultural supplies store ⁽²⁾	•	High impact industry ⁽³⁴⁾	•	Outdoor sales ⁽⁵⁴⁾
•	Bar ⁽⁷⁾	•	Hospital ⁽³⁶⁾	•	Parking station ⁽⁵⁸⁾

•	Brothel ⁽⁸⁾	•	Hotel ⁽³⁷⁾	•	Port services ⁽⁶¹⁾
•	Caretaker's	•	Indoor sport and recreation ⁽³⁸⁾	•	Relocatable home park ⁽⁶²⁾
	accommodation ⁽¹⁰⁾ Car wash ⁽¹¹⁾	•	Intensive horticulture ⁽⁴⁰⁾	•	Research and technology industry ⁽⁶⁴⁾
•		•	Low impact industry ⁽⁴²⁾		-
•	Child care centre	•	Major sports, recreation and	•	Residential care facility ⁽⁶⁵⁾
•	Club ⁽¹⁴⁾		entertainment facility ⁽⁴⁴⁾	•	Retirement facility ⁽⁶⁷⁾
•	Community care centre ⁽¹⁵⁾	•	Marine industry ⁽⁴⁵⁾	•	Rooming accommodation ⁽⁶⁹⁾
•	Crematorium ⁽¹⁸⁾	•	Medium impact industry ⁽⁴⁷⁾	•	Shopping centre ⁽⁷⁶⁾
•	Detention facility ⁽²⁰⁾	•	Multiple dwelling ⁽⁴⁹⁾	•	Showroom ⁽⁷⁸⁾
•	Dual occupancy ⁽²¹⁾	•	Nightclub entertainment facility ⁽⁵¹⁾	•	Special industry ⁽⁷⁹⁾
•	Dwelling unit ⁽²³⁾		-	•	Theatre ⁽⁸²⁾
•	Funeral parlour ⁽³⁰⁾	•	Non-resident workforce accommodation ⁽⁵²⁾	•	Warehouse ⁽⁸⁸⁾
•	Garden centre ⁽³¹⁾				
•	Hardware and trade supplies ⁽³²⁾				

Note - A dwelling provided for a caretaker of a non-residential use in the Rural zone is defined as Rural workers' accommodation⁽⁷¹⁾.

- f. Development not included in the tables above will be considered on its merits and where it reflects and supports the outcomes of the precinct.
- 10. The purpose of the **Woodfordia and abbey surrounds precinct** is to support uses that have a nexus with, and are ancillary to, festivals and events occurring on land in close proximity to the Community facilities zone.
- 11. The purpose of the **Woodfordia and abbey surrounds precinct** will be achieved through the following additional overall outcomes. Please note that the general Rural zone overall outcomes also apply to this precinct. Where there is a conflict, the precinct specific overall outcome takes precedence:
 - a. Activities having a nexus with, and ancillary to, festivals and events occurring in conjunction with Woodfordia and the Abbey sites are supported where:
 - i. activities do not compete with similar uses in Woodford township;
 - ii. activities do not detract from the primary role of the Woodfordia site or the Abbey site;
 - iii. activities are limited in size and scale and do not have adverse impacts on the rural character and amenity, including noise, traffic, waste disposal impacts.
 - b. Outside the times of festivals and events occurring in conjunction with Woodfordia and the Abbey sites, land resumes a rural purpose or small scale tourism activities comprising eco-based tourism, agricultural based education and recreation activities.
 - c. The built form associated with development does not adversely impact on the natural values and low-set built form, low density, open area character of the Rural zone.

- d. Development does not degrade or compromise the visual, natural, biological and ecological values associated with vegetated areas or adversely impact upon water quality.
- e. Development avoids establishing in areas subject to constraint or hazard.
- f. Development in the Woodfordia and abbey surrounds precinct includes the following:

 Animal husbandry⁽⁴⁾ Animal keeping⁽⁵⁾ (excluding 	•	Educational establishment ⁽²⁴⁾ (where for agricultural	•	Non-resident workforce accommodation ⁽⁵²⁾
 Animal keeping: 7 (excluding catteries and kennels) 		education, agricultural training facilities)	•	Park ⁽⁵⁷⁾
 Aquaculture⁽⁶⁾ (if water area associated with ponds and 	•	Emergency services ⁽²⁵⁾	•	Permanent plantation ⁽⁵⁹⁾
dams are more than 200m ² or housed tanks less than 50m ²)	•	Environment facility ⁽²⁶⁾	•	Roadside stall ⁽⁶⁸⁾
 Community residence⁽¹⁶⁾ 	•	Home based business ⁽³⁵⁾	٠	Rural industry ⁽⁷⁰⁾
 Cropping⁽¹⁹⁾ (where not 	•	Intensive horticulture ⁽⁴⁰⁾	•	Rural workers' accommodation ⁽⁷¹⁾
forestry for wood production)	•	Nature-based tourism ⁽⁵⁰⁾	•	Sales office ⁽⁷²⁾
 Cropping⁽¹⁹⁾ (where forestry for wood production) 	•	Outdoor sports and recreation ⁽⁵⁵⁾ (if located on Council owned or controlled	•	Short-term accommodation ⁽⁷⁷⁾
 Dwelling house⁽²²⁾ 		land and in accordance with a Council approved Master	•	Telecommunications facility ⁽⁸¹⁾
		Plan)	•	Transport depot ⁽⁸⁵⁾ (where on lots 16 ha or more)
			•	Veterinary services ⁽⁸⁷⁾
			•	Wholesale nursery ⁽⁸⁹⁾
			•	Winery ⁽⁹⁰⁾

g. Development in the Woodfordia and abbey surrounds precinct does not include any of the following:

•	Adult store ⁽¹⁾ Agricultural supplies store ⁽²⁾ Bar ⁽⁷⁾	•	Hardware and trade supplies ⁽³²⁾ Health care services ⁽³³⁾	•	Outdoor sales ⁽⁵⁴⁾ Port services ⁽⁶¹⁾ Relocatable home park ⁽⁶²⁾
•	Brothel ⁽⁸⁾ Caretaker's	•	High impact industry ⁽³⁴⁾ Hospital ⁽³⁶⁾	•	Research and technology industry ⁽⁶⁴⁾
•	accommodation ⁽¹⁰⁾ Car wash ⁽¹¹⁾	•	Hotel ⁽³⁷⁾ Indoor sport and recreation ⁽³⁸⁾	•	Residential care facility ⁽⁶⁵⁾ Retirement facility ⁽⁶⁷⁾
•	Child care centre ⁽¹³⁾ Community care centre ⁽¹⁵⁾	•	Low impact industry ⁽⁴²⁾	•	Rooming accommodation ⁽⁶⁹⁾ Shop ⁽⁷⁵⁾
•	Crematorium ⁽¹⁸⁾ Detention facility ⁽²⁰⁾	•	Major sports, recreation and entertainment facility ⁽⁴⁴⁾ Marine industry ⁽⁴⁵⁾	•	Shopping centre ⁽⁷⁶⁾

Dual occupancy ⁽²¹⁾	Medium impact industry ⁽⁴⁷⁾	 Showroom⁽⁷⁸⁾
 Dwelling unit⁽²³⁾ 	Multiple dwelling ⁽⁴⁹⁾	 Special industry⁽⁷⁹⁾
 Funeral parlour⁽³⁰⁾ Garden centre⁽³¹⁾ 	facility ⁽⁵¹⁾	 Theatre⁽⁸²⁾ Warehouse⁽⁸⁸⁾

- h. Development not listed in the tables above will be considered on its merit and where it reflects and supports the outcomes of the precinct and zone.
- 12. The purpose of the **Rural living investigation precinct** is investigate the suitability of land for future rural living purposes.
- 13. The purpose of the **Rural living investigation precinct** will be achieved through the following additional overall outcomes. Please note that the general Rural zone overall outcomes also apply to this precinct. Where there is a conflict, the precinct specific overall outcome takes precedence.
 - a. Appropriate interim uses occur pending completion of the investigation for this area.
 - b. Development in the Rural living investigation precinct includes one or more of the following:

•	Animal husbandry ⁽⁴⁾	•	Dwelling house ⁽²²⁾	٠	Non-resident workforce accommodation ⁽⁵²⁾
•	Animal keeping ⁽⁵⁾ (excluding catteries and kennels)	•	Emergency services ⁽²⁵⁾ Environment facility ⁽²⁶⁾	•	Park ⁽⁵⁷⁾
•	Aquaculture ⁽⁶⁾ (if water area associated with ponds and	•	Home based business ⁽³⁵⁾	•	Roadside stall ⁽⁶⁸⁾
	dams are less than 200m ² or housed tanks less than 50m ²)	•	Intensive horticulture ⁽⁴⁰⁾	•	Rural industry ⁽⁷⁰⁾ Rural workers'
•	Community residence ⁽¹⁶⁾	•	Outdoor sports and recreation ⁽⁵⁵⁾ (if located on		accommodation ⁽⁷¹⁾
•	Cropping ⁽¹⁹⁾ , where not forestry for wood production		Council owned or controlled land and in accordance with a Council approved Master	•	Sales office ⁽⁷²⁾ Telecommunication facility ⁽⁸¹⁾
•	Cropping ⁽¹⁹⁾ , where forestry for wood production		Plan)	•	Veterinary services ⁽⁸⁷⁾
				•	Wholesale nursery
				•	Winery ⁽⁹⁰⁾
1					

c. Development in the Rural living investigation precinct does not include any of the following:

•	Adult store ⁽¹⁾	•	High impact industry ⁽³⁴⁾	•	Parking station ⁽⁵⁸⁾
•	Agricultural supplies store ⁽²⁾	•	Hospital ⁽³⁶⁾	•	Port services ⁽⁶¹⁾
•	Bar ⁽⁷⁾	•	Hotel ⁽³⁷⁾	•	Relocatable home park ⁽⁶²⁾
•	Brothel ⁽⁸⁾	•	Indoor sport and recreation ⁽³⁸⁾	٠	Renewable energy facility ⁽⁶³⁾

 Caretaker's accommodation⁽¹⁰⁾ 		 Research and technology industry⁽⁶⁴⁾
• Car wash ⁽¹¹⁾		 Residential care facility⁽⁶⁵⁾
• Child care centre ⁽¹³⁾		 Resort complex⁽⁶⁶⁾
 Club⁽¹⁴⁾ Community care centre⁽¹⁵⁾ 		 Retirement facility⁽⁶⁷⁾ Rooming accommodation⁽⁶⁹⁾
 Community care centre⁽¹³⁾ Crematorium⁽¹⁸⁾ 	entertainment facility ⁽⁴⁴⁾	 Rooming accommodation⁽⁰³⁾ Service industry⁽⁷³⁾
 Detention facility⁽²⁰⁾ 	 Marine industry⁽⁴⁵⁾ Medium impact industry⁽⁴⁷⁾ 	 Service station⁽⁷⁴⁾
 Dual occupancy⁽²¹⁾ Dual occupancy⁽²³⁾ 	 Motor sport facility⁽⁴⁸⁾ 	• Shop ⁽⁷⁵⁾
 Dwelling unit⁽²³⁾ Educational establishment⁽²⁴⁾ 	 Multiple dwelling⁽⁴⁹⁾ 	 Shopping centre⁽⁷⁶⁾ Showroom⁽⁷⁸⁾
 Food and drink outlet⁽²⁸⁾ 	 Nature-based tourism⁽⁵⁰⁾ Nightclub entertainment 	 Special industry⁽⁷⁹⁾
 Function facility⁽²⁹⁾ 	facility ⁽⁵¹⁾	• Theatre ⁽⁸²⁾
 Funeral parlour⁽³⁰⁾ Garden centre⁽³¹⁾ 	(54)	 Tourist attraction⁽⁸³⁾ Tourist park⁽⁸⁴⁾
 Garden centre Hardware and trade supplies⁽³²⁾ 		 Warehouse⁽⁸⁸⁾
 Health care services⁽³³⁾ 		

d. Development not listed in the tables above will be considered on its merit and where it reflects and supports the outcomes of the precinct and zone.

6.2.10.3 Accepted development subject to requirements

If development is to be categorised as accepted development subject to requirements it must comply with the requirements for accepted development set out in Part A, Table 6.2.10.1. Where the development does not meet a requirement for accepted development (RAD) within Part A, Table 6.2.10.1, the category of development changes to assessable development under the rules outlined in section 5.3.3. (1), and assessment is against the corresponding performance outcome (PO) identified in the table below. This only occurs whenever a RAD is not met, and is therefore limited to the subject matter of the RADs that are not complied with. To remove any doubt, for those RADs that are complied with, there is no need for assessment against the corresponding PO.

Requirements for accepted development (RAD)	Corresponding performance outcomes
RAD1	PO2
RAD2	PO3
RAD3	PO4
RAD4	PO4
RAD5	PO6

Requirements for accepted development (RAD)	Corresponding performance outcomes
RAD6	P07
RAD7	PO8
RAD8	PO9
RAD9	P012-P015
RAD10	P012-P015
RAD11	PO16
RAD12	P017
RAD13	PO20
RAD14	PO20
RAD15	PO20
RAD16	PO28, PO29
RAD17	P027
RAD18	PO30
RAD19	P033
RAD20	PO34
RAD21	PO35
RAD22	PO34
RAD23	PO41
RAD24	PO36
RAD25	PO36
RAD26	PO39
RAD27	PO39
RAD28	PO40
RAD29	PO46
RAD30	PO42
RAD31	PO42
RAD32	PO42
RAD33	PO48
RAD34	PO42
RAD35	PO42, PO46, PO47
RAD36	PO44
RAD37	PO44
RAD38	PO51
RAD39	PO53

Requirements for accepted development (RAD)	Corresponding performance outcomes
RAD40	P053
RAD41	P054
RAD42	P055
RAD43	PO56
RAD44	PO56
RAD45	PO59
RAD46	PO59
RAD47	PO59
RAD48	PO60
RAD49	PO59
RAD50	PO61
RAD51	PO61
RAD52	PO61
RAD53	PO61
RAD54	PO62
RAD55	PO62
RAD56	PO63
RAD57	PO69
RAD58	PO69
RAD59	P070
RAD60	P070
RAD61	P070
RAD62	P070
RAD63	P070
RAD64	P072
RAD65	P073
RAD66	P073
RAD67	P073
RAD68	P074
RAD69	P074
RAD70	P075
RAD71	P075
RAD72	P075
RAD73	PO75

Requirements for accepted development (RAD)	Corresponding performance outcomes
RAD74	P075
RAD75	P076
RAD76	P079
RAD77	PO80
RAD78	P078, P081
RAD79	PO81
RAD80	PO81
RAD81	PO81
RAD82	PO83
RAD83	PO85
RAD84	PO85
RAD85	PO86
RAD86	P087
RAD87	P088
RAD88	PO90
RAD89	PO90
RAD90	PO99
RAD91	PO100
RAD92	PO100
RAD93	PO101
RAD94	PO102
RAD95	PO103
RAD96	PO104-PO115
RAD97	PO104-PO115
RAD98	PO116
RAD99	PO117
RAD100	PO118
RAD101	PO119
RAD102	PO120
RAD103	PO121
RAD104	PO121
RAD105	PO122, PO123
RAD106	PO122
RAD107	PO125

Requirements for accepted development (RAD)	Corresponding performance outcomes
RAD108	PO125
RAD109	PO125
RAD110	PO126
RAD111	PO127
RAD112	PO128
RAD113	PO129
RAD114	PO130
RAD115	PO130
RAD116	PO133
RAD117	PO131
RAD118	PO131
RAD119	PO131
RAD120	PO131
RAD121	PO132
RAD122	PO132
RAD123	PO135, PO136
RAD124	PO135, PO136
RAD125	PO137
RAD126	PO139-PO141, PO144, PO145
RAD127	PO139-PO141, PO144, PO145
RAD128	PO139-PO141
RAD129	PO142
RAD130	PO146
RAD131	PO147
RAD132	PO148
RAD133	PO149
RAD134	PO150
RAD135	PO150

Where building work for a Dwelling house is listed as acceptable development subject to requirements in the relevant table of assessment, but cannot comply with one or more of the Requirements for Accepted Development (RADs) listed as a concurrence agency issue in the table below, Council will undertake an assessment of those aspects of non-compliance as part of its concurrence agency role for the required building development application. In those instances, the non-compliance does not change the level of assessment, and will be assessed by Council against the performance outcome listed above for the corresponding requirements for accepted development (RAD).

Where building work for a Dwelling house which would otherwise be accepted development subject to requirements cannot comply with a requirement for accepted development that is <u>not</u> listed as a concurrence agency issue, it becomes assessable development in accordance with section 5.3.3(1)(a)(ii).

Editor's note - The non-compliance triggers a limited code assessment unless specified otherwise.

Concurrence agency issues for building work		
Alternative provisions to the QDC	Matters that relate to amenity and aesthetics	
RAD2	Nil	
RAD8		
RAD39		

Editor's note - See also Council's policy on <u>other forms</u> of building work that may trigger an amenity and aesthetics assessment. That assessment is undertaken against the measures contained in the policy, <u>not</u> the provisions of this planning scheme or any planning scheme policy.

Part A - Requirements for accepted development - Rural zone

Table 6.2.10.1 Requirements for accepted development - Rural zone

Require	ments for accepted development		
	General requirements		
Develop	Development footprint		
RAD1	Where a development footprint has been identified as part of a development approval for reconfiguring a lot, all development occurs within the development footprint.		
Building	height		
RAD2	Unless otherwise specified elsewhere in this code, building height and all structures do not exceed the height identified on Overlay map - Building heights; except in the Hamlet precinct, where outbuildings, free standing car ports or garages do not exceed 3.5m.		
	Note - This is an alternative provision to the QDC for building work associated with a Dwelling house ⁽²²⁾ , and is a concurrence agency issue.		
	Note - This provision does not apply to telecommunication facilities.		
Setback	S		
RAD3	Unless otherwise specified elsewhere in the zone code and where not located in a bushfire prone area, the minimum setbacks from a lot boundary for buildings and structures other than a dwelling house, are as follows:		
	a. road boundary - 6m		
	b. side boundary - 4.5m		
	c. rear boundary - 4.5m.		
	Note - Where located in a bushfire hazard area (see Overlay map - Bushfire hazard) a greater setback may be required. See values and constraints requirements Bushfire hazard.		
	Note - This provision does not apply where a development footprint exists for a lot.		

RAD4	For lots located in the Hamlet precinct, the minimum setback from a boundary are as follows:	
	a. road boundary - 6m	
	b. side boundary - 1.5m for lots having 1000m ² or less; 3m for lots greater than 1000m ²	
	c. rear boundary - 4m.	
Lighting		
Lighting		
RAD5	Artificial lighting on-site is directed and shielded in such a manner as not to exceed the recommended maximum values of light technical parameters for the control of obtrusive light given in Table 2.1 of Australian Standard AS 4282 (1997) Control of Obtrusive Effects of Outdoor Lighting.	
	Note - "Curfewed hours" are taken to be those hours between 10pm and 7am on the following day	
Waste tre	atment	
RAD6	All concentrated animal use areas (e.g. sheds, pens, holding yards, stables) are provided with site drainage to ensure all run-off is directed to suitable detention basins, filtration or other treatment areas.	
Rural use	s setbacks	
RAD7	The following uses, associated buildings and structures are setback from all lot boundaries as follows:	
	a. Animal husbandry ⁽⁴⁾ (buildings only) – 10m	
	b. Animal keeping ⁽⁵⁾ , excluding catteries and kennels - 20m	
	c. Aquaculture ⁽⁶⁾ involving ponds or water behind dams – 100m	
	 Aquaculture⁽⁶⁾ involving the housing within an enclosed building of tanks and associated equipment 20m 	
	e. Cropping ⁽¹⁹⁾ (building only) – 10m	
	f. Intensive horticulture ⁽⁴⁰⁾ – 20m	
	g. Nature-based tourism ⁽⁵⁰⁾ - 40m	
	h. Non-resident workforce accommodation ⁽⁵²⁾ - 40m	
	i. Permanent plantations ⁽⁵⁹⁾ – 25m	
	j. Rural Industry ⁽⁷⁰⁾ - 20m	
	k. Rural workers' accommodation ⁽⁷¹⁾ - 40m	
	I. Short-term accommodation ⁽⁷⁷⁾ - 40m	
	m. Tourist park ⁽⁸⁴⁾ - 40m	
	n. Transport depot ⁽⁸⁵⁾ , including all vehicle parking, storage and driveway areas – 30m	
	o. Wholesale nursery ⁽⁸⁹⁾ – 10m	
	p. Winery ⁽⁹⁰⁾ (buildings only) - 10m.	
Car parki	ng (for other than Non-resident workforce accommodation and Rural workers' accommodation)	

RAD8	On-site car parking is provided in accordance with Schedule 7 - Car parking.	
	Note - This is an alternative provision to the QDC for building work associated with a Dwelling house ⁽²²⁾ , and is a concurrence agency issue.	
Hazardou	is Chemicals	
RAD9	All development that involves the storage or handling of hazardous chemicals listed in Schedule 9, Development involving hazardous chemicals, Table 9.0.1 Quantity thresholds for hazardous chemicals stored as accepted development subject to requirements complies with Table 9.0.3 Hazardous chemicals.	
RAD10	Development does not involve the storage or handling of hazardous chemicals listed in Schedule 9, Development involving hazardous chemicals, Table 9.0.2 Hazardous chemicals assessable thresholds.	
Clearing	of habitat trees where not located in the Environmental areas overlay map	
RAD11	Development does not result in the damaging, destroyed or clearing of a habitat tree. This does not apply to:	
	a. Clearing of a habitat tree located within an approved development footprint;	
	b. Clearing of a habitat tree within 10m from a lawfully established building reasonably necessary for emergency access or immediately required in response to an accident or emergency;	
	c. Clearing of a habitat tree reasonably necessary to remove or reduce the risk vegetation poses to serious personal injury or damage to infrastructure;	
	d. Clearing of a habitat tree reasonably necessary to construct and maintain a property boundary fence and not exceed 4m in width either side of the fence where in the Rural, Rural residential and Environmental management and conservation zones. In any other zone, clearing is not to exceed 2m in width either side of the fence;	
	e. Clearing of a habitat tree reasonably necessary for the purpose of maintenance or works within a registered easement for public infrastructure or drainage purposes;	
	f. Clearing of a habitat tree in accordance with a bushfire management plan prepared by a suitably qualified person, submitted to and accepted by Council;	
	g. Clearing of a habitat tree associated with removal of recognised weed species, maintaining existing open pastures and cropping land, windbreaks, lawns or created gardens;	
	h. Native forest practice where accepted development under Part 1, 1.7.7 Accepted development.	
	Editor's note - A native tree measuring greater than 80cm in diameter when measured at 1.3m from the ground is recognised as a 'habitat tree'. For further information on habitat trees, refer to Planning scheme policy – Environmental areas and corridors. Information detailing how this measurement is undertaken is provided in Australian Standard AS 4970 2009 Protection of Trees on Development Sites - Appendix A.	
	Works requirements	
Utilities		
RAD12	Development is provided with an appropriate level of service and infrastructure in accordance with Planning scheme policy - Integrated design (Appendix A).	

RAD13		r new or changes to existing crossovers and driveways are designed, located and constructed in cordance with:
	a.	where for a Council-controlled road and associated with a Dwelling house:
		i. Planning scheme policy - Integrated design;
	b.	where for a Council-controlled road and not associated with a Dwelling house:
		i. AS/NZS2890.1 Parking facilities Part 1: Off street car parking;
		ii. AS/NZS 2890.2 - Parking facilities Part 2: Off-street commercial vehicle facilities;
		iii. Planning scheme policy - Integrated design;
		iv. Schedule 8 - Service vehicle requirements;
	c.	where for a State-Controlled road, the Safe Intersection Sight Distance requirements in Austroad and the appropriate IPWEAQ standard drawings, or a copy of a Transport Infrastructure Act 1994 section 62 approval.
RAD14	acc	/ new or changes to existing internal driveways and access ways are designed and constructed in cordance with AS/NZS 2890.1 Parking Facilities Part 1: Off street car parking and the relevant ndards in Planning scheme policy - Integrated design.
RAD15	liste	cess driveways, manoeuvring areas and loading facilities are sealed and provide for service vehicle ad in Schedule 8 - Service vehicle requirements for the relevant use. The on-site manoeuvring is to in accordance with Schedule 8 - Service vehicle requirements.

Stormwater		
RAD16	Any new or changes to existing stormwater run-off from the site is conveyed to a point of lawful discharge without causing actionable nuisance to any person, property or premises in accordance with Plannin scheme policy – Integrated design.	
	Note - A watercourse as defined in the Water Act may be accerd discharge from the site does not increase the downstream flow An afflux of +20mm may be accepted on Council controlled la stormwater is discharged into a catchment that includes State	od levels during events up to and including the 1% AEP storm. nd and road infrastructure. No worsening is ensured when
RAD17	Development ensures that works (e.g. fences and walls) do not block, divert or concentrate the stormwater to adjoining properties.	
	Note - A report from a suitably qualified Registered Professior development does not increase the potential for significant ad premises.	
RAD18	Stormwater drainage infrastructure (excluding detention and bio-retention systems) through or within private land is protected by easements in favour of Council (at no cost to Council). Minimum easement widths are as follows:	
	Pipe Diameter	Minimum Easement Width (excluding access requirements)

Stormwater Pipe up to 825mm diameter	3.0m
Stormwater Pipe up to 825mm diameter with Sewer pipe up to 225m diameter	1 4.0m
Stormwater pipe greater than 825mm diame	ter Easement boundary to be 1m clear of the ou wall of the pipe and clear of all pits.
Note - Additional easement width may be required in ce stormwater system.	rtain circumstances in order to facilitate maintenance access to
Note - Refer to Planning scheme policy - Integrated des	sign (Appendix C) for easement requirements over open channe

Site works and construction management	
RAD19	The site and any existing structures are to be maintained in a tidy and safe condition.
RAD20	Development does not cause erosion or allow sediment to leave the site.
	Note - The International Erosion Control Association (Australasia) Best Practice Erosion and Sediment Control provides guidance on strategies and techniques for managing erosion and sedimentation.
RAD21	No dust emissions extend beyond the boundaries of the site during soil disturbances and construction works.
RAD22	Existing street trees are protected and not damaged during works.
	Note - Where development occurs in the tree protection zone, measures and techniques as detailed in Australian Standard AS 4970 Protection of trees on developments sites are adopted and implemented.
RAD23	Any damage to Council land or infrastructure is repaired or replaced with the same materials, prior to plan sealing, or final building classification.
RAD24	Construction traffic including contractor car parking is controlled in accordance with a traffic management plan, prepared in accordance with the Manual of Uniform Traffic Control Devices (MUTCD) to ensure all traffic movements to and from the site are safe.
RAD25	Any material dropped, deposited or spilled on the road(s) as a result of construction processes associated with the site are to be cleaned at all times.
RAD26	All native vegetation to be retained on-site is temporarily fenced or protected prior to and during development works.
	Note - No parking of vehicles or storage of machinery or goods is to occur in these areas during development works
RAD27	Disposal of materials is managed in one or more of the following ways:

	a. all cleared vegetation, declared weeds, stumps, rubbish, car bodies, scrap metal and the like are removed and disposed of in a Council land fill facility; or
	b. all native vegetation with a diameter below 400mm is to be chipped and stored on-site.
	Note - No burning of cleared vegetation is permitted.
	Note - The chipped vegetation must be stored in an approved location.
RAD28	All development works are carried out within the following times:
	a. Monday to Saturday (other than public holidays) between 6:30am and 6:30pm on the same day;
	b. no work is to be carried out on Sundays or public holidays.

Earthwor	ks
RAD29	 Cut and fill batters, (other than batters to dams and water impoundments), have a finished slope no steeper than the following: a. any cut batter is no steeper than 1V in 4H; b. any fill batter, (other than a compacted fill batter), is no steeper than 1V in 4H; c. any compacted fill batter is no steeper than 1V in 4H.
RAD30	All cut and fill batters are provided with appropriate scour, erosion protection and run-off control measures including catch drains at the top of batters and lined batter drains as necessary.
RAD31	Stabilisation measures are provided, as necessary, to ensure long-term stability and low maintenance of steep slopes and batters. Note - Inspection and certification of steep slopes and batters may be required by a suitably qualified and experienced RPEQ.
RAD32	All fill and excavation is contained on-site and is free draining.
RAD33	 Earthworks undertaken on the development site are shaped in a manner which does not: a. prevent stormwater surface flow which, prior to commencement of the earthworks, passed onto the development site, from entering the land; or b. redirect stormwater surface flow away from existing flow paths; or c. divert stormwater surface flow onto adjacent land (other than a road) in a manner which: i. concentrates the flow; or ii. increases the flow rates of stormwater over the affected section of the adjacent land above the situation which existed prior to the diversion; or iii. causes actionable nuisance to any person, property or premises.
RAD34	All fill placed on-site is:

	a. limited to that necessary for the approved use;
	b. clean and uncontaminated (i.e. no building waste, concrete, green waste, actual acid sulfate soils, potential acid sulfate soils or contaminated material etc.).
RAD35	The site is prepared and the fill placed on-site in accordance with Australian Standard AS3798.
	Note - The fill is to be inspected and tested in accordance with Planning scheme policy - Operational works inspection, maintenance and bonding procedures
RAD36	No filling or excavation is undertaken in an easement issued in favour of Council or a public sector entity.
	Note - Public sector entity is defined in Schedule 2 of the Act.
RAD37	Filling or excavation that would result in any of the following is not carried out on site:
	a. a reduction in cover over any Council or public sector entity infrastructure to less than 600mm;
	b. an increase in finished surface grade over, or within 1.5m on each side of, the Council or public sector entity infrastructure above that which existed prior to the filling or excavation works being undertaken;
	c. prevent reasonable access to Council or public sector entity maintained infrastructure or any drainage feature on, or adjacent to the site for monitoring, maintenance or replacement purposes.
	Note - Public sector entity is defined in Schedule 2 of the Act.
	Note - All building work covered by QDC MP1.4 is excluded from this provision.

	Use specific requirements
Dwelling	y house ⁽²²⁾
RAD38	Residential density does not exceed one dwelling house ⁽²²⁾ per lot.
RAD39	For Lake Samsonvale or Lake Kurwongbah, a setback of no less than 400m is maintained between the following nominated full supply levels to those lakes and any dwelling house ⁽²²⁾ or outbuilding on the land:-
	a. RL 39.63m AHD being the full supply level to Lake Samsonvale; and
	b. RL 21m AHD being the full supply level to Lake Kurwongbah.
	OR
	No part of any dwelling house ⁽²²⁾ or outbuilding on Lot 5 RP111651 or Lot 10 RP111653 or Lot 8 RP111268 is any closer than 80m to the full supply level of RL 21m AHD to Lake Kurwongbah.
	Note - This is an alternative provision to the QDC for building work associated with a Dwelling house(22), and is a concurrence agency issue.

	Editor's note - The 400m buffer around Lake Samsonvale and Lake Kurwongbah is shown on Overlay map - Infrastructure buffers
RAD40	 Waste/effluent disposal systems are located at least:- a. 80m from the full supply level of RL 21m AHD to Lake Kurwongbah on Lot 5 RP111651 or Lot 10 RP 111653 or Lot RP 8 111268; and b. 400m from RL 39.63m AHD being the full supply level to Lake Samsonvale and RL 21m AHD being the full supply level to Lake Kurwongbah. Editor's note - The 400m buffer around Lake Samsonvale and Lake Kurwongbah is shown on Overlay map - Infrastructure buffers
RAD41	Where a development footprint has been identified as part of a development approval for reconfiguring a lot, all development occurs within that development footprint.
RAD42	Building and site design on slopes between 10% and 15% must:
	a. use split-level, multiple-slab, pier or pole construction;
	b. avoid single-plane slabs and benching;
	c. ensure the height of any cut or fill, whether retained or not, does not exceed 900mm.
	Note - This provision does not apply to outbuildings or any building work.
	Note - This provision does not apply where a development footprint exists for a lot.
Dwelling	g house ⁽²²⁾ - secondary dwelling
RAD43	The maximum GFA for a secondary dwelling is as follows:
	a. in the Rural zone - 100m ² ;
	b. in the Hamlet precinct - 45m ² for a lot with a primary frontage less than 15m;
	c. In the Hamlet precinct - 55m ² for a lot with a primary frontage of 15m or more;
	d. in the Agriculture precinct - 100m ²
	e. in the Rural living investigation precinct - 100m ² .
	Note - In the Cedarton Foresters Cooperative and Mt Nebo plant nursery precinct, no secondary dwellings are permitted as part of the Land Management Plan.
RAD44	The secondary dwelling obtains access from the existing driveway giving access to the dwelling house ⁽²²⁾ .
Home b	ased business ⁽³⁵⁾
RAD45	Home based business ⁽³⁵⁾ (s) are fully contained within a dwelling or on-site structure, except for a home based child care facility.
RAD46	The maximum total use area is 100m ² , except where in the Hamlet precinct, the maximum total use area is 40m ² .


RAD47	Up to 2 additional non-resident , either employees or customers, are permitted on the site at any one time, except where involving the use of heavy vehicles, where no employees are permitted.
	Note - This provision does not apply to Bed and Breakfast or farmstay business.
RAD48	Hours of operation are restricted to 8.00am to 6.00pm Monday to Saturdays and are not open to the public on Sunday's, Christmas Day, Good Friday and Anzac Day, except for:
	a. bed and breakfast or farm stay business which may operate on a 24 hour basis;
	b. office or administrative activities that do not generate non-residents visiting the site, such as book keeping and computer work;
	c. starting and warming up of heavy vehicles, which can commence at 7.00am.
RAD49	The maximum number of heavy vehicles, trailer and motor vehicles stored on-site is as follows:
	a. 1 heavy vehicle;
	b. 1 trailer;
	c. Up to 3 motor vehicles.
	EXCEPT
	In the Hamlet precinct, no heavy vehicles, trailers and motor vehicles are stored or parked on-site. Only 1 small rigid vehicle (SRV) is permitted to be parked or stored on-site.
	Note - The car parking provision associated with the dwelling house ⁽²²⁾ is in addition to this requirement.
	Note - The number of motor vehicles stated is in addition to motor vehicles associated with a dwelling house ⁽²²⁾ .
RAD50	The home based business does not involve vehicle servicing or major repairs, including spray painting or panel beating.
	Note - Vehicle servicing excludes general maintenance of a vehicle such as, but not limited to, changing of tyres, engine fluids, filters and parts such as batteries and plugs.
RAD51	The home based business ⁽³⁵⁾ does not generate noise that is audible from the boundary of the lot.
	Note - Guidance as acceptable noise is provided in the standards listed in the Environmental Protection (Noise) Policy 2008.
	Note - This provision does not apply to the use of heavy vehicle or motor vehicles.
RAD52	Activities associated with the use do not cause a nuisance by way of aerosols, fumes, light, noise, odour, particles or smoke.
	Note - Nuisance is defined in the Environmental Protection Act 1994
RAD53	The home based business ⁽³⁵⁾ does not involve an environmentally relevant activity (ERA) as defined in the <i>Environmental Protection Regulation 2008.</i>

RAD54	Only goods grown, produced or manufactured on-site are sold from the site.
RAD55	Display of goods grown, produced or manufactured on-site are contained within a dwelling or on-site structure and the display of goods is not visible from the boundary of the site.
RAD56	For bed and breakfast and farmstays:
	a. overnight accommodation is provided in the dwelling house ⁽²²⁾ of the accommodation operator;
	b. maximum 4 bedrooms are provided for a maximum of 10 guests;
	c. meals are served to paying guests only;
	d. rooms do not contain food preparation facilities.
Nature-I	based tourism ⁽⁵⁰⁾
RAD57	For Lake Samsonvale or Lake Kurwongbah, a setback of no less than 400m is maintained between the following nominated full supply levels to those lakes and any Nature-based tourism ⁽⁵⁰⁾ on the land:-
	a. RL 39.63m AHD being the full supply level to Lake Samsonvale; and
	b. RL 21m AHD being the full supply level to Lake Kurwongbah.
	OR
	No part of any Nature-based tourism ⁽⁵⁰⁾ on Lot 5 RP111651 or Lot 10 RP111653 or Lot 8 RP111268 is any closer than 80m to the full supply level of RL 21m AHD to Lake Kurwongbah.
	Editor's note - The 400m buffer around Lake Samsonvale and Lake Kurwongbah is shown on Overlay map - Infrastructure buffers
RAD58	Waste/effluent disposal systems are located at least:-
	a. 80m from the full supply level of RL 21m AHD to Lake Kurwongbah on Lot 5 RP111651 or Lot 10 RP111653 or Lot 8 RP111268 ; and
	b. 400m from RL 39.63m AHD being the full supply level to Lake Samsonvale and RL 21m AHD being the full supply level to Lake Kurwongbah.
	Editor's note - The 400m buffer around Lake Samsonvale and Lake Kurwongbah is shown on Overlay map - Infrastructure buffers
Non-res	idential workforce accommodation ⁽⁵²⁾
RAD59	No more than 1 Non-residential workforce accommodation ⁽⁵²⁾ use per site.
RAD60	Non-residential workforce accommodation ⁽⁵²⁾ is contained within 1 structure.
RAD61	Non-residential workforce accommodation ⁽⁵²⁾ obtains access from the existing driveway giving access to the Dwelling house.
RAD62	For Lake Samsonvale or Lake Kurwongbah, a setback of no less than 400m is maintained between the following nominated full supply levels to those lakes and any Non-resident workforce accommodation ⁽⁵²⁾ on the land:-
	a. RL 39.63m AHD being the full supply level to Lake Samsonvale; and
	b. RL 21m AHD being the full supply level to Lake Kurwongbah.

	OR
	No part of any Non-resident workforce accommodation ⁽⁵²⁾ on Lot 5 RP111651 or Lot 10 RP111653 or Lot 8 RP111268 is any closer than 80m to the full supply level of RL 21m AHD to Lake Kurwongbah.
	Editor's note - The 400m buffer around Lake Samsonvale and Lake Kurwongbah is shown on Overlay map - Infrastructure buffers
RAD63	Waste/effluent disposal systems are located at least:-
	a. 80m from the full supply level of RL 21m AHD to Lake Kurwongbah on Lot 5 RP111651 or Lot 10 RP111653 or Lot 8 RP111268; and
	 400m from RL 39.63m AHD being the full supply level to Lake Samsonvale and RL 21m AHD being the full supply level to Lake Kurwongbah.
	Editor's note - The 400m buffer around Lake Samsonvale and Lake Kurwongbah is shown on Overlay map - Infrastructure buffers
Perman	ent plantation ⁽⁵⁹⁾
RAD64	Planting only comprises native species naturally occurring in the area.
Roadsic	le stall ⁽⁶⁸⁾
Note - Th	ese provisions do not apply to a home based business ⁽³⁵⁾
RAD65	No more than one roadside stall per property.
RAD66	Goods offered for sale are only goods grown, produced or manufactured on the site.
RAD67	The maximum area associated with a roadside stall ⁽⁶⁸⁾ , including any larger separate items displayed for sale, does not exceed 20m ² .
RAD68	Car parking for 2 vehicles is provided off the road carriage and located on the property.
RAD69	The roadside stall ⁽⁶⁸⁾ is located no closer than 100m from an intersection.
Rural w	orkers' accommodation ⁽⁷¹⁾
RAD70	No more than 1 rural workers' accommodation ⁽⁷¹⁾ per site.
RAD71	Rural workers' accommodation ⁽⁷¹⁾ is contained within 1 structure.
RAD72	Rural workers' accommodation ⁽⁷¹⁾ obtains access from the existing driveway giving access to the dwelling house ⁽²²⁾ .
RAD73	For Lake Samsonvale or Lake Kurwongbah, a setback of no less than 400m is maintained between the following nominated full supply levels to those lakes and Rural workers' accommodation ⁽⁷¹⁾ on the land:-
	a. RL 39.63m AHD being the full supply level to Lake Samsonvale; and
	b. RL 21m AHD being the full supply level to Lake Kurwongbah.
	OR
	No part of any Rural workers' accommodation ⁽⁷¹⁾ on Lot 5 RP111651 or Lot 10 RP111653 or Lot 8 RP111268 is any closer than 80m to the full supply level of RL 21m AHD to Lake Kurwongbah.

	Editor's note - The 400m buffer around Lake Samsonvale and Lake Kurwongbah is shown on Overlay map - Infrastructure buffers
RAD74	Waste/effluent disposal systems are located at least:-
	 80m from the full supply level of RL 21m AHD to Lake Kurwongbah on Lot 5 RP111651 or Lot 10 RP111653 or Lot 8 RP111268; and
	 b. 400m from RL 39.63m AHD being the full supply level to Lake Samsonvale and RL 21m AHD being the full supply level to Lake Kurwongbah.
	Editor's note - The 400m buffer around Lake Samsonvale and Lake Kurwongbah is shown on Overlay map - Infrastructure buffers
Sales of	fice ⁽⁷²⁾
RAD75	A sales office ⁽⁷²⁾ is located on the site for no longer than 2 years.
Telecom	munications facility ⁽⁸¹⁾
that will n	ote - In accordance with the Federal legislation Telecommunications facilities ⁽⁸¹⁾ must be constructed and operated in a manner ot cause human exposure to electromagnetic radiation beyond the limits outlined in the Radiocommunications (Electromagnetic - Human Exposure) Standard 2003 and Radio Protection Standard for Maximum Exposure Levels to Radiofrequency Fields - 3Khz z.
RAD76	A minimum area of 45m ² is available to allow for additional equipment shelters and associated structures for the purpose of co-locating on the proposed facility.
RAD77	The development results in no net reduction in the minimum quantity and standard of landscaping, private or communal open space or car parking spaces required under the planning scheme or under an existing development approval.
RAD78	Equipment shelters and associated structures are located:
	a. directly beside the existing equipment shelter and associated structures;
	 b. behind the main building line; c. further away from the frontage than the existing equipment shelter and associated structures; d. a minimum of 10m from side and rear boundaries, except where in the Industry and Extractive industry zones, the minimum side and rear setback is 3m.
RAD79	Equipment shelters and other associated structures are either the same type of colour or material to match the surrounding locality.
RAD80	The facility is enclosed by security fencing or by other means to ensure public access is prohibited.
RAD81	A minimum 3m wide strip of dense planting is provided around the perimeter of the fenced area, between the development and street frontage and adjoining uses.
	Note - Landscaping is provided in accordance with Planning scheme policy - Integrated design.
	Note - Council may require a detailed landscaping plan, prepared by a suitably qualified person to ensure compliance with Planning scheme policy - Integrated design.
RAD82	All equipment comprising the telecommunications facility ⁽⁸¹⁾ which produces audible or non-audible sound is housed within a fully enclosed building incorporating sound control measures sufficient to ensure no noise from this equipment can be heard, or felt at the site boundary.

Transpo	rt depot ⁽⁸⁵⁾
RAD83	Development, including all vehicle parking, drive way areas and storage areas, is set back 30m from all property boundaries.
RAD84	The maximum number of heavy vehicles, trailers and motor vehicles stored on-site is as follows:
	a. 4 heavy vehicles
	b. 4 trailers
	c. Up to 6 motor vehicles.
	Note - The number of motor vehicles stated is in addition to motor vehicles associated with a dwelling house ⁽²²⁾
RAD85	No vehicle servicing or major repairs, including spray painting or panel beating is undertaken on the site.
	Note - Vehicle servicing excludes general maintenance of a vehicle such as, but not limited to, changing of tyres, engine fluids, filters, and parts such as batteries and plugs.
RAD86	a. Vehicle parking areas, vehicle standing areas and outdoor storage areas of plant and equipment are screened from adjoining sites by either planting, wall(s), non-transparent fence(s) or a combination to at least 1.8m in height along the length of those areas.
	b. Planting for screening is to have a minimum depth of 3m.
RAD87	Development has direct vehicle access from a road classified as a State Arterial, Arterial or Sub-Arterial (refer Overlay map - Road hierarchy).
Winery ⁽⁹	0)
RAD88	The maximum use area including all buildings, structures, driveways and parking areas is 1500m ² .
RAD89	The winery ⁽⁹⁰⁾ is accessed from a road classified as a State Arterial, Arterial or Sub-Arterial (refer Overlay map - Road hierarchy).
	Values and constraints requirements
for Recon	e relevant values and constraints requirements do not apply where the development is consistent with a current Development permit figuring a lot or Material change of use or Operational work, where that approval has considered and addressed (e.g. through a ent footprint plan (or similar in the case of Landslide hazard) or conditions of approval) the identified value or constraint under this scheme.
Acid sul	fate soils - (refer Overlay map - Acid sulfate soils to determine if the following requirements apply)
Note - Pla disturb ac	inning scheme policy - Acid sulfate soils provides guidance for requirements for accepted development that has the potential to id
sulfate so	ils i.e. development involving filling or excavation works below the thresholds of 100m3 and 500m3 respectively.
RAD90	Development does not involve:



	a. a separation from classified vegetation of 20m or the distance required to achieve a bushfire attack level (BAL) at the building, roofed structure or fire fighting water supply of no more than 29, whichever is the greater;
	b. a separation from low threat vegetation of 10m or the distance required to achieve a bushfire attack level (BAL) at the building, roofed structure or fire fighting water supply of no more than 29, whichever is the greater;
	c. a separation of no less than 10m between a fire fighting water supply extraction point and any classified vegetation, buildings and other roofed structures;
	 an area suitable for a standard fire fighting appliance to stand within 3m of a fire fighting water supply extraction point; and
	e. an access path suitable for use by a standard fire fighting appliance having a formed width of at least 4m, a cross-fall of no greater than 5%, and a longitudinal gradient of no greater than 25%:
	i. to, and around, each building and other roofed structure; andii. to each fire fighting water supply extraction point.
	Note - The meaning of the terms classified vegetation and low threat vegetation as well as the method of calculating the bushfire
	attack level are as described in Australian Standard AS 3959.
RAD93	The length of driveway:
	a. to a public road does not exceed 100m between the most distant part of a building used for any purpose other than storage and the nearest part of a public road;
	b. has a maximum gradient no greater than 12.5%;
	 c. have a minimum width of 3.5m; d. accommodate turning areas for fire fighting appliances in accordance with Qld Fire and Emergency
	Services' Fire Hydrant and Vehicle Access Guideline.
RAD94	a. A reticulated water supply is provided by a distributer retailer for the area or, where not connected to a reticulated water supply, on-site fire fighting water storage containing not less than 10 000 litres (tanks with fire brigade tank fittings, swimming pools) is provided and located within 10m of buildings and structures.
	b. Where a swimming pool is the nominated on-site fire fighting water storage source, vehicle access to within 3m of that water storage source is provided.
	c. Where a tank is the nominated on-site fire fighting water storage source, it includes:
	i. a hardstand area allowing medium rigid vehicle (15 tonne fire appliance) access within 6m of the tank;
	ii. fire brigade tank fittings, comprising 50mm ball valve and male camlock coupling and, if underground, an access hole of 20mm (minimum) to accommodate suction lines.
RAD95	Development does not involve the manufacture or storage of hazardous chemicals.
Environ apply)	mental areas (refer Overlay map - Environmental areas to determine if the following requirements
Note - Th	ne following are excluded from the native clearing provisions of this planning scheme:
a. Cl	earing of native vegetation located within an approved development footprint;
	earing of native vegetation within 10m from a lawfully established building reasonably necessary for emergency access or immediately guired in response to an accident or emergency:

	Clearing of native vegetation reasonably necessary to remove or reduce the risk vegetation poses to serious personal injury or damage o infrastructure;
	Clearing of native vegetation reasonably necessary to construct and maintain a property boundary fence and not exceed 4m in width either side of the fence where in the Rural, Rural residential and Environmental Management and Conservation zones. In any other zone, clearing is not to exceed 2m in width either side of the fence;
	Clearing of native vegetation reasonably necessary for the purpose of maintenance or works within a registered easement for public nfrastructure or drainage purposes;
	Clearing of native vegetation in accordance with a bushfire management plan prepared by a suitably qualified person, submitted to and accepted by Council;
	Clearing of native vegetation associated with removal of recognised weed species, maintaining existing open pastures and cropping and, windbreaks, lawns or created gardens;
h. (Grazing of native pasture by stock;
i. I	Native forest practice where accepted development under Part 1, 1.7.7 Accepted development.
Note - I	Definition for native vegetation is located in Schedule 1 Definitions.
of state defined	Native vegetation subject to this requirement primarily comprises of matters of national environmental significance (MNES), matters environmental significance (MSES). They also comprise some matters of local environmental significance (MLES). A MLES is in Schedule 1.2, Administrative definitions. A list of the elements that apply to the mapped MSES and MLES is provided in Appendix Planning scheme policy - Environmental areas.
	Note - The accuracy of overlay mapping can be challenged through the development application process (code assessable oment) or by way of a planning scheme amendment. See Council's website for details.
Editors	Note - When clearing native vegetation within a MSES area, you may still require approval from the State government.
RAD9	Where no suitable land cleared of native vegetation exists, clearing of native vegetation in High Value
RAD96	Where no suitable land cleared of native vegetation exists, clearing of native vegetation in High Value Area or Value Offset Area is for the purpose of a new dwelling house ⁽²²⁾ and all associated facilities* or an extension to an existing dwelling house ⁽²²⁾ only, and comprises an area no greater than 1500m ² .
RAD96	Area or Value Offset Area is for the purpose of a new dwelling house ⁽²²⁾ and all associated facilities* or
RAD96	Area or Value Offset Area is for the purpose of a new dwelling house ⁽²²⁾ and all associated facilities* or an extension to an existing dwelling house ⁽²²⁾ only, and comprises an area no greater than 1500m ² . Note - *All associated facilities includes: on-site wastewater treatment, all areas of disturbance, on-site parking, access and
RAD96	Area or Value Offset Area is for the purpose of a new dwelling house ⁽²²⁾ and all associated facilities* or an extension to an existing dwelling house ⁽²²⁾ only, and comprises an area no greater than 1500m ² . Note - *All associated facilities includes: on-site wastewater treatment, all areas of disturbance, on-site parking, access and manoeuvring areas.
RAD96	 Area or Value Offset Area is for the purpose of a new dwelling house⁽²²⁾ and all associated facilities* or an extension to an existing dwelling house⁽²²⁾ only, and comprises an area no greater than 1500m². Note - *All associated facilities includes: on-site wastewater treatment, all areas of disturbance, on-site parking, access and manoeuvring areas. Editor's note - See in heading above for other uses excluded from native vegetation clearing requirements. Editor's note - Where vegetation clearance is accepted development subject to requirements, care should be undertaken to avoid adverse impacts on koalas, koala habitat values and habitat connectivity and to encourage existing koala usage of the


 lo clearing of native vegetation is to occur within the Value Offset Area MLES - Waterway buffer or alue Offset Area MLES - Wetland buffer. his does not apply to the following: Clearing of native vegetation located within an approved development footprint; Clearing of native vegetation within 10m from a lawfully established building reasonably necessary for emergency access or immediately required in response to an accident or emergency; Clearing of native vegetation reasonably necessary to remove or reduce the risk vegetation poses to serious personal injury or damage to infrastructure; Clearing of native vegetation reasonably necessary to construct and maintain a property boundary fence and not exceed 4m in width either side of the fence where in the Rural, Rural residential and Environmental management and conservation zones. In any other zone, clearing is not to exceed 2m in width either side of the fence; Clearing of native vegetation reasonably necessary for the purpose of maintenance or works within a registered easement for public infrastructure or drainage purposes; Clearing of native vegetation associated with removal of recognised weed species, maintaining existing open pastures and cropping land, windbreaks, lawns or created gardens; Grazing of native pasture by stock; Native forest practice where accepted development under Part 1, 1.7.7 Accepted development.
 Clearing of native vegetation located within an approved development footprint; Clearing of native vegetation within 10m from a lawfully established building reasonably necessary for emergency access or immediately required in response to an accident or emergency; Clearing of native vegetation reasonably necessary to remove or reduce the risk vegetation poses to serious personal injury or damage to infrastructure; Clearing of native vegetation reasonably necessary to construct and maintain a property boundary fence and not exceed 4m in width either side of the fence where in the Rural, Rural residential and Environmental management and conservation zones. In any other zone, clearing is not to exceed 2m in width either side of the fence; Clearing of native vegetation reasonably necessary for the purpose of maintenance or works within a registered easement for public infrastructure or drainage purposes; Clearing of native vegetation associated with removal of recognised weed species, maintaining existing open pastures and cropping land, windbreaks, lawns or created gardens; Grazing of native pasture by stock; Native forest practice where accepted development under Part 1, 1.7.7 Accepted development.
 Clearing of native vegetation within 10m from a lawfully established building reasonably necessary for emergency access or immediately required in response to an accident or emergency; Clearing of native vegetation reasonably necessary to remove or reduce the risk vegetation poses to serious personal injury or damage to infrastructure; Clearing of native vegetation reasonably necessary to construct and maintain a property boundary fence and not exceed 4m in width either side of the fence where in the Rural, Rural residential and Environmental management and conservation zones. In any other zone, clearing is not to exceed 2m in width either side of the fence; Clearing of native vegetation reasonably necessary for the purpose of maintenance or works within a registered easement for public infrastructure or drainage purposes; Clearing of native vegetation associated by Council; Clearing of native vegetation associated with removal of recognised weed species, maintaining existing open pastures and cropping land, windbreaks, lawns or created gardens; Grazing of native pasture by stock; Native forest practice where accepted development under Part 1, 1.7.7 Accepted development.
 Clearing of native vegetation reasonably necessary to construct and maintain a property boundary fence and not exceed 4m in width either side of the fence where in the Rural, Rural residential and Environmental management and conservation zones. In any other zone, clearing is not to exceed 2m in width either side of the fence; Clearing of native vegetation reasonably necessary for the purpose of maintenance or works within a registered easement for public infrastructure or drainage purposes; Clearing of native vegetation in accordance with a bushfire management plan prepared by a suitably qualified person, submitted to and accepted by Council; Clearing of native vegetation associated with removal of recognised weed species, maintaining existing open pastures and cropping land, windbreaks, lawns or created gardens; Grazing of native pasture by stock; Native forest practice where accepted development under Part 1, 1.7.7 Accepted development.
 a registered easement for public infrastructure or drainage purposes; Clearing of native vegetation in accordance with a bushfire management plan prepared by a suitably qualified person, submitted to and accepted by Council; Clearing of native vegetation associated with removal of recognised weed species, maintaining existing open pastures and cropping land, windbreaks, lawns or created gardens; Grazing of native pasture by stock; Native forest practice where accepted development under Part 1, 1.7.7 Accepted development.
 Clearing of native vegetation in accordance with a bushfire management plan prepared by a suitably qualified person, submitted to and accepted by Council; Clearing of native vegetation associated with removal of recognised weed species, maintaining existing open pastures and cropping land, windbreaks, lawns or created gardens; Grazing of native pasture by stock; Native forest practice where accepted development under Part 1, 1.7.7 Accepted development.
 existing open pastures and cropping land, windbreaks, lawns or created gardens; Grazing of native pasture by stock; Native forest practice where accepted development under Part 1, 1.7.7 Accepted development.
Native forest practice where accepted development under Part 1, 1.7.7 Accepted development.
resources separation area (refer Overlay map - Extractive resources (separation area) to determine wing requirements apply)
vevelopment does not result in more than one dwelling house ⁽²²⁾ per lot within separation areas.
evelopment within the separation area does not include the following uses:
 caretaker's accommodation⁽¹⁰⁾; community residence⁽¹⁶⁾; dual occupancy⁽²¹⁾; dwelling unit⁽²³⁾; hospital⁽³⁶⁾; rooming accommodation⁽⁶⁹⁾; multiple dwelling⁽⁴⁹⁾; non-resident workforce accommodation⁽⁵²⁾; relocatable home park⁽⁶²⁾; residential care facility⁽⁶⁵⁾; resort complex⁽⁶⁶⁾; retirement facility⁽⁶⁷⁾; rural workers' accommodation⁽⁷¹⁾; short-term accommodation⁽⁷⁷⁾; tourist park⁽⁸⁴⁾.
Il habitable rooms within the separation area are: . acoustically insulated to achieve the noise levels listed in Schedule 1 Acoustic Quality Objectives,
Environmental Protection (Noise) Policy 2008; . provided with mechanical ventilation.
rivate open space areas are separated from the resource processing area by buildings or a 1.8m high olid structure.

RAD102	The following uses are not located within the 100m wide transport route buffer:
	 a. Caretaker's accommodation⁽¹⁰⁾, except where located in the Extractive industry zone; b. Community residence⁽¹⁶⁾;
	 c. Dual occupancy⁽²¹⁾; d. Dwelling house;⁽²²⁾
	e. Dwelling unit ⁽²³⁾ ;
	 f. Hospital⁽³⁶⁾; g. Rooming accommodation⁽⁶⁹⁾;
	h. Multiple dwelling ⁽⁴⁹⁾ ;
	 Non-resident workforce accommodation⁽⁵²⁾; Relocatable home park⁽⁶²⁾;
	 k. Residential care facility⁽⁶⁵⁾; l. Resort complex⁽⁶⁶⁾,
	 m. Retirement facility⁽⁰¹⁾; n. Rural workers' accommodation⁽⁷¹⁾;
	o. Short-term accommodation ⁽⁷⁷⁾ ;
	p. Tourist park ⁽⁸⁴⁾ .
RAD103	Except for an existing vacant lot, development does not create a new vehicle access point onto an Extractive resources transport route.
RAD104	A vehicle access point is located, designed and constructed in accordance with Planning scheme policy
the follo Note - Pla landscape heritage s	- Integrated design. and landscape character (refer Overlay map - Heritage and landscape character to determine if wing requirements apply) aces, including sites, objects and buildings having local cultural heritage significance, are identified on Overlay map - Heritage and a character and listed in Schedule 1 of Planning scheme policy - Heritage and landscape character. Places also having cultural ignificance at a State level and being entered in the Queensland Heritage Register, are also identified in Schedule 1 of Planning olicy - Heritage and landscape character.
the follo Note - Pla landscape heritage s scheme p	and landscape character (refer Overlay map - Heritage and landscape character to determine if wing requirements apply) aces, including sites, objects and buildings having local cultural heritage significance, are identified on Overlay map - Heritage and e character and listed in Schedule 1 of Planning scheme policy - Heritage and landscape character. Places also having cultural ignificance at a State level and being entered in the Queensland Heritage Register, are also identified in Schedule 1 of Planning olicy - Heritage and landscape character.
the follo Note - Pla landscape heritage s scheme p	and landscape character (refer Overlay map - Heritage and landscape character to determine if wing requirements apply) aces, including sites, objects and buildings having local cultural heritage significance, are identified on Overlay map - Heritage and e character and listed in Schedule 1 of Planning scheme policy - Heritage and landscape character. Places also having cultural ignificance at a State level and being entered in the Queensland Heritage Register, are also identified in Schedule 1 of Planning olicy - Heritage and landscape character. Places also having cultural ignificance at a State level and being entered in the Queensland Heritage Register, are also identified in Schedule 1 of Planning olicy - Heritage and landscape character.
the follo Note - Pla landscape heritage s scheme p	and landscape character (refer Overlay map - Heritage and landscape character to determine if wing requirements apply) aces, including sites, objects and buildings having local cultural heritage significance, are identified on Overlay map - Heritage and e character and listed in Schedule 1 of Planning scheme policy - Heritage and landscape character. Places also having cultural ignificance at a State level and being entered in the Queensland Heritage Register, are also identified in Schedule 1 of Planning olicy - Heritage and landscape character.
the follo Note - Pla landscape heritage s	and landscape character (refer Overlay map - Heritage and landscape character to determine if wing requirements apply) aces, including sites, objects and buildings having local cultural heritage significance, are identified on Overlay map - Heritage and a character and listed in Schedule 1 of Planning scheme policy - Heritage and landscape character. Places also having cultural ignificance at a State level and being entered in the Queensland Heritage Register, are also identified in Schedule 1 of Planning olicy - Heritage and landscape character. Development is for the preservation, maintenance, repair and restoration of the site, object or building. This does not apply to Listed item 99, in Schedule 1 - List of sites, objects and buildings of significant
the follo Note - Pla landscape heritage s scheme p	 and landscape character (refer Overlay map - Heritage and landscape character to determine if wing requirements apply) aces, including sites, objects and buildings having local cultural heritage significance, are identified on Overlay map - Heritage and e character and listed in Schedule 1 of Planning scheme policy - Heritage and landscape character. Places also having cultural ignificance at a State level and being entered in the Queensland Heritage Register, are also identified in Schedule 1 of Planning olicy - Heritage and landscape character. Development is for the preservation, maintenance, repair and restoration of the site, object or building. This does not apply to Listed item 99, in Schedule 1 - List of sites, objects and buildings of significant historical and cultural value of Planning scheme policy - Heritage and landscape character.
the folio Note - Pla landscape heritage s scheme p	 and landscape character (refer Overlay map - Heritage and landscape character to determine if wing requirements apply) and landscape character (refer Overlay map - Heritage significance, are identified on Overlay map - Heritage and e character and listed in Schedule 1 of Planning scheme policy - Heritage and landscape character. Places also having cultural ignificance at a State level and being entered in the Queensland Heritage Register, are also identified in Schedule 1 of Planning olicy - Heritage and landscape character. Places also having cultural ignificance at a State level and being entered in the Queensland Heritage Register, are also identified in Schedule 1 of Planning olicy - Heritage and landscape character. Development is for the preservation, maintenance, repair and restoration of the site, object or building. This does not apply to Listed item 99, in Schedule 1 - List of sites, objects and buildings of significant historical and cultural value of Planning scheme policy - Heritage and landscape character. Note - Preservation, maintenance, repair and restoration are defined in Schedule 1 - Definitions A cultural heritage conservation management plan is prepared in accordance with Planning scheme policy - Heritage and landscape character and submitted to Council prior to the commencement of any preservation, maintenance, repair and restoration works. Any preservation, maintenance, repair and restoration works are in accordance with the Council approved cultural heritage conservation management
the follo Note - Pla landscape heritage s scheme p	 and landscape character (refer Overlay map - Heritage and landscape character to determine if wing requirements apply) ces, including sites, objects and buildings having local cultural heritage significance, are identified on Overlay map - Heritage and e character and listed in Schedule 1 of Planning scheme policy - Heritage and landscape character. Places also having cultural ignificance at a State level and being entered in the Queensland Heritage Register, are also identified in Schedule 1 of Planning olicy - Heritage and landscape character. Development is for the preservation, maintenance, repair and restoration of the site, object or building. This does not apply to Listed item 99, in Schedule 1 - List of sites, objects and buildings of significant historical and cultural value of Planning scheme policy - Heritage and landscape character. Note - Preservation, maintenance, repair and restoration are defined in Schedule 1 - Definitions A cultural heritage conservation management plan is prepared in accordance with Planning scheme policy - Heritage and landscape character and submitted to Council prior to the commencement of any preservation, maintenance, repair and restoration works. Any preservation, maintenance, repair and restoration works are in accordance with the Council approved cultural heritage conservation management plan. This does not apply to Listed item 99 in Schedule 1 - List of sites, objects and buildings of significant

	a. construction of any building;b. laying of overhead or underground services;
	c. any sealing, paving, soil compaction;
	d. any alteration of more than 75mm to the ground surface prior to work commencing.
RAD109	Pruning of a significant tree occurs in accordance with Australian Standard AS 4373-2007 - Pruning of Amenity Trees.
Landslide hazard (refer Overlay map - Landslide hazard to determine if the following requirements apply)	
RAD110	Development does not:
	a. involve earthworks exceeding 50m ³ ;
	 b. involve cut and fill having a height greater than 600mm; c. involve any retaining wall having a height greater than 600mm;
	 redirect or alter the existing flow of surface or groundwater.
RAD111	Buildings, excluding domestic outbuildings:
	a. are split-level, multiple-slab, pier or pole construction;
	b. are not single plane slab on ground.
RAD112	Development does not involve the manufacture, handling or storage of hazardous chemicals.
Infrastructure buffers (refer Overlay map - Infrastructure buffers to determine if the following requirements apply)	
RAD113	Development does not include the following uses within a Wastewater treatment site buffer:
	a. Caretaker's accommodation ⁽¹⁰⁾ ;
	b. Community residence ⁽¹⁶⁾ ;
	 c. Dual occupancy⁽²¹⁾; d. Dwelling house;⁽²²⁾
	e. Dwelling unit ⁽²³⁾ ;
	f. Hospital ⁽³⁶⁾ ;
	g. Rooming accommodation ⁽⁶⁹⁾ ;
	h. Multiple dwelling ⁽⁴⁹⁾ ;
	 Non-resident workforce accommodation⁽⁵²⁾; Relocatable home park⁽⁶²⁾;
	k. Residential care facility ⁽⁶⁵⁾ ;
	I. Resort complex ⁽⁶⁶⁾ ;
	m. Retirement facility ⁽⁶⁷⁾ ;
	 n. Rural workers' accommodation⁽⁷¹⁾; o. Short-term accommodation⁽⁷⁷⁾;
	p. Tourist park ⁽⁸⁴⁾ .
RAD114	Development within a Water supply buffer does not include the incineration or burial of waste and all other
	waste is collected and stored in weather proof, sealed waste receptacles, located in roofed and bunded areas, for disposal by a licenced contractor.
RAD115	Management, handling and storage of hazardous chemicals (including fuelling of vehicles) within a Water supply buffer, is undertaken in secured, climate controlled, weather proof, level and bunded enclosures.
RAD116	Development does not restrict access to Bulk water supply infrastructure of any type or size, having regard to (among other things):
	a. buildings or structures;
	b. gates and fences;

	c. storage of equipment or materials;	
	d. landscaping or earthworks or stormwater or other infrastructure.	
RAD117	On-site sewerage facilities in a Water supply buffer produce a minimum secondary treated effluent (90th percentile) and effluent application to ensure water quality is maintained and protected.	
RAD118	On-site sewerage facilities in a Water supply buffer for a dwelling house ⁽²²⁾ include:	
	 a. emergency storage capacity of 1,000 litres and adequate buffering for shock loading/down time; b. a reserve land application area of 100% of the effluent irrigation design area; c. land application areas that are vegetated; d. the base of the land application field is at least 2 metres above the seasonal high water table/bedrock (whichever is the closest to the base of the application area); e. wastewater collection and storage systems must have capacity to accommodate full load at peak times. 	
RAD119	On-site sewerage facilities in a Water supply buffer for development other than a dwelling house include emergency storage capable of holding 3-6 hours peak flow of treated effluent in the event of emergencies/overload with provision for de-sludging.	
RAD120	Development involving Permanent plantation ⁽⁵⁹⁾ within a Water supply buffer maintains a minimum of 30% ground cover at all times.	
RAD121	Development does not involve the construction of any buildings or structures within a Bulk water supply infrastructure buffer.	
RAD122	Development involving a major hazard facility or an Environmentally Relevant Activity (ERA) is setback 30m from a Bulk water supply infrastructure buffer.	
RAD123	B Development does not involve the construction of any buildings or structures within the Gas pipeline buffer.	
RAD124	All habitable rooms located within an Electricity supply substation buffer are:	
	 a. located a minimum of 10m from an electricity supply substation⁽⁸⁰⁾; and b. acoustically insulated to achieve the noise levels listed in Schedule 1, Acoustic Quality Objectives, Environmental Protection (Noise) Policy 2008. 	
RAD125	 Development does not involve the construction of any buildings or structures containing habitable rooms or sensitive land uses within a High voltage electricity line buffer. 	
Overlan	d flow path (refer Overlay map - Overland flow path to determine if the following requirements apply)	
RAD126	Development for a material change of use or building work does not involve the construction of a building or structure in an Overland flow path area.	
RAD127	Development for a material change of use or operational work does not impede the flow of flood waters through the premises or worsen flood flows to other premises.	
	Note - A report from a suitably qualified Registered Professional Engineer Queensland is required certifying that the development does not increase the potential for significant adverse impacts on an upstream, downstream or surrounding premises.	
	Note - Reporting to be prepared in accordance with Planning scheme policy – Flood hazard, Coastal hazard and Overland flow	
RAD128	Development for a material change of use or building work ensures that fencing in an overland flow path	

RAD129	Development for a material change of use or building work that involves a hazardous chemical ensures the hazardous chemicals is not located within an overland flow path area.					
RAD130	Development for a material change of use or building work for a Park ⁽⁵⁷⁾ ensures that work is provided in accordance with the requirements set out in Appendix B of the Planning scheme policy - Integrated design.					
-	and wetland setbacks (refer Overlay map - Riparian and wetland setback to determine if the g requirements apply)					
Note - W wetland s	1, W2 and W3 waterway and drainage lines, and wetlands are mapped on Schedule 2, Section 2.5 Overlay Maps – Riparian and etbacks.					
RAD131	No development is to occur within:					
	a. 50m from top of bank for W1 waterway and drainage line					
	b. 30m from top of bank for W2 waterway and drainage line					
	c. 20m from top of bank for W3 waterway and drainage line					
	d. 100m from the edge of a Ramsar wetland, 50m from all other wetlands.					
	Note - W1, W2 and W3 waterways and drainage lines, and wetlands are mapped on Schedule 2, Section 2.5 Overlay Maps – Riparian and wetland setbacks.					
	Note - In some cases, the top of bank may not be easily defined, as such a hydraulic measurement may be applied instead. Moreton Bay Regional Council will provide further direction on how to determine and locate the setback boundary in these locations.					
	Note - The minimum setback distance applies to the each side of waterway.					
	amenity - Regionally significant (Hills) and Locally important (Coast) - (refer Overlay map - Scenic to determine if the following requirements apply)					
RAD132	Where located in the Regionally significant (Hills) scenic amenity overlay, buildings and structures are not:					
	a. located on a hill top or ridge line; andb. all parts of the building and structure are located below the hill top or ridge line.					



	Colours from Australian Standard AS2700s – 1996				
	G14 – Moss Green	G55 – Lichen	N52 – Mid Grey		
	G15 – Rainforest Green	G56 – Sage Green	N54 – Basalt		
	G16 – Traffic Green	G62 – Rivergum	N55 – Lead Grey		
	G17 – Mint Green	G64 – Slate	X54 – Brown		
	G21 – Jade	G65 – Ti Tree	X61 – Wombat		
	G22 – Serpentine	N25 – Birch Grey	X62 – Dark Earth		
	G23 – Shamrock	N32 – Green Grey	X63 – Iron Bark		
	G24 – Fern Green	N33 – Lightbox Grey	Y51 – Bronze Olive		
	G25 – Olive	N35 – Light Grey	Y61 – Black Olive		
	G34 – Avocado	N41 – Oyster	Y63 – Khaki		
	G52 – Eucalyptus	N42 – Storm Grey	Y66 – Mudstone		
		N43 – Pipeline Grey			
	Note - In the Rural Zone, netting, shade cloth and similar coverings associated with agricultural operations are exempt.				
AD135	Where located in the Regionally significant (Hills) scenic amenity overlay, roofs and wall surfaces o buildings and structures are painted or finished such that reflectivity is less than 35%.				

Part B - Criteria for assessable development - Rural zone

Where development is categorised as assessable development - code assessment in the Table of Assessment, and located in a precinct, the assessment benchmarks are the criteria set out in Part B, Table 6.2.10.2 as well as the purpose statement and overall outcomes of this code.

Where development is categorised as assessable development - impact assessment, the assessment benchmarks become the whole of the planning scheme.

Performance outcomes	Examples that achieve aspects of the Performance Outcomes	
General criteria		
General performance outcome for all development		
PO1	No example provided.	
Development:		
a. adds value to an existing rural activity, the natural environment, or a tourism attraction;		

b.	does not prejudice the ongoing operation of an existing or approved rural activity;	
C.	is adequately serviced with necessary infrastructure to meet on-site needs and requirements;	
d.	ensures adequate on-site stormwater and waste disposal is provided to avoid adverse impacts on water quality;	
e.	is a size and scale that maintains the low density, low intensity and open area landscape character anticipated in the Rural zone;	
f.	is designed, located and operated in a manner that avoids nuisance impacts on sensitive land uses;	
g.	requires minimal filling or excavation. Where this occurs, visual impacts are reduced through screening;	
h.	avoids being obtrusive or visually dominant by achieving low-set built form;	
i.	uses natural and non-reflective materials and colours consistent with existing and surrounding rural buildings and rural environment, except where materials such as netting, shade cloth and similar coverings are necessary for agricultural operations;	
j.	is not subject to a development constraint such as, but not limited to, flood, steep slope, waterway setback and significant vegetation; and	
k.	does not result in any instability, erosion or degradation of land, water, soil resource or loss of natural, ecological or biological values.	
Dev	elopment footprint	
PO2	2	E2
All buildings, structures, associated facilities and infrastructure are contained within an approved development footprint. Development outside of an approved development footprint must:		Where a development footprint has been identified as part of a development approval for reconfiguring a lot, all development occurs within the development footprint.
a.	not be subject to a development constraint such as, but not limited to, flood, steep slope, waterway setbacks and significant vegetation;	
b.	development does not result in any instability, erosion or degradation of land, water, soil resource or loss of natural, ecological or biological values.	
Buil	ding height	
PO3	}	E3

Heig a. b. c. d.	 ght of buildings and structures: is consistent with the existing low rise, open area and low density character and amenity of the Rural zone and its precincts; does not unduly impact on access to daylight, sunlight, overshadowing or privacy experienced by adjoining premises; for buildings in the Hamlet precinct, the height of buildings reflect the individual character of the area; does not adversely affect the operation of aviation facility at Mt Glorious by adopting design or on-site management measures that: i. ensures a physical line-of-sight between transmitting or receiving devices. ii. ensure electromagnetic fields do not interfere with the functioning of the aviation facility. 	Building height and all structures do not exceed the maximum height identified on Overlay map - Building heights; except in the Hamlet precinct, where outbuildings, free standing car ports or garages do not exceed 3.5m.
Set	backs	
PO4	4	E4.1
Sett a. b.	backs are: sufficient to minimise overlooking and maintain privacy of adjoining properties; and sufficient to ensure development is not visually dominant or overbearing on adjoining properties.	 Unless specified elsewhere in the zone code, the minimum setback from a boundary is as follows: a. road boundary – 6m b. side boundary – 4.5m c. rear boundary – 4.5m.
		 E4.2 For lots located in the Hamlet precinct, the minimum setback from a boundary is as follows: a. road boundary - 6m b. side boundary - 1.5m for lots having 1000m² or less; 3m for lots greater than 1000m² c. rear boundary - 4m.
PO	5	E5.1
For San outb area	those properties within the catchments of Lake nsonvale or Lake Kurwongbah, dwelling houses ⁽²²⁾ , puildings and their associated waste/effluent disposal as are positioned in a manner which avoids adverse acts on the water quality of those lakes.	For sites within the catchment of Lake Samsonvale or Lake Kurwongbah a setback of no less than 400m is maintained between the following nominated full supply levels to those lakes and any dwelling house ⁽²²⁾ or outbuilding on the land:-

	a. RL 39.63m AHD being the full supply level to Lake Samsonvale; and
	 RL 21m AHD being the full supply level to Lake Kurwongbah.
	OR
	No part of any dwelling house ⁽²²⁾ or outbuilding on Lot 5 RP111651 or Lot 10 RP111653 or Lot 8 RP111268 is any closer than 80m to the full supply level of RL 21m AHD to Lake Kurwongbah.
	E5.2
	Waste/effluent disposal systems are located at least:
	 80m from the full supply level of RL 21m AHD to Lake Kurwongbah on Lot 5 RP111651 or Lot 10 RP111653 or Lot 8 RP111268; and
	 b. 400m from RL 39.63m AHD being the full supply level to Lake Samsonvale and RL 21m AHD being the full supply level to Lake Kurwongbah.
Amenity	
PO6	No example provided.
The amenity of the area and adjacent sensitive land uses are protected from the impacts of dust, odour, light,chemicals and other environmental nuisance.	
Waste treatment	
P07	E7
Stormwater generated on-site is treated and disposed of in an acceptable manner to mitigate any impacts on soil, surface water or ground water quality. Development resulting in the degradation of soil, surface water or ground water quality is avoided.	All concentrated animal use areas (e.g. sheds, pens, holding yards, stables, kennels and other animal enclosures) are provided with site drainage to ensure all run-off is directed to suitable detention basins, filtration or other treatment areas.
Rural uses setbacks	
PO8	E8
Development ensures:	The following uses and associated buildings are setback from all property boundaries as follows:
a. sufficient separation from existing sensitive land uses to avoid adverse impacts from chemical spray,	a. Animal husbandry (buildings only) – 10m
fumes, odour and dust;	 Animal keeping⁽⁵⁾, excluding catteries and kennels - 20m

b.	environmental nuisance or annoyance resulting from-but not limited to-noise, storage of materials	C.	Aquaculture ⁽⁶⁾ involving ponds or water behind dams – 100m
and waste does not ac land uses; and	and waste does not adversely impact on sensitive land uses; and	d.	Aquaculture ⁽⁶⁾ involving the housing of tanks and associated equipment - 20m
C.	buildings and other structures are consistent with the open area, low density, low built form character and amenity associated with the rural environment.	e.	Cropping ⁽¹⁹⁾ (building only) – 10m
		f.	Intensive horticulture ⁽⁴⁰⁾ – 20m
		g.	Nature-based tourism ⁽⁵⁰⁾ , Short-term accommodation and Tourist park ⁽⁸⁴⁾ - 40m
		h.	Permanent plantations ⁽⁵⁹⁾ – 25m
		i.	Rural Industry ⁽⁷⁰⁾ - 20m
		j.	Rural workers' accommodation ⁽⁷¹⁾ - 40m
		k.	Transport depot ⁽⁸⁵⁾ , including all vehicle parking, storage and driveway areas – 30m
		١.	Wholesale nursery ⁽⁸⁹⁾ – 10m
		m.	Winery ⁽⁹⁰⁾ (buildings only) - 10m.

Car parking	
PO9	E9
On-site car parking associated with an activity provides safe and convenient on-site parking and manoeuvring to meet anticipated parking demand.	On-site car parking is provided in accordance Schedule 7 - Car parking.
Note - Refer to Planning scheme policy - Integrated transport assessment for guidance on how to achieve compliance with this outcome.	
Noise	
PO10	No example provided.
Noise generating uses do not adversely affect existing noise sensitive uses.	
Note - The use of walls, barriers or fences that are visible from or adjoin a road or public area are not appropriate noise attenuation measures unless adjoining a motorway, arterial road or rail line.	
Note - A noise impact assessment may be required to demonstrate compliance with this PO. Noise impact assessments are to be prepared in accordance with Planning scheme policy - Noise.	
PO11	E11.1
Sensitive land uses are provided with an appropriate acoustic environment within designated external private outdoor living spaces and internal areas while:	Development is designed to meet the criteria outlined in the Planning Scheme Policy – Noise.

a.	contributing to safe and usable public spaces, through maintaining high levels of surveillance of parks, streets and roads that serve active transport purposes (e.g. existing or future pedestrian paths	E11	.2
			se attenuation structures (e.g. walls, barriers or ces):
b.	or cycle lanes etc); maintaining the amenity of the streetscape.	a.	are not visible from an adjoining road or public area unless:
cor pre No	te - A noise impact assessment may be required to demonstrate npliance with this PO. Noise impact assessments are to be pared in accordance with Planning scheme policy - Noise. te - Refer to Planning Scheme Policy – Integrated design for ails and examples of noise attenuation structures.		 adjoining a motorway or rail line; or adjoining part of an arterial road that does not serve an existing or future active transport purpose (e.g. pedestrian paths or cycle lanes) or where attenuation through building location and materials is not possible.
		b. c.	do not remove existing or prevent future active transport routes or connections to the street network; are located, constructed and landscaped in accordance with Planning scheme policy -
		Not	Integrated design. te - Refer to Planning scheme policy – Integrated design for details
			d examples of noise attenuation structures.
			te - Refer to Overlay map – Active transport for future active nsport routes.

Hazardous Chemicals

Note - To assist in demonstrating compliance with the following performance outcomes, a Hazard Assessment Report may be required to be prepared and submitted by a suitably qualified person in accordance with '*State Planning Policy Guideline - Guidance on development involving hazardous chemicals*'.

Terms used in this section are defined in State 'State Planning Policy Guideline - Guidance on development involving hazardous chemicals'.

P012	E12.1	
Off sites risks from foreseeable hazard scenarios involving hazardous chemicals are commensurate with the sensitivity of the surrounding land use zones.	Off site impacts or risks from any foreseeable hazard scenario does not exceed the dangerous dose at the boundary of land zoned for vulnerable or sensitive land uses as described below:	
	Dangerous Dose	
	a. For any hazard scenario involving the release of gases or vapours:	
	i. AEGL2 (60minutes) or if not available ERPG2;	
	ii. An oxygen content in air <19.5% or >23.5% at normal atmospheric pressure.	
	b. For any hazard scenario involving fire or explosion:	
	i. 7kPa overpressure;	
	ii. 4.7kW/m2 heat radiation.	

If criteria E12.1 (a) or (b) cannot be achieved, then the risk of any foreseeable hazard scenario shall not exceed an individual fatality risk level of 0.5 x 10-6/year.

E12.2

Off site impacts or risks from any foreseeable hazard scenario does not exceed the dangerous dose at the boundary of a commercial or community activity land use zone as described below:

Dangerous Dose

- a. For any hazard scenario involving the release of gases or vapours:
 - i. AEGL2 (60minutes) or if not available ERPG2;
 - ii. An oxygen content in air <19.5% or >23.5% at normal atmospheric pressure.
- b. For any hazard scenario involving fire or explosion:
 - i. 7kPa overpressure;
 - ii. 4.7kW/m2 heat radiation.

If criteria E12.2 (a) or (b) cannot be achieved, then the risk of any foreseeable hazard scenario shall not exceed an individual fatality risk level of 5 x 10-6/year.

E12.3

Off site impacts or risks from any foreseeable hazard scenario does not exceed the dangerous dose at the boundary of an industrial land use zone as described below:

Dangerous Dose

- a. For any hazard scenario involving the release of gases or vapours:
 - i. AEGL2 (60minutes) or if not available ERPG2;
 - ii. An oxygen content in air <19.5% or >23.5% at normal atmospheric pressure.
- b. For any hazard scenario involving fire or explosion:
 - i. 14kPa overpressure;
 - ii. 12.6kW/m2 heat radiation.

	If criteria E12.3 (a) or (b) cannot be achieved, then the risk of any foreseeable hazard scenario shall not exceed an individual fatality risk level of 50 x 10-6/year.		
P013	E13		
Buildings and package stores containing fire-risk hazardous chemicals are designed to detect the early stages of a fire situation and notify a designated person.	Buildings and package stores containing fire-risk hazardous chemicals are provided with 24 hour monitored fire detection system for early detection of a fire event.		
PO14	E14		
Common storage areas containing packages of flammable and toxic hazardous chemicals are designed with spill containment system(s) that are adequate to contain releases, including fire fighting media.	Storage areas containing packages of flammable and toxic hazardous chemicals are designed with spill containment system(s) capable of containing a minimum of the total aggregate capacity of all packages plus the maximum operating capacity of any fire protection system for the storage area(s) over a minimum of 60 minutes.		
PO15	E15.1		
Storage and handling areas, including manufacturing areas, containing hazardous chemicals in quantities greater than 2,500L or kg within a Local Government "flood hazard area" are located and designed in a manner to minimise the likelihood of inundation of flood waters from creeks, rivers, lakes or estuaries.	 The base of any tank with a WC >2,500L or kg is higher than any relevant flood height level identified in an area's flood hazard area. Alternatively: a. bulk tanks are anchored so they cannot float if submerged or inundated by water; and b. tank openings not provided with a liquid tight seal, i.e. an atmospheric vent, are extended above the relevant flood height level. E15.2 The lowest point of any storage area for packages >2,500L or kg is higher than any relevant flood height level identified in an area's flood hazard area. Alternatively, package stores are provided with impervious bund walls or racking systems higher than the relevant flood height level. 		
Clearing of habitat trees where not located within the Environmental areas overlay map			
PO16	No example provided.		
 a. Development ensures that the biodiversity quality and integrity of habitats is not adversely impacted upon but maintained and protected. b. Development does not result in the net loss of fauna habitat. Where development does result in the loss of a habitat tree, development will provide replacement fauna nesting boxes at the following rate of 1 nest box for every hollow removed. Where 			

	Works	critoria
	e: Further guidance on habitat trees is provided in Planning eme policy - Environmental areas	
C.	Development does not result in soil erosion or land degradation or leave land exposed for an unreasonable period of time but is rehabilitated in a timely manner	
	hollows have not yet formed in trees > 80cm in diameter at 1.3m height, 3 nest boxes are required for every habitat tree removed.	

Works criteria

17 services including water supply, sewage disposal, ctricity, street lighting, telecommunications and gas available) are provided in a manner that: is effective in delivery of service and meets reasonable community expectations; has capacity to service the maximum lot yield	E17 Development is provided with an appropriate level of service and infrastructure in accordance with Planning scheme policy - Integrated design (Appendix A).
ctricity, street lighting, telecommunications and gas available) are provided in a manner that: is effective in delivery of service and meets reasonable community expectations;	service and infrastructure in accordance with Planning
reasonable community expectations;	
has canacity to service the maximum lot yield	
envisaged for the zone and the service provider's design assumptions;	
ensures a logical, sequential, efficient and integrated roll out of the service network;	
is conveniently accessible in the event of maintenance or repair;	
minimises whole of life cycle costs for that infrastructure;	
minimises risk of potential adverse impacts on the natural and built environment;	
minimises risk of potential adverse impact on amenity and character values;	
recognises and promotes Councils Total Water Cycle Management policy and the efficient use of water resources.	

Access		
PO18	No example provided.	

Where required, access easements contain a driveway and provision for services appropriate to the use. The easement covers all works associated with the access in accordance with Planning scheme policy - Integrated design.		
PO19	E19.1	
The layout of the development does not compromise:a. the development of the road network in the area;	The development provides for the extension of the road network in the area in accordance with Council's road network planning.	
b. the function or safety of the road network;	E19.2	
 c. the capacity of the road network. Note - The road hierarchy is mapped on Overlay map - Road hierarchy. 	The development does not compromise future road widening of frontage roads in accordance with the relevant standard and Council's road planning.	
	E19.3	
	The development layout allows forward vehicular access to and from the site.	
PO20	E20.1	
Safe access is provided for all vehicles required to access the site.	s Site access and driveways are designed, located and constructed in accordance with:	
	a. where for a Council-controlled road and associated with a Dwelling house:	
	i. Planning scheme policy - Integrated design;	
	b. where for a Council-controlled road and not associated with a Dwelling house:	
	 AS/NZS2890.1 Parking facilities Part 1: Off street car parking; 	
	ii. AS 2890.2 - Parking facilities Part 2: Off-street commercial vehicle facilities;	
	iii. Planning scheme policy - Integrated design;	
	iv. Schedule 8 - Service vehicle requirements;	
	c. where for a State-Controlled road, the Safe Intersection Sight Distance requirements in Austroads and the appropriate IPWEAQ standard drawings, or a copy of a Transport Infrastructure Act 1994, section 62 approval.	
	E20.2	

	Street design and layout	Sealed and flood free road access during the minor storm Roads or streets giving access to the development from the nearest arterial or the nearest arterial or sub-arterial road are flood free to the development from the nearest arterial or the nearest arterial or sub-arterial road are flood free to the development from the nearest arterial or the nearest arterial or sub-arterial road are flood free to the development from the nearest arterial or the nearest arterial or sub-arterial road are flood free to the development from the nearest arterial or sub-arterial road are flood free to the development from the nearest arterial or sub-arterial road are flood free to the development from the nearest arterial or sub-arterial road are flood free to the development from the nearest arterial or sub-arterial road are flood free to the development from the nearest arterial or sub-arterial road are flood free to the development from the nearest arterial or sub-arterial road are flood free to the development from the nearest arterial or sub-arterial road are flood free to the development from the nearest arterial or sub-arterial road are flood free to the development from the nearest arterial or sub-arterial road are flood free to the development from the nearest arterial or sub-arterial road are flood free to the development from the nearest arterial or sub-arterial road are flood free to the development from the nearest arterial or sub-arterial road are flood free to the development from the nearest arterial or sub-arterial road are flood free to the development from the nearest arterial or sub-arterial road are flood free to the development from the nearest arterial or sub-arterial road are flood free to the development from the nearest arterial or sub-arterial road are flood free to the development from the nearest arterial or sub-arterial road are flood free to the development from the nearest arterial or sub-arterial road are flood free to the development from the development from the development from the developmen	
PO22 No example provided.		Street design and layout	Sealed and flood free road access during the minor storm event is available to the site from the nearest arterial or sub-arterial road.Roads or streets giving access to the development from the nearest arterial or sub-arterial road are flood free during the minor storm event and are sealed.Editor's note - Where associated with a State-controlled road, further requirements may apply, and approvals may be required from the Department of Transport and Main Roads.Note - The road network is mapped on Overlay map - Road hierarchy.
PO21E21Sealed and flood free road access during the minor storm event is available to the site from the nearest arterial or sub-arterial road.Roads or streets giving access to the development from the nearest arterial or sub-arterial road are flood free during the minor storm event and are sealed.Editor's note - Where associated with a State-controlled road, further requirements may apply, and approvals may be required from the Department of Transport and Main Roads.Note - The road network is mapped on Overlay map - Road hierarchy.	PO21E21Sealed and flood free road access during the minor storm event is available to the site from the nearest arterial or sub-arterial road.Roads or streets giving access to the de the nearest arterial or sub-arterial road during the minor storm event and are setEditor's note - Where associated with a State-controlled road, further requirements may apply, and approvals may be required from theNote - The road network is mapped on Overlay hierarchy.	Landscaping (including shade trees) is provided within car parks in accordance with Planning scheme policy	
PO21 E20.5 Sealed and flood free road access during the minor storm event is available to the site from the nearest arterial or sub-arterial road. E21 Roads or streets giving access to the development from the nearest arterial or sub-arterial road. Roads or streets giving access to the development from the nearest arterial or sub-arterial road are flood free during the minor storm event is available to the site from the nearest arterial or sub-arterial road are flood free minor storm the nearest arterial or sub-arterial road are flood free minor storm event is available to the site from the nearest arterial or sub-arterial road are flood free minor storm the nearest arterial or sub-arterial road are flood free minor storm the nearest arterial or sub-arterial road are flood free minor storm the nearest arterial or sub-arterial road are flood free minor storm the minor storm event and are sealed. Note - The road network is mapped on Overlay map - Road hierarchy.	PO21E21Sealed and flood free road access during the minor storm event is available to the site from the nearest arterial or sub-arterial road.Roads or streets giving access to the de the nearest arterial or sub-arterial road during the minor storm event say apply, and approvals may be required from the	Access driveways, manoeuvring areas and loading facilities are sealed and provide for service vehicles liste in Schedule 8 - Service vehicle requirements for the relevant use. The on-site manoeuvring is to be in accordance with Schedule 8 - Service vehicle requirements. E20.5 Landscaping (including shade trees) is provided within car parks in accordance with Planning scheme policy	Access driveways, manoeuvring areas and loading facilities are sealed and provide for service vehicles liste in Schedule 8 - Service vehicle requirements for the relevant use. The on-site manoeuvring is to be in accordance with Schedule 8 - Service vehicle
Access driveways, manoeuvring areas and loading facilities are sealed and provide for service vehicles listed in Schedule 8 - Service vehicle requirements for the relevant use. The on-site manoeuvring is to be in accordance with Schedule 8 - Service vehicle requirements. E20.5 Landscaping (including shade trees) is provided within car parks in accordance with Planning scheme policy - Integrated design. P021 Sealed and flood free road access during the minor storm event is available to the site from the nearest arterial or sub-arterial road. Editor's note - Where associated with a State-controlled road, further requirements may apply, and approvals may be required from the Department of Transport and Main Roads.	PO21 E20.5 Eacordance with Planning shade trees) is car parks in accordance with Planning shade trees) is car parks in accordance with Planning shade trees) is car parks in accordance with Planning shade trees) is car parks in accordance with Planning shade trees) is car parks in accordance with Planning shade trees) is car parks in accordance with Planning shade trees) is car parks in accordance with Planning shade trees) is car parks in accordance with Planning shade trees) is car parks in accordance with Planning shade trees) is car parks in accordance with Planning shade trees) is car parks in accordance with Planning shade trees) is car parks in accordance with Planning shade trees is parket trees is parket design. Editor's note - Where associated with a State-controlled road, further requirements may apply, and approvals may be required from the interachy. Note - The road network is mapped o	Crossovers and driveways associated with a Dwelling house are designed, located and constructed in accordance with Planning scheme policy - Integrated design. E20.4 Access driveways, manoeuvring areas and loading facilities are sealed and provide for service vehicles liste in Schedule 8 - Service vehicle requirements for the relevant use. The on-site manoeuvring is to be in accordance with Schedule 8 - Service vehicle requirements. E20.5 Landscaping (including shade trees) is provided withir car parks in accordance with Planning scheme policy	Crossovers and driveways associated with a Dwelling house are designed, located and constructed in accordance with Planning scheme policy - Integrated design. E20.4 Access driveways, manoeuvring areas and loading facilities are sealed and provide for service vehicles liste in Schedule 8 - Service vehicle requirements for the relevant use. The on-site manoeuvring is to be in accordance with Schedule 8 - Service vehicle

Streets are designed and constructed la accordance with Planning scheme policy - Integrated design and Planning scheme policy - Operational works inspection, maintenance and bonding procedures. The street design and construction accommodates the following functions: a. access to premises by providing convenient vehicular movement for residents between their homes and the major road network; b. safe and convenient pedestrian and cycle movement; c. adequate on street parking; d. stormwater drainage paths and treatment facilities; e. efficient public transport routes; f. utility services location; g. emergency access and waste collection; h. setting and approach (streetscape, landscaping and street furniture) for adjoining residences; i. expected traffic speeds and volumes; and j. wildlife movement (where relevant). Note - Preliminary road design (including all services, street tighting, atomwater infrastructure, access locations; street trees and pedestian network (whether trunk or non-trunk) is upgraded where necessary to cater for the impact for the development. Note - Are lor to Planning scheme policy - Environmental areas and ordrods for exables of them and where wildlife movement infrastructure is required. Note - Area applicant may be required to submit an integrated transport Assessment (TR), propared in accordance with transformation completion with the PO, when any of the following occurs: Note - An applicant may be required to submit an integrated transport Assessment (TR), propared in accordance with transforme policy - ting generator of		
 vehicular movement for residents between their homes and the major road network; safe and convenient pedestrian and cycle movement; adequate on street parking; stormwater drainage paths and treatment facilities; efficient public transport routes; tutility services location; emergency access and waste collection; setting and approach (streetscape, landscaping and street furniture) for adjoining residences; i. expected traffic speeds and volumes; and j. wildlife movement (where relevant). Note - Preliminary road design (including all services, street lighting, stormwater infrastructure, access locations, street trees and pedestrian revork) may be required to demonstrate compliance vehicular grad network (whether trunk or non-trunk) is upgraded where necessary to cater for the impact from the impact from the development. Poesa Poevelopment. Net - An applicant may be required to doubmit an Integrated design. Net - An applicant may be required to doubmit an Integrated morphane policy - integrate dransport assessment (TA) propare in accordance with Planning scheme policy - integrated transport assessment to demonstrate compliance and the Policy - integrated transport assessment to demonstrate frame policy - integrated transport assessment to demonstrate frame policy - integrated transport assessment to demonstrate compliance and the Policy - integrated transport assessment to demonstrate frame. Development is within 200 on d a transport assessment to demonstrate frame policy - integrated transport assessment to demonstrate frame. Development is within 200 on d a transport sensitive cortain or wherever practicable. Net - All turns vehicular access to existing tots is to be retained at new road intersections wherever practicable. 	Planning scheme policy - Integrated design and Planning scheme policy - Operational works inspection, maintenance and bonding procedures. The street design	
movement; adequate on street parking; c. adequate on street parking; d. stormwater drainage paths and treatment facilities; e. efficient public transport routes; f. utility services location; g. emergency access and waste collection; h. setting and approach (streetscape, landscaping and street furniture) for adjoining residences; i. expected traffic speeds and volumes; and j. wildlife movement (where relevant). Note - Preliminary mad design (including all services, street lighting, stormwater infrastructure, access locations, street trees and perfection network) may be required to demonstrate compliance with this PO. Note - Refer to Planning scheme policy - Environmental areas and corridors for examples of when and where wildlife movement infrastructure is required. E23.1 PO23 E23.1 Note - An applicant may be required to submit an Integrated Transport Assessment (TA), prepared in accordance with Planning scheme policy - Integrated transport assessment to demonstrate compliance with planning scheme policy - Integrated transport assessment to demonstrate compliance with Planning scheme policy - Integrated transport assessment to demonstrate compliance with Planning scheme policy - Integrated transport assessment to demonstrate compliance with Planning scheme policy - Integrated transport assessment to demonstrate compliance with Planning scheme policy - Integrated design is to be retained at new road intersections wherev	vehicular movement for residents between their	
d. stormwater drainage paths and treatment facilities; e. efficient public transport routes; f. utility services location; g. emergency access and waste collection; h. setting and approach (streetscape, landscaping and street furniture) for adjoining residences; i. expected traffic speeds and volumes; and j. wildlife movement (where relevant). Note - Preliminary road design (including all services, street lighting, stormwater infrastructure, access locations, street trees and pedestrian relevancy may be required to demonstrate compliance with this PO. Note - Refer to Planning scheme policy - Environmental areas and condors for examples of when and where wildlife movement linfrastructure is required. PO23 E23.1 Note - An applicant may be required to submit an integrated Transport Assessment (TA), prepared in accordance with Planning scheme policy - Integrated transport assessment to demonstrate compliance with this PO, when and where with demonstrate compliance with Planning scheme policy - Integrated transport assessment to commostrate compliance with Planning scheme policy - Integrated transport assessment to commostrate compliance with this PO, when any of the following occurs: Note - An applicant may be required to submit an integrated Transport Assessment (TA), prepared in accordance with Planning scheme policy - Integrated transport assessment to demonstrate compliance with this PO, when any of the following occurs: Development is within 200m of a transport		
 e. efficient public transport routes; f. utility services location; g. emergency access and waste collection; h. setting and approach (streetscape, landscaping and street furniture) for adjoining residences; i. expected traffic speeds and volumes; and j. wildlife movement (where relevant). Note - Preliminary road design (including all services, street lighting, stormwater infrastructure, access locations, street trees and pedestrian network) may be required to demonstrate compliance with this PO. Note - Refer to Planning scheme policy - Environmental areas and corridors for examples of when and where wildlife movement infrastructure is required. PO23 P023 E23.1 Note - An applicant may be required to submit an Integrated Transport Assessment to 4monstrate compliance with Planning scheme policy - Integrated transport assessment to 4monstrate compliance with Planning scheme policy - Integrated inapport assessment to the nonstrate compliance with Planning scheme policy - Integrated transport assessment to 4monstrate compliance with Planning scheme policy - Integrated inapport assessment to demonstrate compliance with Planning scheme policy - Integrated transport assessment to demonstrate compliance with Planning scheme policy - Integrated to a transport assessment to demonstrate compliance with Planning scheme policy - Integrated to so trans station or a large generator of pedestrian or vehicular traffic; Forecast traffic tofform the development exceeds 5% of the two way flow on the adjoining road or intersection in the movem or a fargo or a farensport assessment to 4 monstrate or ange or generation or or pedestrian or vehicular traffic; Forecast traffic tofform the development exceeds 5% of the two way flow on the adjoining road or intersection in the movem or a farenge or affer comovement asport pase within 10 years of the 	c. adequate on street parking;	
f. utility services location; g. emergency access and waste collection; h. setting and approach (streetscape, landscaping and street furniture) for adjoining residences; i. expected traffic speeds and volumes; and j. wildlife movement (where relevant). Note - Preliminary road design (including all services, street lighting, stormwater infrastructure, access locations, street trees and pedestrian network) may be required to demonstrate compliance with this PO. Note - Refer to Planning scheme policy - Environmental areas and coridors for examples of when and where wildlife movement infrastructure is required. PO23 The existing road network (whether trunk or non-trunk) is upgraded where necessary to cater for the impact from the development. Note - An applicant may be required to submit an Integrated Transport Assessment (TA), prepared in accordance with Planning scheme policy - Integrated transport assessment to demonstrate compliance with Planning scheme policy - Integrated transport assessment to demonstrate decign. Note - An applicant may be required to submit an Integrated Transport Assessment T(TA), prepared in accordance with Planning scheme policy - Integrated transport assessment to demonstrate compliance with Planning scheme policy - Integrated transport assessment to demonstrate compliance with Planning scheme policy - Integrated transport assessment to demonstrate compliance with Planning scheme policy - Integrated transport assessment to demonstrate compliance with Planning scheme policy - Integrated transport assessment to demonstrate comprime as a school, shoppi	d. stormwater drainage paths and treatment facilities;	
g. emergency access and waste collection; h. setting and approach (streetscape, landscaping and street furniture) for adjoining residences; i. expected traffic speeds and volumes; and j. wildlife movement (where relevant). Note - Preliminary road design (including all services, street lighting, stomwater infrastructure, access locations, street trees and pedestrian network) may be required to demonstrate compliance with his PO. Note - Refer to Planning scheme policy - Environmental areas and coridors for examples of when and where wildlife movement infrastructure is required. PO23 E23.1 The existing road network (whether trunk or non-trunk) is upgraded where necessary to cater for the impact from the development. New intersections onto existing roads are designed to accommodate traffic volumes and traffic movements taken from a date 10 years from the date of completion of the last stage of the development. Detailed design is to be in accordance with Planning scheme policy - Integrated transport assessment to demonstrate compliance with Planning scheme policy - Integrated transport assessment to demonstrate compliance with Planning scheme policy - Integrated transport assessment to demonstrate compliance with Planning scheme policy - Integrated transport assessment to demonstrate conduct traffic. • Development is within 200m of a transport sensitive location along egnerator of pedestrian or vehicular traffic. • Development is within 200m of a transport sensitive to a strate or years the or transtatiton or a large generator of pedestrian or vehicular traffic.	e. efficient public transport routes;	
 h. setting and approach (streetscape, landscaping and street furniture) for adjoining residences; i. expected traffic speeds and volumes; and j. wildlife movement (where relevant). Note - Preliminary road design (including all services, street lighting, stormwater infrastructure, access locations, street trees and pedestrian network) may be required to demonstrate compliance with this PO. Note - Refer to Planning scheme policy - Environmental areas and corridors for examples of when and where wildlife movement infrastructure is required. PO23 PO23 PO23 E23.1 Note - An applicant may be required to submit an Integrated Transport Assessment (TA), prepared in accordance with Planning scheme policy - integrated transport assessment to demonstrate compliance with this PO, when any of the following occurs: Development is within 200m of a transport assessment to demonstrate compliance with this PO, when any of the following occurs: Development is within 200m of a transport sensitive location such as a school, shopping centre, bus or train station or a large generator of pedestrian or vehicular traffic; Forecast traffic to/from the development executs f5% of the momentary flow on the adjoining read or intersection in the set parking is to be retained at new road intersections and along road frontages wherever practicable. Note - Existing on a transport peak within 10 years of the divelopment and provide traffic to/from the development or alternation or al	f. utility services location;	
 and street furniture) for adjoining residences; expected traffic speeds and volumes; and wildlife movement (where relevant). Note - Preliminary road design (including all services, street lighting, stormwater infrastructure, access locations, street trees and pedestrian network) may be required to demonstrate compliance with this PO. Note - Refer to Planning scheme policy - Environmental areas and corridors for examples of when and where wildlife movement infrastructure is required. PO23 PO23 The existing road network (whether trunk or non-trunk) is upgraded where necessary to cater for the impact from the development. Note - An applicant may be required to submit an Integrated Transport Assessment to demonstrate compliance with this PO, when any of the following occurs: Development is within 200m of a transport sensitive location such as a school, shopping centre, bus or train station or a large generator of pedestrian or vehicular traffic; Forecast traffic to/from the development exceeds 5% of the two way flow on the adjoining road or intersection in the morning or afternoon uransport peak within 10 years of the more generating to intersection in the morning or afternoon uransport peak within 10 years of the more generating to intersection in the morning or afternoon uransport peak within 10 years of the more generating to intersection in the morning or afternoon uransport peak within 10 years of the more generating to intersection in the more generating to a school, shopping centre, bus or transport sense the development in the stating ora differencon uransport peak within 10 years of the intersectio	g. emergency access and waste collection;	
 j. wildlife movement (where relevant). Note - Preliminary road design (including all services, street lighting, stormwater infrastructure, access locations, street trees and pedestrian network) may be required to demonstrate compliance with this PO. Note - Refer to Planning scheme policy - Environmental areas and corridors for examples of when and where wildlife movement infrastructure is required. PO23 The existing road network (whether trunk or non-trunk) is upgraded where necessary to cater for the impact from the development. Note - An applicant may be required to submit an Integrated Transport Assessment (ITA), prepared in accordance with Planning scheme policy - Integrated transport assessment to demonstrate compliance with Planning scheme policy when any of the following occurs: Development is within 200m of a transport sensitive location such as a school, shopping centre, bus or train station or a large generator of pedestrian or vehicular traffic; Forecast traffic to/from the development exceeds 5% of the two way flow on the adjoining road or intersection in the morning or afternoon transport peak within 10 years of the morning or afternoon transport peak within 10 years of the morning or afternoon transport peak within 10 years of the following occurs: 		
Note - Preliminary road design (including all services, street lighting, stormwater infrastructure, access locations, street trees and pedestrian network) may be required to demonstrate compliance with this PO. Note - Refer to Planning scheme policy - Environmental areas and corridors for examples of when and where wildlife movement infrastructure is required. PO23 The existing road network (whether trunk or non-trunk) is upgraded where necessary to cater for the impact from the development. Note - An applicant may be required to submit an Integrated Transport Assessment (ITA), prepared in accordance with Planning scheme policy - Integrated transport assessment to demonstrate compliance with this PO, when any of the following occurs: • Development is within 200m of a transport sensitive location a large generator of pedestrian or vehicular traffic; torm the development exceeds 5% of the two way flow on the adjoining road or intersection in the morning or afternoon transport peak within 10 years of the	i. expected traffic speeds and volumes; and	
 stormwater infrastructure, access locations, street trees and pedestrian network) may be required to demonstrate compliance with this PO. Note - Refer to Planning scheme policy - Environmental areas and corridors for examples of when and where wildlife movement infrastructure is required. PO23 Foe existing road network (whether trunk or non-trunk) is upgraded where necessary to cater for the impact from the development. Note - An applicant may be required to submit an Integrated Transport Assessment (ITA), prepared in accordance with Planning scheme policy - Integrated transport assessment to demonstrate compliance with this PO, when any of the following occurs: Development is within 200m of a transport sensitive location such as a school, shopping centre, bus or train station or a large generator of pedestrian or vehicular traffic; Forecast traffic to/from the development exceeds 5% of the two way flow on the adjoining road or intersection in the morning or a dternoon transport peak within 10 years of the two way flow on the adjoining road or intersection in the morning or a dternoon transport peak within 10 years of the two way flow on the adjoining road or intersection in the morning or a dternoon transport peak within 10 years of the two way flow on the adjoining road or intersection in the morning or a dternoon transport peak within 10 years of the two way flow on the adjoining road or intersection in the morning or a dternoon transport peak within 10 years of the two way flow on the adjoining road or intersection in the morning or a dternoon transport peak within 10 years of the two way flow on the adjoining road or intersection in the morning or a dternoon transport peak within 10 years of the two way flow on the adjoining road or intersection in the morning or a dternoon transport peak within 10 years of the two way flow on the adjoining road or intersection in the morning or atternoon transport peak within 10 yea	j. wildlife movement (where relevant).	
 The existing road network (whether trunk or non-trunk) is upgraded where necessary to cater for the impact from the development. Note - An applicant may be required to submit an Integrated Transport Assessment (ITA), prepared in accordance with Planning scheme policy - Integrated transport assessment to demonstrate compliance with this PO, when any of the following occurs: Development is within 200m of a transport sensitive location such as a school, shopping centre, bus or train station or a large generator of pedestrian or vehicular traffic; Forecast traffic to/from the development exceeds 5% of the two way flow on the adjoining road or intersection in the morning or afternoon transport peak within 10 years of the 	stormwater infrastructure, access locations, street trees and pedestrian network) may be required to demonstrate compliance with this PO. Note - Refer to Planning scheme policy - Environmental areas and corridors for examples of when and where wildlife movement	
 The existing road network (whether trunk or non-trunk) is upgraded where necessary to cater for the impact from the development. Note - An applicant may be required to submit an Integrated Transport Assessment (ITA), prepared in accordance with Planning scheme policy - Integrated transport assessment to demonstrate compliance with this PO, when any of the following occurs: Development is within 200m of a transport sensitive location such as a school, shopping centre, bus or train station or a large generator of pedestrian or vehicular traffic; Forecast traffic to/from the development exceeds 5% of the two way flow on the adjoining road or intersection in the morning or afternoon transport peak within 10 years of the 	PO23	E23.1
	 The existing road network (whether trunk or non-trunk) is upgraded where necessary to cater for the impact from the development. Note - An applicant may be required to submit an Integrated Transport Assessment (ITA), prepared in accordance with Planning scheme policy - Integrated transport assessment to demonstrate compliance with this PO, when any of the following occurs: Development is within 200m of a transport sensitive location such as a school, shopping centre, bus or train station or a large generator of pedestrian or vehicular traffic; Forecast traffic to/from the development exceeds 5% of the two way flow on the adjoining road or intersection in the morning or afternoon transport peak within 10 years of the 	New intersections onto existing roads are designed to accommodate traffic volumes and traffic movements taken from a date 10 years from the date of completion of the last stage of the development. Detailed design is to be in accordance with Planning scheme policy - Integrated design. Note - All turns vehicular access to existing lots is to be retained at new road intersections wherever practicable. Note - Existing on-street parking is to be retained at new road intersections and along road frontages wherever practicable.

٠	Development access onto a sub arterial, or arterial road or within 100m of a signalised intersection;	Existing intersections external to the site are upgraded as necessary to accommodate increased traffic from the development. Design is in accordance with Planning
•	Residential development greater than 50 lots or dwellings;	scheme policy - Operational works inspection,
•	Offices greater than 4,000m ² Gross Floor Area (GFA);	maintenance and bonding procedures.
٠	Retail activities including Hardware and trade supplies, Showroom, Shop or Shopping centre greater than 1,000m ² GFA;	Note - All turns vehicular access to existing lots is to be retained at new road intersections wherever practicable.
•	Warehouses and Industry greater than 6,000m ² GFA;	Note - Existing on-street parking is to be retained at upgraded road intersections and along road frontages wherever practicable.
•	On-site carpark greater than 100 spaces;	
•	Development has a trip generation rate of 100 vehicles or more within the peak hour;	E23.3
٠	Development which dissects or significantly impacts on an environmental area or an environmental corridor.	The active transport network is extended in accordance with Planning scheme policy - Integrated design.
road I devel detern works a futu part o ITA is neces by the Note hierar	TA is to review the development's impact upon the external hetwork for the period of 10 years from completion of the opment. The ITA is to provide sufficient information for nining the impact and the type and extent of any ameliorative required to cater for the additional traffic. The ITA must include re structural road layout of adjoining properties that will form f this catchment and road connecting to these properties. The to assess the ultimate developed catchment's impacts and sary ameliorative works, and the works or contribution required e applicant as identified in the study. • The road network is mapped on Overlay map - Road chy. • The primary and secondary active transport network is ed on Overlay map - Active transport.	
PO24		E24
and d	ntersections along all streets and roads are located esigned to provide safe and convenient movements users.	New intersection spacing (centreline – centreline) along a through road conforms with the following: a. Where the through road provides an access or
	- Refer Planning scheme policy - Integrated design and	collector function:
	ing scheme policy - Operational works inspection, maintenance onding procedures for design and construction standards.	i. intersecting road located on same side = 100 metres;
prelim Plann requir	An Integrated Transport Assessment (ITA) including inary intersection designs, prepared in accordance with ing scheme policy - Integrated transport assessment may be ed to demonstrate compliance with this PO. Intersection ing will be determined based on the deceleration and queue	ii. intersecting road located on opposite side = 50 metres.
storaç	ge distances required for the intersection after considering e speed and present/forecast turning and through volumes.	b. Where the through road provides a sub-arterial function:

 i. intersecting road located on same side = 300 metres; ii. intersecting road located on opposite side = 	
150 metres.c. When the through road provides an arterial function:	
 i. intersecting road located on the same side = 500 metres; 	
 intersecting road located on opposite side = 250 metres. 	
Note - Based on the absolute minimum intersection spacing identified above, all turns access may not be permitted (ie. left in/left out only) at intersections with sub-arterial roads or arterial roads.	
Note - The road network is mapped on Overlay map - Road hierarchy.	
Note - An Integrated Transport Assessment (ITA) including preliminary intersection designs, prepared in accordance with Planning scheme policy - Integrated transport assessment may be required to demonstrate compliance with this PO	

Stormwater	
PO25	E25.1
Minor stormwater drainage systems (internal and external) have the capacity to convey stormwater flows from frequent storm events for the fully developed upstream catchment whilst ensuring pedestrian and	The capacity of all minor drainage systems are designed in accordance with Planning scheme policy - Integrated design.
vehicular traffic movements are safe and convenient.	E25.2
	Stormwater pipe network capacity is to be calculated in accordance with the Hydraulic Grade Line method as detailed in Australian Rainfall and Runoff or QUDM.
PO26	E26.1
Major stormwater drainage system(s) have the capacity to safely convey stormwater flows for the 1% AEP event for the fully developed upstream catchment.	The internal drainage system safely and adequately conveys the stormwater flows for the 1% AEP event for the fully developed upstream catchment through the site.
	E26.2
	The external (downstream) drainage system safely conveys the stormwater flows for the 1% AEP event for the fully developed upstream catchment without allowing the flows to encroach upon private lots.
	E26.3

PO30	E30.1
Note - A downstream drainage discharge report in accordance with Planning scheme policy - Stormwater management may be required to demonstrate achievement of this performance outcome.	
Stormwater generated from the development does not compromise the capacity of existing stormwater infrastructure downstream of the site.	
PO29	No example provided.
 Stormwater run-off from the site is conveyed to a point of lawful discharge without causing actionable nuisance to any person, property or premises. Note - Refer to Planning scheme policy - Integrated design for details. Note - A downstream drainage discharge report in accordance with Planning scheme policy - Stormwater management may be required to demonstrate achievement of this performance outcome. Note - A watercourse as defined in the Water Act may be accepted as a lawful point of discharge providing the drainage discharge from the site does not increase the downstream flood levels during events up to and including the 1% AEP storm. An afflux of +20mm may be accepted on Council controlled land and road infrastructure. No worsening is ensured when stormwater is discharged into a catchment that includes State Transport Infrastructure. 	
PO28	No example provided.
PO27 Provide measures to properly manage surface flows for the 1% AEP event (for the fully developed catchment) draining to and through the land to ensure no actionable nuisance is created to any person or premises as a result of the development. The development must not result in ponding on adjacent land, redirection of surface flows to other premises or blockage of a surface flow relief path for flows exceeding the design flows for any underground system within the development.	 The flow velocity in all unlined or soft faced open drains is kept within acceptable limits for the type of material or lining and condition of the channel. Note - Refer to QUDM for recommended average flow velocities. E27 The stormwater drainage system is designed and constructed in accordance with Planning scheme policy - Integrated design.
	Overland flow paths (for any storm event) from newly constructed roads and public open space areas do not pass through the development footprint.

Stormwater drainage pipes and structures through or within private land (including inter-allotment drainage) are protected by easements in favour of Council with sufficient area for practical access for maintenance purposes.	Stormwater drainage infrastructure (excluding detention and bio-retention systems) through or within private land (including inter-allotment drainage) is protected by easements in favour of Council. Minimum easement widths are as follows:	
Note - In order to achieve a lawful point of discharge, stormwater easements may also be required over temporary drainage channels/infrastructure where stormwater dams to a balance lot prior to entering Council's stormwater drainage system.	Pipe Diameter	Minimum easement width (excluding access requirements)
	Stormwater pipe up to 825mm diameter	3.0m
	Stormwater pipe up to 825mm diameter with sewer pipe up to 225m diameter	4.0m
	Stormwater pipe greater than 825mm diameter	Easement boundary to be 1m clear of the outside wall of the stormwater pipe (each side).
	Note - Additional easement width may be required in certain circumstances in order to facilitate maintenance access to the stormwater system.	
	Note - Refer to Planning scheme p C) for easement requirements or	policy - Integrated design (Appendix ver open channels.
	E30.2 Easements are provided over all headwalls and outles structures within private land. The easement is to conall drainage works and extend to the point where the stormwater flows return to natural flow conditions.	
PO31	No example provided.	
Stormwater management facilities (excluding outlets) are located outside of riparian areas and prevent increased channel bed and bank erosion.		
PO32	E32	
Council is provided with accurate representations of the completed stormwater management works within residential developments.	"As Built" drawings and specifications of the stormwater management devices certified by an RPEQ is provided Note - Documentation is to include:	
	a. photographic evidence an of approved underdrainag	d inspection date of the installation je;
	b. copy of the bioretention fil	lter media delivery dockets/quality materials comply with specifications
	c. date of the final inspection	ı.
	L	

PO33 The site and any existing structures are maintained in a tidy and safe condition. PO34	No example provided. E34.1
tidy and safe condition.	E34.1
PO34	E34.1
 All works on-site are managed to: a. minimise as far as practicable, impacts on adjoining or adjacent premises and the streetscape in regard to erosion and sedimentation, dust, noise, safety and light; b. minimise as far as possible, impacts on the natural environment; c. ensure stormwater discharge is managed in a manner that does not cause actionable nuisance to any person or premises; d. avoid adverse impacts on street trees and their critical root zone. 	 Works incorporate temporary stormwater runoff, erosion and sediment controls and trash removal devices designed in accordance with the Urban Stormwater Quality Planning Guidelines, State Planning Policy, Schedule 10 - Stormwater management and Planning scheme policy - Integrated design, including but not limited to the following: a. stormwater is not discharged to adjacent properties in a manner that differs significantly from pre-existing conditions; b. stormwater discharge to adjoining and downstream properties does not cause scour or erosion of any kind; c. stormwater discharge rates do not exceed pre-existing conditions; d. minimum design storm for all temporary diversion drains and sedimentation basins in accordance with Schedule 10 - Stormwater management design objectives; e. ponding or concentration of stormwater does not occur on adjoining properties. E34.2 Stormwater runoff, erosion and sediment controls are constructed in accordance with Planning scheme policy - Integrated design (Appendix C) prior to commencement of any clearing or earthworks and are maintained and adjusted as necessary at all times to ensure their ongoing effectiveness. Note - The measures are adjusted on-site to maximise their effectiveness. E34.4 E34.4

Existing street trees are protected and not damaged during works.
Note - Where development occurs in the tree protection zone, measures and techniques as detailed in Australian Standard AS 4970 Protection of trees on development sites are adopted and implemented.
E35
No dust emissions extend beyond the boundaries of the site during soil disturbances and construction works.
E36.1
Construction traffic including contractor car parking is controlled in accordance with a traffic management plan, prepared in accordance with the Manual of Uniform Traffic Control Devices (MUTCD) to ensure all traffic movements to and from the site are safe.
E36.2
All contractor car parking is either provided on the
development site, or on an alternative site in the general locality which has been set aside for car parking. Contractors vehicles are generally not to be parked in existing roads.
E36.3 Any material dropped, deposited or spilled on the road(s)
as a result of construction processes associated with the site are to be cleaned at all times.
E36.4
Construction traffic to and from the development site
uses the highest classification streets or roads where a choice of access routes is available. Haul routes for the transport of imported or spoil material and gravel pavement material along Council roads below sub-arterial standard must be approved routes.
Note - The road hierarchy is mapped on Overlay map - Road hierarchy.
Note - A dilapidation report may be required to demonstrate compliance with this E.
E36.5
Where works are carried out in existing roads, the works must be undertaken so that the existing roads are maintained in a safe and usable condition. Practical

	access for residents, visitors and services (including postal deliveries and refuse collection) is retained to existing lots during the construction period and after completion of the works. Note - A traffic control plan prepared in accordance with the Manual of Uniform Traffic Control Devices (MUTCD) will be required for any works that will affect access, traffic movements or traffic safety in existing roads.
	E36.6 Access to the development site is obtained via an existing lawful access point.
PO37	E37
All disturbed areas are to be progressively stabilised during construction and the entire site rehabilitated and substantially stabilised at the completion of construction. Note - Refer to Planning scheme policy - Integrated design for details.	 At completion of construction all disturbed areas of the site are to be: a. topsoiled with a minimum compacted thickness of fifty (50) millimetres; b. stabilised using turf, established grass seeding, mulch or sprayed stabilisation techniques. Note - These areas are to be maintained during any maintenance period to maximise grass coverage.
PO38	E38
Earthworks are undertaken to ensure that soil disturbances are staged into manageable areas. Note - A site specific Erosion and Sediment Control Plan (ESCP) will be required to demonstrate compliance with this PO. An ESCP is to be prepared in accordance with Planning scheme policy - Stormwater management and Planning scheme policy - Integrated design (Appendix C).	Soil disturbances are staged into manageable areas of not greater than 3.5 ha.
PO39	E39.1
 The clearing of vegetation on-site: a. is limited to the area of infrastructure works, building areas and other necessary areas for the works; and b. includes the removal of declared weeds and other materials which are detrimental to the intended use of the land; 	All native vegetation to be retained on-site is temporarily fenced or protected prior to and during development works. Note - No parking of vehicles or storage of machinery or goods is to occur in these areas during development works.
 c. is disposed of in a manner which minimises nuisance and annoyance to existing premises. 	E39.2 Disposal of materials is managed in one or more of the following ways:
Note - No burning of cleared vegetation is permitted.	


	a. all cleared vegetation, declared weeds, stumps, rubbish, car bodies, scrap metal and the like are removed and disposed of in a Council land fill
	facility; orb. all native vegetation with a diameter below 400mm is to be chipped and stored on-site.
	Note - The chipped vegetation must be stored in an approved location.
PO40	E40
All development works are carried out at times which minimise noise impacts to residents.	All development works are carried out within the following times:
	a. Monday to Saturday (other than public holidays) between 6:30am and 6:30pm on the same day;
	b. no work is to be carried out on Sundays or public holidays.
	Note - Work outside the above hours may be approved (in writing) where it can be demonstrated that the work will not cause significant inconvenience or disruption to the public, or the work is unlikely to cause annoyance or inconvenience to occupants of adjacent properties.
PO41	No example provided.
Any alteration or relocation in connection with or arising from the development to any service, installation, plant, equipment or other item belonging to or under the control of the telecommunications authority, electricity authorities, the Council or other person engaged in the provision of public utility services is to be carried with the development and at no cost to Council.	


Earthworks		
PO4	12	E42.1
	site earthworks are designed to consider the visual amenity impact as they relate to:	All cut and fill batters are provided with appropriate scour, erosion protection and run-off control measures including catch drains at the top of batters and lined batter drains
a.	the natural topographical features of the site;	as necessary.
b.	short and long-term slope stability;	
C.	soft or compressible foundation soils;	E42.2 Stabilisation measures are provided, as necessary, to
d.	reactive soils;	ensure long-term stability and low maintenance of steep slopes and batters.
e.	low density or potentially collapsing soils;	
		E42.3

f. existing fill and soil contamination that may exist on-site;	Inspection and certification of steep slopes and batters is required by a suitably qualified and experienced RPEQ.
g. the stability and maintenance of steep slopes and batters;	E42.4
h. excavation (cut) and fill and impacts on the amenity of adjoining lots (e.g. residential).	All fill batters steeper than 1 (V) in 6 (H) on residential lots are fully turfed to prevent scour and erosion.
	E42.5
	All filling or excavation is contained on-site and is free draining.
	E42.6
	All fill placed on-site is:
	a. limited to that area necessary for the approved use;
	b. clean and uncontaminated (i.e. no building waste, concrete, green waste, actual acid sulfate soils, potential acid sulfate soils or contaminated material etc.).
	E42.7
	The site is prepared and the fill placed on-site in accordance with AS3798.
	Note - The fill is to be inspected and tested in accordance with Planning scheme policy - Operational works inspection, maintenance and bonding procedures.
PO43	E43
Embankments are stepped, terraced and landscaped to not adversely impact on the visual amenity of the	Any embankments more than 1.5 metres in height are stepped, terraced and landscaped.
surrounding area.	Figure - Embankment
	Somm min set somm min set somm min set somm set somm min set somm set somm set somm set somm set somm set somm set som set s som set s som set s som set som set som set som set som set som set s som set s som set s som set s som set s s sot s s sot sot
PO44	E44.1
Filling or excavation is undertaken in a manner that:	No filling or excavation is undertaken in an easement issued in favour of Council or a public sector entity.

a.	does not adversely impact on a Council or public sector entity maintained infrastructure or any drainage feature on, or adjacent to the land;	Note - Public sector entity is defined in Schedule 2 of the Act.
h		E44.2
b.	does not preclude reasonable access to a Council or public sector entity maintained infrastructure or any drainage feature on, or adjacent to the land for monitoring, maintenance or replacement purposes.	Filling or excavation that would result in any of the following is not carried out on-site:
Note	e - Public sector entity is defined in Schedule 2 of the Act.	 a reduction in cover over any Council or public sector entity infrastructure service to less than 600mm;
		 an increase in finished surface grade over, or within 1.5m on each side of, the Council or public sector entity infrastructure above that which existed prior to the earthworks being undertaken;
		c. prevent reasonable access to Council or public sector entity maintained infrastructure or any drainage feature on, or adjacent to the site for monitoring, maintenance or replacement purposes.
		Note - Public sector entity is defined in Schedule 2 of the Act.
		Note - All building work covered by QDC MP1.4 is excluded from this provision.
PO4	5	E45.1
	g or excavation does not cause any adverse impacts tility services or on-site effluent disposal areas.	The area subject to filling or excavation does not contain any utility services.
		E45.2
		The distance between the top water level of a private dam and the irrigation area of a household sewage treatment plant (secondary treatment) is 30.0 metres.
		E45.3
		The distance between the top water level of a private dam and the irrigation area of a septic trench (primary treatment) is 50.0 metres.
		Note - Refer to the Water Quality Vision and Objectives contained in the Seqwater Development Guidelines: Development Guidelines for Water Quality Management in Drinking Water Catchments 2017 where contained within water resource area and water supply buffer area.
PO4	6	No example provided.

Note - Steep slopes and batters are inspected and certified for long-term stability by a suitably qualified and experienced geotechnical engineer with RPEQ qualifications. Stabilisation measures are provided, as necessary, to ensure long-term stability and low maintenance.	
 PO47 Filling or excavation does not result in: a. adverse impacts on the hydrological and hydraulic capacity of the waterway or floodway; b. increased flood inundation outside the site; c. any reduction in the flood storage capacity in the floodway; d. any clearing of native vegetation. Note - To demonstrate compliance with this outcome, Planning Scheme Policy - Stormwater Management provides guidance on the preparation of a site based stormwater management plan by a suitably qualified professional. Refer to Planning scheme policy - Integrated design for guidance on infrastructure design and modelling requirements. 	No example provided.
PO48 Filling or excavation on the development site is undertaken in a manner which does not create or accentuate problems associated with stormwater flows and drainage systems on land adjoining the site.	 E48 Filling and excavation undertaken on the development site are shaped in a manner which does not: a. prevent stormwater surface flow which, prior to commencement of the earthworks, passed onto the development site, from entering the land; or b. redirect stormwater surface flow away from existing flow paths; or c. divert stormwater surface flow onto adjacent land, (other than a road), in a manner which: i. concentrates the flow; or ii. increases the flow rates of stormwater over the affected section of the adjacent land above the situation which existed prior to the diversion; or iii. causes actionable nuisance to any person, property or premises.
PO49 All earth retaining structures provide a positive interface with the streetscape and minimise impacts on the amenity of adjoining residents.	 E49 Earth retaining structures: a. are not constructed of boulder rocks or timber; b. where height is no greater than 900mm, are provided in accordance with Figure - Retaining on a boundary;





Use specific criteria		
Animal keeping ⁽⁵⁾ for catteries and kennels		
PO50		No example provided.
Development for a	a cattery and kennel ensures that:	
dominant, ov detached, lo	cale and design not visually verbearing or inconsistent with w density, low built form character n the Rural zone;	
screened to	tly landscaped, fenced and reduce the visual appearance of ructures, storage and parking	
noise from b developmen	g and construction prevents animal eing clearly audible beyond the t site and does not create a to residents on adjoining and properties;	
	ncluding runs, are located a 0m from all property boundaries;	
minimum he	ufficient height and depth, being a ight of 1.8m and minimum depth rovided to prevent animals	
Dwelling house ⁽²²⁾		
PO51		E51
Development doe exceeding more th	s not result in residential density nan one dwelling house ⁽²²⁾ per lot.	Residential density does not exceed one dwelling house ⁽²²⁾ per lot.

PO	52	E52
Heig a. b. c. d.	 ght of buildings and structures: is consistent with the existing low rise, open area and low density character and amenity of the Rural zone and its precincts; does not unduly impact on access to daylight, sunlight, overshadowing or privacy experienced by adjoining premises; for buildings in the Hamlet precinct, the height of buildings reflect the individual character of the area; does not adversely affect the operation of aviation facility at Mt Glorious (refer Overlay map - Infrastructure buffers) by adopting design or on-site management measures that: i. ensures a physical line-of-sight between transmitting or receiving devices. ii. ensure electromagnetic fields do not interfere with the functioning of the aviation facility. 	Building height and all structures do not exceed the maximum height identified on Overlay map - Building heights; except in the Hamlet precinct, where outbuildings, free standing car ports or garages do not exceed 3.5m.
aviation facility. PO53 For those properties within the catchments of Lake Samsonvale or Lake Kurwongbah, dwelling houses ⁽²²⁾ , outbuildings and their associated waste/effluent disposal areas are positioned in a manner which avoids adverse impacts on the water quality of those lakes.		 E53.1 For Lake Samsonvale or Lake Kurwongbah, a setback of no less than 400m is maintained between the following nominated full supply levels to those lakes and any dwelling house⁽²²⁾ or outbuilding on the land:- a. RL 39.63m AHD being the full supply level to Lake Samsonvale; and b. RL 21m AHD being the full supply level to Lake Kurwongbah. OR No part of any dwelling house⁽²²⁾ or outbuilding on Lot 5 RP111651 or Lot 10 RP111653 or Lot 8 RP111268 is any closer than 80m to the full supply level of RL 21m AHD to Lake Kurwongbah. E53.2 Waste/effluent disposal systems are located at least:-

		iv. in the Agriculture precinct - 100m ² ;
		v. in the Rural living investigation precinct - 100m ² .
		 obtains access from the existing driveway giving access to the dwelling house⁽²²⁾.
		Note - In the Cedarton Foresters Cooperative and Mt Nebo plant nursery precinct, no secondary dwellings are permitted as part of the Land Management Plan.
Edu	cation establishment for agricultural education	on or agricultural training facilities
PO5	57	No example provided.
An e	education establishment:	
a.	is for the purpose of agricultural education or agricultural training training only;	
b.	does not cause nuisance, detract or conflict with the primary role and associated Event Management Plans on land in the nearby Community facility zone, when occurring at the same time as an event occurring on that land. Such issues include, but are not limited to, noise, waste generation and disposal, traffic generation, location of and to sensitive land uses;	
C.	is limited in size and scale and do not have adverse impacts on the low-set built form, low density, open area character and amenity of the Rural zone, including considerations to the impact of noise, traffic, and on-site waste disposal;	
d.	avoids locating in area of high quality cropping ⁽¹⁹⁾ land as identified in the Agriculture precinct;	
e.	avoids establishing on land subject to a flooding risk, or where avoidance is not possible, identify measures to be taken mitigate any potential risk to property and life;	
f.	ensures vehicle parking and storage areas are to be screened from public view to minimise adverse visual impacts on rural character;	

g.	does not degrade or compromise the visual, natural, biological and ecological values associated with vegetated areas or adversely impact upon water quality;	
h.	does not adversely impact on the safe and efficient operation of the external road network.	
Foo	d and drink outlet ⁽²⁸⁾	
PO	58	No example provided.
Food and drink outlets ⁽²⁸⁾ :		
a.	are of a size, scale and type that is not visually dominant, overbearing or inconsistent with the low density, open area character and built form anticipated in a Rural zone;	
b.	do not comprise a drive-through facility;	
C.	incorporate materials, colours and finishes that allow buildings and structures to be viewed as a consistent and compatible component of the rural landscape.	
Hor	ne based business ⁽³⁵⁾	
PO59		E59.1
Dev a.	elopment : is subordinate in size and function of the primary use of the dwelling as a permanent	Home based business ⁽³⁵⁾ (s) are fully contained within a dwelling or on-site structure, except for a home based child care facility.
	residence;	 E59.2
b.	does not adversely impact upon the low density, low intensity built form and open area character and amenity for the locality;	Except in the Hamlet precinct, the maximum total use area is 100m ² .
C.	ensures the nature, scale and intensity of the home based business does not result in	In the Hamlet precinct, the maximum total use area is 40m ² .
	adverse visual or nuisance impacts on the residents in adjoining or nearby dwellings;	E59.3
d.	results in a vehicular and pedestrian traffic generation consistent with that reasonably expected in the surrounding low density, low intensity built form and open area character and amenity for the Rural zone;	Up to 2 additional non-resident , either employees or customers, are permitted on the site at any one time, except where involving the use of heavy vehicles, where no employees are permitted.
e.	store no more heavy vehicles, trailer and motor	E59.4
		Except in the Hamlet precinct, the maximum number of heavy

	b. 1 trailer	a. 1 heavy vehicle
	c. 3 motor vehicles.	b. 1 trailer
f.	in the Hamlet precinct, no heavy vehicles, trailers and motor vehicles are stored or parked on-site. Only 1 Small rigid vehicle (SRV) is permitted to be parked or stored on-site.	 c. Up to 3 motor vehicles. In the Hamlet Precinct, no heavy vehicles, trailers and motor vehicles are stored or parked on-site. Only 1 small rigid vehicle is permitted to be parked or stored on-site.
POe	60	E60
hav	hours of operation do not cause a nuisance or e a significant adverse impact on the amenity of dents on adjoining and surrounding properties.	 Hours of operation to be restricted to 8.00am to 6.00pm Monday to Saturdays and are not open to the public on Sunday's, Christmas Day, Good Friday and Anzac Day, except for: a. bed and breakfast or farm stay business which may operate on a 24 hour basis; b. office or administrative activities that do not generate non-residents visiting the site, such as book keeping and computer work; c. starting and warming up of heavy vehicles, which can commence at 7.00am.
POe	61	E61.1
Hon a.	ne based business ⁽³⁵⁾ does not result in: an adverse visual, odour, particle drift or noise nuisance impact on the residents in adjoining	Home based business ⁽³⁵⁾ (es) do not comprise of vehicle servicing or major repairs, including spray painting or panel beating is carried out on-site.
	or nearby dwellings;	E61.2
b. с.	an adverse impact upon the low intensity and open area character and amenity anticipated in the locality; the establishment of vehicle servicing or major	Home based business ⁽³⁵⁾ (es) do not comprise an environmentally relevant activity (ERA) as defined in the <i>Environmental Protection Regulation 2008.</i>
	repairs, spray painting, panel beating or any environmentally relevant activity (ERA).	E61.3
		Activities associated with the use do not cause a nuisance by way of aerosols, fumes, light, noise, odour, particles or smoke.
PO62		E62.1
On-site display and sale component is limited to the activities undertaken on the site and does not result in:		Only goods grown, produced or manufactured on-site are sold from the site.
a.	the display and sale of goods being viewed	E62.2
b.	from beyond the site; the overall development on the site having a predominantly commercial appearance.	Display of goods grown, produced or manufactured on-site are contained within a dwelling or on-site structure and the display of goods is not visible from the boundary of the site.

PO63		E63		
Bed and breakfast and farmstays are of a size and scale that:		For bed and breakfast and farmstays:		
a.	are consistent with the low intensity and open area character and amenity of the Rural zone;	 overnight accommodation is provided in the dwelling house⁽²²⁾ of the accommodation operator. 		
b.	ensures acceptable levels of privacy and amenity for the residents in adjoining or nearby dwellings.	 maximum 4 bedrooms are provided for a maximum of 10 guests. 		
		c. meals are served to paying guests only.		
		d. rooms do not contain food preparation facilities.		
Inter	nsive animal industry ⁽³⁹⁾			
PO6	4	E64		
To manage potential adverse noise, dust, odour, water quality and visual amenity impacts on sensitive land uses, intensive animal industry ⁽³⁹⁾ , including stockpiles and compost piles are setback as per the applicable guideline:		To manage potential adverse noise, dust, odour, water quality and visual amenity impacts on adjoining and surrounding sites and sensitive land uses, intensive animal industry ⁽³⁹⁾ , including temporary litter stockpiles and compost piles are setback a minimum distance as follows:		
•	Queensland Guidelines for Meat Chicken Farms 2012	a. all site boundaries - 300m;		
•	Reference Manual for the Establishment and	 where a site boundary adjoins a Residential or Rural-residential zone boundary - 500m; 		
	Operation of Beef Cattle Feedlots in Queensland	c. from a waterway - 100m.		
•	Interim Guideline - Sheep Feedlot Assessment in Queensland May 2010 National Environmental Guidelines for Piggeries 2nd Edition (revised) 2010.	Figure - Intensive animal industry separation distances		
		All Separation Distances Contained Wholly Within the Intensive Animal Industry Lot.		
		Intenstive Animal Industry Activities		
		Note - Where a road reserve adjoins an intensive animal industry ⁽³⁹⁾ , the road reserve shall not form part of the separation distance as identified in diagram above.		
Major electricity infrastructure ⁽⁴³⁾ , Substation ⁽⁸⁰⁾ and Utility installation ⁽⁸⁶⁾				
PO65		E65.1		

	 development does not have an adverse impact he visual amenity of a locality and is: high quality design and construction; visually integrated with the surrounding area; not visually dominant or intrusive; located behind the main building line; below the level of the predominant tree canopy or the level of the surrounding buildings and structures; camouflaged through the use of colours and materials which blend into the landscape; 	 Development is designed to minimise surrounding land use conflicts by ensuring infrastructure, buildings, structures and other equipment: a. are enclosed within buildings or structures; b. are located behind the main building line; c. have a similar height, bulk and scale to the surrounding fabric; d. have horizontal and vertical articulation applied to all exterior walls.
g. h. i.	treated to eliminate glare and reflectivity; landscaped; otherwise consistent with the amenity and character of the zone and surrounding area.	A minimum 3m wide strip of dense planting is provided around the outside of the fenced area, between the development and street frontage, side and rear boundaries.
PO66 Infrastructure does not have an impact on pedestrian health and safety.		 E66 Access control arrangements: a. do not create dead-ends or dark alleyways adjacent to the infrastructure; b. minimise the number and width of crossovers and entry points; c. provide safe vehicular access to the site; d. do not utilise barbed wire or razor wire.
with to e	57 Inctivities associated with the development occur in an environment incorporating sufficient controls insure the facility generates no audible sound at site boundaries where in a residential setting.	E67 All equipment which produces audible or non-audible sound is housed within a fully enclosed building incorporating sound control measures sufficient to ensure no noise from this equipment can be heard, or felt at the site boundary of a sensitive land use.
Mar	kets ⁽⁴⁶⁾	
	kets ⁽⁴⁶⁾ are located and laid out in a manner that rides for: convenient pedestrian access and movement between proposed stalls;	No example provided.

b.	view corridors and legibility between stalls to adjacent roads, directional and information signage and surrounding uses;			
C.	pedestrian comfort and safety, including the provision of public toilet facilities;			
d.	waste and rubbish disposal facilities appropriate to the type and scale of the proposed market ⁽⁴⁶⁾ ;			
e.	emergency vehicle access to and within the market ⁽⁴⁶⁾ ;			
f.	safe, convenient and accessible car parking is provided to meet demand.			
Natu	ure-based tourism			
PO6	9	No example provided.		
Development associated with nature-based tourism ⁽⁵⁰⁾ :				
a.	is not, or does not act, as a permanent place of residence for persons where a typical period of time does not exceed 3 consecutive months;			
b.	is of a size, scale, intensity and design that minimises the potential for adverse noise, visual, privacy and traffic impacts on adjoining or nearby residents;			
C.	is of a size, scale, intensity and design that is consistent with the low intensity, low -set built form and open area character and amenity anticipated for the Rural zone;			
d.	provides suitable open space, buildings and facilities that meet the recreational, social and amenity needs of people staying on-site;			
e.	provides landscape buffer along adjoining property boundaries to fully screen activities occurring on the site;			
f.	where located within the catchments of Lake Samsonvale or Lake Kurwongbah, nature-based tourism buildings and their associated waste/effluent disposal areas are positioned in a manner which avoids adverse impacts on the water quality of those lakes.			
Non-resident workforce accommodation ⁽⁵²⁾				
PO7	0	No example provided.		
Development associated with non-resident workforce accommodation ⁽⁵²⁾ :				

		1
a.	provides accommodation for rural workers only and is not advertised or used for the purpose	
	of accommodating general travellers or tourists.	
b.	is not, or does not act, as a permanent place of residence for persons where a typical period of time does not exceed 3 consecutive months;	
C.	is of a size, scale, intensity and design that minimises the potential for adverse noise, visual, privacy and traffic impacts on adjoining or nearby residents;	
d.	is of a size, scale, intensity and design that is consistent with the low intensity, low-set built form and open area character and amenity anticipated for the Rural zone;	
e.	provides suitable open space, buildings and facilities that meet the recreational, social and amenity needs of people staying on-site;	
f.	provides landscape buffer along adjoining property boundaries to fully screen activities occurring on the site;	
g.	where located within the catchments of Lake Samsonvale or Lake Kurwongbah, Non-resident workforce accommodation buildings and their associated waste/effluent disposal areas are positioned in a manner which avoids adverse impacts on the water quality of those lakes.	
Par	king station ⁽⁵⁸⁾	
POT	71	No example provided.
Par	king station ⁽⁵⁸⁾ :	
a.	is limited to supporting an event occurring on nearby Community facility zoned land;	
b.	achieves a high level of connectivity for	
	pedestrians to the Community facilities zone;	
C.	pedestrians to the Community facilities zone; does not cause nuisance, detract or conflict with the primary role and associated Event Management Plans on land in the nearby Community facility zone, when occurring at the same time as an event occurring on that land;	
c. d.	does not cause nuisance, detract or conflict with the primary role and associated Event Management Plans on land in the nearby Community facility zone, when occurring at the	

f.	avoids establishing on land subject to a flooding risk, or where avoidance is not possible, identify measures to be taken mitigate any potential risk to property and life; and	
g.	does not adversely impact on the safe and efficient operation of the external road network.	
Per	manent plantation ⁽⁵⁹⁾	
PO	72	No example provided.
Plar	nting for permanent plantation ⁽⁵⁹⁾ purposes:	
i.	only comprises native species endemic to the area;	
ii.	is sufficiently set back from property boundaries to avoid adverse impacts on adjoining properties such as shading, fire risk, health and safety.	
Roa	adside stall ⁽⁶⁸⁾	
PO	73	E73
A ro	badside stall ⁽⁶⁸⁾ :	For a roadside stall ⁽⁶⁸⁾ :
a.	comprises only one roadside stall ⁽⁶⁸⁾ per property;	a. no more than one roadside stall ⁽⁶⁸⁾ per property;
b.	only offers goods grown, produced or manufactured on the site;	 b. goods offered for sale are only goods grown, produced or manufactured on the site;
C.	is of a size and in a location that will not result in nuisance, or have a significant adverse impact on the amenity, for residents on adjoining and surrounding properties.	 c. the maximum area associated with a roadside stall⁽⁶⁸⁾, including any larger separate items displayed for sale, does not exceed 20m².
PO	74	E74
A ro	padside stall ⁽⁶⁸⁾ is designed and located to:	Roadside stall ⁽⁶⁸⁾ :
a.	ensure safe and accessible access, egress and on-site parking;	 a. obtains vehicle access from a road classified as an Arterial or Sub-Arterial (see Overlay Map - Road hierarchy);
b.	ensure safe and efficient functioning of roads.	 provide car parking for 2 vehicles off the road carriage and located on the property;
		c. is located no closer than 100m from an intersection.
Rur	al workers' accommodation	
PO	75	No example provided.
Rur	al workers accommodation ⁽⁷¹⁾ :	

a.	provide quarters only for staff employed to work the land for rural purposes;	
b.	is of a size, scale and design not visually dominant, overbearing and inconsistent with detached, low density, open area character and low intensity built form anticipated in the Rural zone;	
c.	is screened and landscaped in a manner so it is not visible from a road;	
d.	is of a size, scale, intensity and design that minimises the potential for adverse noise, visual, privacy and traffic impacts on adjoining or nearby residents	
e.	where located within the catchments of Lake Samsonvale or Lake Kurwongbah, Rural worker's accommodation buildings and their associated waste/effluent disposal areas are positioned in a manner which avoids adverse impacts on the water quality of those lakes.	
Sale	es office ⁽⁷²⁾	
P07	6	E76
Sales office ⁽⁷²⁾ remain temporary in duration and demonstrates a relationship to the land or buildings being displayed or sold.		A sales office is located on the site for no longer than 2 years.
Sho	rt-term accommodation ⁽⁷⁷⁾	
PO7	7	No example provided.
Deve accc	elopment associated short-term ommodation ⁽⁷⁷⁾ :	
a.	is not, or does not act, as a permanent place of residence for persons where a typical period	
1	of time does not exceed 3 consecutive months;	
b.	of time does not exceed 3 consecutive months; is of a size, scale, intensity and design that minimises the potential for adverse noise, visual, privacy and traffic impacts on adjoining or nearby residents;	
b. c.	is of a size, scale, intensity and design that minimises the potential for adverse noise, visual, privacy and traffic impacts on adjoining	

e. provides landscape buffer along adjoining property boundaries to fully screen activities occurring on the site;	
f. where located within the catchments of Lake Samsonvale or Lake Kurwongbah, short-term accommodation buildings and their associated waste/effluent disposal areas are positioned in a manner which avoids adverse impacts on the water quality of those lakes.	
Telecommunications facility ⁽⁸¹⁾	
that will not cause human exposure to electromagnetic radiation	nmunications facilities ⁽⁸¹⁾ must be constructed and operated in a manner beyond the limits outlined in the Radiocommunications (Electromagnetic on Standard for Maximum Exposure Levels to Radiofrequency Fields - 3Khz
P078	E78.1
Telecommunications facilities ⁽⁸¹⁾ are co-located with existing telecommunications facilities ⁽⁸¹⁾ , Utility installation ⁽⁸⁶⁾ , Major electricity infrastructure ⁽⁴³⁾ or Substation ⁽⁸⁰⁾ if there is already a facility in the same	New telecommunication facilities are co-located on existing towers with new equipment shelter and associated structures positioned adjacent to the existing shelters and structures.
coverage area.	E78.2
	If not co-located with an existing facility, all co-location opportunities have been investigated and fully exhausted within a 2km radius of the site.
P079	E79
A new Telecommunications facility ⁽⁸¹⁾ is designed and constructed to ensure co-masting or co-siting with other carriers both on the tower or pole and at ground level is possible in the future.	A minimum area of 45m ² is available to allow for additional equipment shelters and associated structures for the purpose of co-locating on the proposed facility.
PO80	E80
Telecommunications facilities ⁽⁸¹⁾ do not conflict with lawful existing land uses both on and adjoining the site.	The development results in no net reduction in the minimum quantity and standard of landscaping, private or communal open space or car parking spaces required under the planning scheme or under an existing development approval.
PO81	E81.1
The Telecommunications facility ⁽⁸¹⁾ does not have an adverse impact on the visual amenity of a locality and is:	Where in an urban area, the development does not protrude more than 5m above the level of the existing treeline, prominent ridgeline or building rooftops in the surrounding townscape.
a. high quality design and construction;	
b. visually integrated with the surrounding area;	E81.2
c. not visually dominant or intrusive;	In all other areas towers do not exceed 35m in height.

6 Zones

 below the level of the predominant rec canopy of the level of the surrounding buildings and structures; camouflaged through the use of colours and materials which blend into the landscape; camouflaged through the use of colours and materials which blend into the landscape; treated to eliminate glare and reflectivity; landscaped; otherwise consistent with the amenity and character of the zone and surrounding area. Bet 4 All structures and buildings are setback behind the main building line and a minimum of 10m from side and rear boundaries, except where in the Industry and Extractive industry zones, the minimum side and rear setback is 3m. Where there is no established building line the facility is located at the rear of the site. E81.6 The facility is enclosed by security fencing or by other means to ensure public access is prohibited. E81.6 A minimum 3m wide strip of dense planting is provided around the perimeter of the faced area, between the facility and street frontage and adjoining uses. Note - Landscaping is provided in accordance with Planning scheme policy - integrated design. Note - Council may require a detailed landscaping plan, prepared by a suitably qualified perior, to ensure compliance with Planning scheme policy - integrated design. PO82 An Access and Landscape Plan demonstrates how 24 hour vincludar access will be obtained and maintained to the facility in a manner that is appropriate to the site's context. PO83 All activities associated with the development cocurry within an environment incorporating sufficient controits on sufficient score on sufficient controits to ensure the facility generates no audible sourd structures audited in anotactions facility⁽⁸¹⁾ PO83 All equipment comprising the Telecommunications facility⁽⁸			
or the level of the surrounding buildings and structures; of a design, colour and material to: a. reduce recognition in the landscape; a. reduce recognition in the landscape; g. treated to eliminate glare and reflectivity; i.a.discaped; i. otherwise consistent with the amenity and character of the zone and surrounding area. E81.4 All structures and buildings are setback behind the main building line and a minimum of 10m from side and rear boundaries, except where in the Industry and Extractive industry zones, the minimum side and rear setback is 3m. Where there is no established building line the facility is located at the rear of the site. E81.5 The facility is enclosed by security fencing or by other means to ensure public access is prohibited. E81.6 A minimum 3m wide strip of dense planting is provided around the perimeter of the face area, between the facility and street forotage and adjoining uses. Note - Landscaping is provided in accordance with Planning scheme policy - integrated design. Note - Council may require a detailed landscaping plan, prepared by a suitably qualified persori, to ensure compliance with Planning scheme policy - integrated design. PO82 E82 All activities associated with the development occurr within an environment incorporating sufficient controit to ensure the facility generates no audible son a bused within a the propriate to the site's context. PO83 All equipment comprising the Telecommunications facility ⁽⁴³⁾	d. locat	ted behind the main building line;	E81.3
Lawful access is maintained to the site at all times that does not alter the amenity of the landscape or surrounding uses.An Access and Landscape Plan demonstrates how 24 hour vehicular access will be obtained and maintained to the facility in a manner that is appropriate to the site's context.PO83E83All activities associated with the development occur within an environment incorporating sufficient controls to ensure the facility generates no audible sound at the site boundaries where in a residential setting.E83Tourist park (84)No example provided.	 e. belov or th struct f. came mate g. treat h. lands i. othe 	w the level of the predominant tree canopy the level of the surrounding buildings and ctures; ouflaged through the use of colours and erials which blend into the landscape; ted to eliminate glare and reflectivity; scaped; wrwise consistent with the amenity and	of a design, colour and material to: a. reduce recognition in the landscape; b. reduce glare and reflectivity. E81.4 All structures and buildings are setback behind the main building line and a minimum of 10m from side and rear boundaries, except where in the Industry and Extractive industry zones, the minimum side and rear setback is 3m. Where there is no established building line the facility is located at the rear of the site. E81.5 The facility is enclosed by security fencing or by other means to ensure public access is prohibited. E81.6 A minimum 3m wide strip of dense planting is provided around the perimeter of the fenced area, between the facility and street frontage and adjoining uses. Note - Landscaping is provided in accordance with Planning scheme policy - Integrated design.
that does not alter the amenity of the landscape or surrounding uses. vehicular access will be obtained and maintained to the facility in a manner that is appropriate to the site's context. P083 E83 All activities associated with the development occur within an environment incorporating sufficient controls to ensure the facility generates no audible sound at the site boundaries where in a residential setting. E83 All equipment comprising the Telecommunications facility ⁽⁸¹⁾ which produces audible or non-audible sound is housed within a fully enclosed building incorporating sound control measures sufficient to ensure no noise from this equipment can be heard, or felt at the site boundary. Tourist park ⁽⁸⁴⁾ No example provided.	PO82		E82
All activities associated with the development occur within an environment incorporating sufficient controls to ensure the facility generates no audible sound at the site boundaries where in a residential setting. Tourist park ⁽⁸⁴⁾ PO84 No example provided.	that does	not alter the amenity of the landscape or	vehicular access will be obtained and maintained to the facility
within an environment incorporating sufficient controls to ensure the facility generates no audible sound at the site boundaries where in a residential setting. which produces audible or non-audible sound is housed within a fully enclosed building incorporating sound control measures sufficient to ensure no noise from this equipment can be heard, or felt at the site boundary. Tourist park ⁽⁸⁴⁾ PO84 No example provided.	PO83		E83
PO84 No example provided.	within an e to ensure	environment incorporating sufficient controls the facility generates no audible sound at	a fully enclosed building incorporating sound control measures sufficient to ensure no noise from this equipment
	Tourist pa	ark ⁽⁸⁴⁾	
Development associated with a tourist park ⁽⁸⁴⁾ :	PO84		No example provided.
	Developm	nent associated with a tourist park ⁽⁸⁴⁾ :	

 a. is not, or does not act, as a permanent place of residence for persons where a typical period of time does not exceed 3 consecutive months; b. is of a size, scale, intensity and design that minimises the potential for adverse noise, visual, privacy and traffic impacts on adjoining or nearby residents; c. is of a size, scale, intensity and design that is consistent with the low intensity, low -set built form and open area character and amenity anticipated for the Rural zone; d. provides suitable open space, buildings and facilities that meet the recreational, social and amenity needs of people staying on-site; e. provides landscape buffer along adjoining property boundaries to fully screen activities occurring on the site. 	
 minimises the potential for adverse noise, visual, privacy and traffic impacts on adjoining or nearby residents; c. is of a size, scale, intensity and design that is consistent with the low intensity, low -set built form and open area character and amenity anticipated for the Rural zone; d. provides suitable open space, buildings and facilities that meet the recreational, social and amenity needs of people staying on-site; e. provides landscape buffer along adjoining property boundaries to fully screen activities 	
 consistent with the low intensity, low -set built form and open area character and amenity anticipated for the Rural zone; d. provides suitable open space, buildings and facilities that meet the recreational, social and amenity needs of people staying on-site; e. provides landscape buffer along adjoining property boundaries to fully screen activities 	
 facilities that meet the recreational, social and amenity needs of people staying on-site; e. provides landscape buffer along adjoining property boundaries to fully screen activities 	
property boundaries to fully screen activities	
Transport depot ⁽⁸⁵⁾	
PO85 E85.1	
Development ensures that: Development, including all vehicle parking, drive wa	
a. it does not adversely impact upon the low density, low intensity built form and open area character and amenity for the locality;	У
 b. the scale and intensity of the development does not result in adverse visual or nuisance impacts on the residents in adjoining or nearby dwellings, and when viewed from the road; E85.2 The maximum number of heavy vehicles, trailers an vehicles stored on-site is as follows: 	nd motor
 a. 4 heavy vehicles; c. vehicular movements are consistent with that b. 4 trailers; 	
reasonably expected in the surrounding low density, low intensity built form and open area character and amenity for the Rural zone.	
PO86 E86	
Development does not include the establishment of vehicle servicing, major repairs, spray painting, panel beating on a site.	painting
PO87 E87	
PO87 E87 Development is suitably screened to ensure adverse visual impacts on the residents in adjoining or nearby dwellings are minimised. Vehicle parking areas, vehicle standing areas and or storage areas of plant and equipment are screened adjoining sites by either planting, wall(s), fence(s) or combination to at least 1.8m in height along the length to sereas.	from fra

P088	В	E88
Arter suital heav	elopment gains access to a State Arterial, ial or Sub-Arterial road as they are roads of a ble construction standard to accommodate y vehicles. Access to roads of a lesser ification are avoided.	The site obtains vehicle access from a road classified as a State Arterial, Arterial or Sub-Arterial (see Overlay Map - Road hierarchy).
Vete	rinary service ⁽⁸⁷⁾	I
P089	9	No example provided.
Deve	elopment for veterinary services ⁽⁸⁷⁾ :	
a.	are for veterinary care, surgery, treatment and overnight stay of animals only;	
	are of a size, scale and design not visually dominant, overbearing and inconsistent with detached, low density, open area character and low intensity built form anticipated in the Rural zone;	
C.	are landscaped, fenced and screened in a manner to reduce the visual appearance of buildings, structures, storage and parking areas;	
d.	has vehicle access from a road classified as a State Arterial, Arterial or Sub-Arterial (see Overlay map - Road hierarchy).	
Wine	ery ⁽⁹⁰⁾	
PO90	0	No example provided.
Deve	elopment associated with a winery ⁽⁹⁰⁾ :	
a.	is for winery ⁽⁹⁰⁾ and ancillary activities only;	
b.	is of a size, scale and design not visually dominant, overbearing and inconsistent with detached, low density, open area character and low intensity built form anticipated in the Rural zone	
C.	is landscaped, fenced and screened in a manner to minimise the visual appearance of buildings, structures, storage and parking areas;	
d.	has vehicle access from a road classified as a State Arterial, Arterial or Sub-Arterial (see Overlay map - Road hierarchy).	
	Precinct	specific criteria

PO	1	No example provided.
	en occurring during events occurring on nearby munity facility zoned land, development:	
a.	is limited to activities that have a nexus with, and support an event occurring on nearby Community facility zoned land. Activities include, but not limited to: temporary camping facilities, accommodation facilities, walking tracks and trails, recreational activities, eco-tourism and agri-tourism;	
b.	achieves a high level of connectivity for pedestrians to the Community facility zone to minimise the need for private vehicle trips and reduce demand on local transport infrastructure;	
C.	does not cause nuisance, detract or conflict with the primary role and associated Event Management Plans on land in the nearby Community facility zone, when occurring at the same time as an event occurring on that land. Such issues include, but are not limited to, noise, waste generation and disposal, traffic generation, location of and to sensitive land uses;	
d.	activities are limited in size and scale and do not have adverse impacts on the low-set built form, low density, open area character and amenity of the Rural zone, including considerations to the impact of noise, traffic, and on-site waste disposal;	
e.	avoids establishing on land subject to a flooding risk, or where avoidance is not possible, identify measures to be taken mitigate any potential risk to property and life;	
f.	does not adversely impact on the safe and efficient operation of the external road network.	
POg	2	No example provided.
	en occurring outside of events occurring on by Community facility zoned land, development:	
a.	is to be used for rural primary production purposes;	
OR		
a.	is for small scale tourism activities only comprising eco-based tourism, agricultural based education and recreation activities that:	

і. іі. ііі. іv. v.	do not cause nuisance, detract or conflict with the primary role and associated Event Management Plans on land in the nearby Community facility zone, when occurring at the same time as an event occurring on that land. Such issues include, but are not limited to, noise, waste generation and disposal, traffic generation, location of and to sensitive land uses; are limited in size and scale and do not have adverse impacts on the low-set built form, low density, open area character and amenity of the Rural zone, including considerations to the impact of noise, traffic, and on-site waste disposal; avoids locating in area of high quality cropping ⁽¹⁹⁾ land as identified in the Agriculture Precinct; avoids establishing on land subject to a flooding risk, or where avoidance is not possible, identify measures to be taken mitigate any potential risk to property and life; do degrade or compromise the visual, natural, biological and ecological values	
vi.	associated with vegetated areas or adversely impact upon water quality; does not adversely impact on the safe and efficient operation of the external road network.	
Agricultu	re precinct	
PO93		No example provided.
primary pi	ent does not compromise the future roductive capacity and characteristics of productive land resource.	
PO94		No example provided.
on the use	ent that does not require access to, or rely e of, fertile soils is not located in the al precinct.	
PO95		No example provided.

hard loca of th	elopment ensures that buildings, driveways, stand, storage and vehicle parking areas are ted in a manner or position to minimise the loss e land resource and maximise the availability of and resource for primary production.	
PO9	6	No example provided.
Development does not result in the cessation or closure of primary production activities occurring on the same site.		
Ced	arton Foresters Cooperative and Mt Nebo pla	int nursery precinct
PO9	7	No example provided.
Development in accordance with the Land Management Plan and supporting documentation located in Table A - Cedarton Forester's Cooperative - Land Management Plan or Table B - Mt Nebo Plant Nursery - Land Management Plan.		
Rural living investigation precinct		
PO9	8	No example provided
Dev	elopment does not:	
a.	result in the cessation or closure of primary production activities occurring on the same site;	
b.	result in the fragmentation and isolation of land thereby affecting its potential long term viability or ability for future rural living development;	
C.	result in the disorderly and piecemeal provision of services and infrastructure;	
d.	hinder the long term viability and technical ability of the land to be developed and serviced for future rural living development.	

Values and constraints criteria

Note - The relevant values and constraints criteria do not apply where the development is consistent with a current Development permit for Reconfiguring a lot or Material change of use or Operational work, where that approval has considered and addressed (e.g. through a development footprint plan (or similar in the case of Landslide hazard) or conditions of approval) the identified value or constraint under this planning scheme.

Acid sulfate soils - (refer Overlay map - Acid sulfate soils to determine if the following assessment criteria apply)

Note - To demonstrate achievement of the performance outcome, an Acid sulfate soils (ASS) investigation report and soil management plan is prepared by a qualified engineer. Guidance for the preparation an ASS investigation report and soil management plan is provided in Planning scheme policy - Acid sulfate soils.

PO99	E99	
apply)	 Development does not involve: a. excavation or otherwise removing of more than 100m³ of soil or sediment where below than 5m Australian Height datum AHD; or b. filling of land of more than 500m³ of material with an average depth of 0.5m or greater where below the 5m Australian Height datum AHD. zard to determine if the following assessment criteria es, a bushfire management plan is prepared by a suitably qualified person. provided in Planning scheme policy – Bushfire prone areas.	
Note - Unacceptable risk is defined as a situation where people of serious injury, loss of life, failure of community infrastructure, or p	or property are exposed to a predictable hazard event that may result in property damage.	
Development:	Buildings and structures are:	
 a. minimises the number of buildings and people working and living on a site exposed to bushfire risk; b. ensures the protection of life during the passage of a fire front; c. is located and designed to increase the chance of survival of buildings and structures during a bushfire; d. minimises bushfire risk from build up of fuels around buildings and structures; e. ensure safe and effective access for emergency services during a bushfire. 	 a. not located on a ridgeline; b. not located on land with a slope greater than 15% (see Overlay map - Landslide hazard); c. dwellings are located on east to south facing slopes. E100.2 Buildings and structures have contained within the site: a. a separation from classified vegetation of 20m or the distance required to achieve a bushfire attack level (BAL) at the building, roofed structure or fire fighting water supply of no more than 29, whichever is the greater; b. a separation from low threat vegetation of 10m or the distance required to achieve a bushfire attack level (BAL) at the building, roofed structure or fire fighting water supply of no more than 29, whichever is the greater; c. a separation of no less than 10m between a fire fighting water supply extraction point and any classified vegetation, buildings and other roofed structures; d. an area suitable for a standard fire fighting appliance to stand within 3m of a fire fighting water supply extraction point; and e. an access path suitable for use by a standard fire fighting appliance having a formed width of at least 4m, a cross-fall of no greater than 25%: 	

PO101 Development and associated driveways and access ways: a. avoid potential for entrapment during a bushfire; b. ensure safe and effective access for emergency services during a bushfire; c. enable safe evacuation for occupants of a site during a bushfire.	 i. to, and around, each building and other roofed structure; and ii. to each fire fighting water supply extraction point. Note - The meaning of the terms classified vegetation and low threat vegetation as well as the method of calculating the bushfire attack level are as described in Australian Standard AS 3959 E101 A length of driveway: a. to a road does not exceed 100m between the most distant part of a building used for any purpose other than storage and the nearest part of a public road; b. has a maximum gradient no greater than 12.5%; c. have a minimum width of 3.5m; d. accommodate turning areas for fire fighting appliances in accordance with Qld Fire and Emergency Services' Fire Hydrant and Vehicle Access Guideline.
PO102	E102
Development provides an adequate water supply for fire-fighting purposes.	 a. a reticulated water supply is provided by a distributer retailer for the area or; b. where not connected to a reticulated water supply, on-site fire fighting water storage containing not less than 10 000 litres (tanks with fire brigade tank fittings, swimming pools) is located within 10m of buildings and structures. c. Where a swimming pool is the nominated on-site fire fighting water storage source, vehicle access is provided to within 3m of that water storage source. d. Where a tank is the nominated on-site fire fighting water storage source, it includes: a hardstand area allowing medium rigid vehicles (15 tonne fire appliance) access within 6m of the tank; fire brigade tank fittings, comprising 50mm ball valve and male camlock coupling and, if underground, an access hole of 200mm (minimum) to accommodate suction lines.
PO103	E103
 Development: a. does not present unacceptable risk to people or environment due to the impact of bushfire on dangerous goods or combustible liquids; b. does not present danger or difficulty to emergency services for emergency response or evacuation. Editor's note - Unacceptable risk is defined as a situation where people or property are exposed to a predictable hazard event 	Development does not involve the manufacture or storage of hazardous chemicals.

6 Zones

that may result in serious injury, loss of life, failure of community infrastructure, or property damage.

Environmental areas (refer Overlay map - Environmental areas to determine if the following assessment criteria apply)

Note – The following are excluded from the native vegetation clearing provisions of this planning scheme:

- a. Clearing of native vegetation located within an approved development footprint;
- b. Clearing of native vegetation within 10m from a lawfully established building reasonably necessary for emergency access or immediately required in response to an accident or emergency;
- c. Clearing of native vegetation reasonably necessary to remove or reduce the risk vegetation poses to serious personal injury or damage to infrastructure;
- d. Clearing of native vegetation reasonably necessary to construct and maintain a property boundary fence and not exceed 4m in width either side of the fence where in the Rural, Rural residential and Environmental Management and Conservation zones. In any other zone, clearing is not to exceed 2m in width either side of the fence;
- e. Clearing of native vegetation reasonably necessary for the purpose of maintenance or works within a registered easement for public infrastructure or drainage purposes;
- f. Clearing of native vegetation in accordance with a bushfire management plan prepared by a suitably qualified person, submitted to and accepted by Council;
- g. Clearing of native vegetation associated with removal of recognised weed species, maintaining existing open pastures and cropping land, windbreaks, lawns or created gardens;
- h. Grazing of native pasture by stock;
- i. Native forest practice where accepted development under Part 1, 1.7.7 Accepted development

Note - Definition for native vegetation is located in Schedule 1 Definitions.

Note - Native vegetation subject to this criteria primarily comprises of matters of national environmental significance (MNES), matters of state environmental significance (MSES). They also comprise some matters of local environmental significance (MLES). A MLES is defined in Schedule 1.2, Administrative definitions. A list of the elements that apply to the mappe MSES and MLES is provided in Appendix 1 of the Planning scheme policy - Environmental areas.

Editors' Note - The accuracy of overlay mapping can be challenged through the development application process (code assessable development) or by way of a planning scheme amendment. See Council's website for details.

Note - To demonstrate achievement of the performance outcome, an ecological assessment, vegetation management plan and fauna management plan, as required, are prepared by a suitably qualified person. Guidance for the preparation of above mentioned reports is provided in Planning scheme policy - Environmental areas.

Vegetation clearing, ecological value and connectivity

PO104		No example provided.
Development avoids locating in a High Value Area or a Value Offset Area. Where it is not practicable or reasonable for development to avoid establishing in these areas, development must ensure that:		
a.	the quality and integrity of the biodiversity and ecological values inherent to a High Value Area and a Value Offset Area is maintained and not lost or degraded;	
b.	on-site mitigation measures, mechanisms or processes are in place demonstrating the	

]			
 quality and integrity of the biodiversity and ecological values inherent to a High Value Area and a Value Offset Area are maintained. For example, this can be achieved through replacement, restoration or rehabilitation planting as part of any proposed covenant, the development of a Vegetation Management Plan, a Fauna Management Plan, and any other on-site mitigation options identified in the Planning scheme policy - Environmental areas*. * Editor's note - This is not a requirement for an environmental offset under the Environmental Offsets Act 2014. 				
PO105	No example provided.			
 Development provides for safe, unimpeded, convenient and ongoing wildlife movement and establishes and maintains habitat connectivity by: a. retaining habitat trees; b. providing contiguous patches of habitat; c. provide replacement and rehabilitation planting to improve connectivity; d. avoiding the creation of fragmented and isolated patches of habitat; e. providing wildlife movement infrastructure. Editor's note - Wildlife movement infrastructure may include refuge poles, tree boulevarding, 'stepping stone' vegetation plantings, tunnels, appropriate wildlife fencing; culverts with ledges, underpasses, overpasses, land bridges and rope bridges. Further information is provided in Planning scheme policy – Environmental areas. 				
Vegetation clearing and habitat protection				
PO106	No example provided.			
Development ensures that the biodiversity quality and integrity of habitats is not adversely impacted upon but maintained and protected.				
PO107	No example provided.			
Development does not result in the net loss or degradation of habitat value in a High Value Area or a Value Offset Area. Where development does result in the loss or degradation of habitat value, development will:				
a. rehabilitate, revegetate, restore and enhance an area to ensure it continues to function as a viable and healthy habitat area;				

b. c.	provide replacement fauna nesting boxes in the event of habitat tree loss in accordance with Planning scheme policy - Environmental areas; undertake rehabilitation, revegetation and restoration in accordance with the South East Queensland Ecological Restoration Framework.	
PO1	108	No example provided.
Development ensures safe, unimpeded, convenient and ongoing wildlife movement and habitat connectivity by:		
a. b. c. d.	providing contiguous patches of habitat; avoiding the creation of fragmented and isolated patches of habitat; providing wildlife movement infrastructure; providing replacement and rehabilitation planting to improve connectivity.	
Veg	etation clearing and soil resource stability	
PO1	109	No example provided.
Dev	elopment does not:	
a. b.	result in soil erosion or land degradation; leave cleared land exposed for an unreasonable period of time but is rehabilitated in a timely manner.	
Veg	etation clearing and water quality	I
PO1	110	No example provided.
Development maintains or improves the quality of groundwater and surface water within, and downstream, of a site by:		
a. b. c.	ensuring an effective vegetated buffers and setbacks from waterbodies is retained to achieve natural filtration and reduce sediment loads; avoiding or minimising changes to landforms to maintain hydrological water flows; adopting suitable measures to exclude livestock from entering a waterbody where a site is being used for animal husbandry ⁽⁴⁾ and animal keeping ⁽⁵⁾ activities.	
PO1	111	No example provided.
Development minimises adverse impacts of stormwater run-off on water quality by:		
a. b. c. d. e.	minimising flow velocity to reduce erosion; minimising hard surface areas; maximising the use of permeable surfaces; incorporating sediment retention devices; minimising channelled flow.	

PO112	No example provided.
Development retains safe and convenient public access in a manner that does not result in the adverse edge effects or the loss or degradation of biodiversity values within the environment.	
PO113	No example provided.
Development minimises potential adverse 'edge effects' on ecological values by:	
 a. providing dense planting buffers of native vegetation between a development and environmental areas; b. retaining patches of native vegetation of greatest possible size where located between a development and environmental areas; c. restoring, rehabilitating and increasing the size of existing patches of native vegetation; d. ensuring that buildings and access (public and vehicle) are setback as far as possible from environmental areas and corridors; e. landscaping with native plants of local origin. 	
PO114	No example provided.
Development avoids adverse microclimate change and does not result in increased urban heat island effects. Adverse urban heat island effects are minimised by:	
 a. pervious surfaces; b. providing deeply planted vegetation buffers and green linkage opportunities; c. landscaping with local native plant species to achieve well-shaded urban places; d. increasing the service extent of the urban forest canopy. 	
Vegetation clearing and Matters of Local Environ	mental Significance (MLES) environmental offsets
PO115	No example provided.
Where development results in the unavoidable loss of native vegetation within a Value Offset Area MLES waterway buffer or a Value Offset Area MLES wetland buffer, an environmental offset is required	

Extractive resources separation area (refer Overlay map - Extractive resources (separation area) to determine if the following assessment criteria apply)

Note - To demonstrate achievement of the performance outcomes, a noise impact assessment report is prepared by a suitably qualified person. Guidance to preparing noise impact assessment report is provided in Planning scheme policy – Noise.

PO116	E116		
Development does not increase the number of people living in the Extractive Resources separation area.	One dwelling house ⁽²²⁾ permitted per lot within separation area.		
PO117	E117		
 Development: a. does not introduce or increase uses that are sensitive to the impacts of an Extractive industry⁽²⁷⁾; b. is compatible with the operation of an Extractive industry⁽²⁷⁾; c. does not comprise or undermine the function and integrity of the separation area in providing a buffer between key extractive and processing activities and sensitive, incompatible uses outside the separation area. 	Development within the separation area does not include the following activities: a. Caretaker's accommodation ⁽¹⁰⁾ ; b. Community residence ⁽¹⁶⁾ ; c. Dual occupancy ⁽²¹⁾ ; d. Dwelling unit ⁽²³⁾ ; e. Hospital ⁽³⁶⁾ ; f. Rooming accommodation ⁽⁶⁹⁾ ; g. Multiple dwelling ⁽⁴⁹⁾ ; h. Non-resident workforce accommodation ⁽⁵²⁾ ; i. Relocatable home park ⁽⁶²⁾ ; j. Residential care facility ⁽⁶⁵⁾ ; k. Resort complex ⁽⁶⁶⁾ ; l. Retirement facility ⁽⁶⁷⁾ ; m. Rural workers' accommodation ⁽⁷¹⁾ ; n. Short-term accommodation ⁽⁷⁷⁾ ; o. Tourist park ⁽⁸⁴⁾ .		
PO118	E118		
Habitable rooms achieve the noise levels listed in Schedule 1 Acoustic Quality Objectives, Environmental Protection (Noise) Policy 2008 and provides a safe, healthy and disturbance free living environment.	 All habitable rooms within the separation area are: a. acoustically insulated to achieve the noise levels listed in Schedule 1 Acoustic Quality Objectives, Environmental Protection (Noise) Policy 2008; b. provided with mechanical ventilation. 		
PO119	E119		
Development provides open space areas for passive recreation in a manner where impacts from key extractive/processing activities, particularly noise, is minimised.	Private open space areas are separated from the resource processing area by buildings or a 1.8m high solid structure.		

PO	120	E120
Dev a. b.	 velopment: does not increase in the number of people living in close proximity to a transport route and being subject to the adverse effects from the transportation route; does not result in the establishment of uses that are incompatible with the operation of Extractive resources transport routes; adopts design and location measures to satisfactorily mitigate the potential adverse impacts associated with transportation routes on sensitive land uses. Such measures include, but are not limited to: i. locating the furthest distance possible from the transportation route; ii. habitable rooms being located the furthest from the transportation route; iii. shielding and screening private outdoor recreation space from the transportation routes. 	 a. Caretaker's accommodation⁽¹⁰⁾, except where located in the Extractive industry zone; b. Community residence⁽¹⁶⁾; c. Dual occupancy⁽²¹⁾; d. Dwelling house⁽²²⁾; e. Dwelling unit⁽²³⁾; f. Hospital⁽³⁶⁾; g. Rooming accommodation⁽⁶⁹⁾; h. Multiple dwelling⁽⁴⁹⁾; i. Non-resident workforce accommodation⁽⁵²⁾; j. Relocatable home park⁽⁶²⁾; k. Residential care facility⁽⁶⁵⁾; l. Resort complex⁽⁶⁶⁾.
PO121 Development: a. does not adversely impact upon the efficient		E121.1 Development does not create a new vehicle access point onto an Extractive resources transport route.
b. c.	and effective transportation of extractive material along a transportation route; ensures vehicle access and egress along transportation routes are designed and located to achieve a high degree of safety, having good visibility; utilises existing vehicle access points and where existing vehicle access points are sub-standard or poorly formed, they are upgraded to an appropriate standard.	
the No lan her sch	following assessment criteria apply) te - Places, including sites, objects and buildings having loca dscape character and listed in Schedule 1 of Planning sche	 map - Heritage and landscape character to determine if al cultural heritage significance, are identified on Overlay map - Heritage and me policy - Heritage and landscape character. Places also having cultural Queensland Heritage Register, are also identified in Schedule 1 of Planning E122 Development is for the preservation, maintenance, repair and restoration of a site, object or building of cultural heritage

 and associated with a heritage site, object or building; b. protect the fabric and setting of the heritage site, object or building; c. be consistent with the form, scale and style of the heritage site, object or building; d. utilise similar materials to those existing, or where this is not reasonable or practicable, neutral materials and finishes; e. incorporate complementary elements, detailing and ornamentation to those present on the heritage site, object or building; f. retain public access where this is currently provided. 	Note - A cultural heritage conservation management plan for the preservation, maintenance, repair and restoration of a site, object or building of cultural heritage value is prepared in accordance with Planning scheme policy - Heritage and landscape character. The plan is sent to, and approved by Council prior to the commencement of any preservation, maintenance, repair and restoration works.
PO123	No example provided.
 Demolition and removal is only considered where: a. a report prepared by a suitably qualified conservation architect or conservation engineer demonstrates that the building is structurally unsound and is not reasonably capable of economic repair; or b. demolition is confined to the removal of outbuildings, extensions and alterations that are not part of the original structure; or c. limited demolition is performed in the course of repairs, maintenance or restoration; or d. demolition is performed following a catastrophic event which substantially destroys the building or object. 	
PO124	No example provided.
Where development is occurring on land adjoining a site of cultural heritage value, the development is to be sympathetic to and consistent with the cultural heritage values present on the site and not result in their values being eroded, degraded or unreasonably obscured from public view.	
PO125	E125
Development does not adversely impact upon the health and vitality of significant trees. Where development occurs in proximity to a significant tree, construction measures and techniques as detailed in AS 4970-2009 Protection of trees on development sites are adopted to ensure a significant tree's health, wellbeing and vitality. Significant trees are only removed where they are in a poor state of health or where they pose a health and safety risk to persons or property. A Tree Assessment report prepared by a suitably qualified arborist confirming a tree's state of health is required to demonstrate achievement of this performance outcome.	 Development does: a. not result in the removal of a significant tree; b. not occur within 20m of a protected tree; c. involve pruning of a tree in accordance with Australian Standard AS 4373-2007 – Pruning of Amenity Trees.

Landslide hazard (refer Overlay map - Landslide hazard to determine if the following assessment criteria apply)

Note - To demonstrate achievement of the performance outcomes, a site-specific geotechnical assessment report is prepared by a qualified engineer. Guidance for the preparation of a geotechnical assessment report is provided in Planning scheme policy – Landslide hazard.

PO126		E126	;
Development:		Deve	lopment does not:
a. b. c. d. e.	maintains the safety of people and property on a site and neighbouring sites from landslides; ensures the long-term stability of the site considering the full nature and end use of the development; ensures site stability during all phases of construction and development; minimises disturbance of natural drainage patterns of the site and does not result in the redirection or alteration of the existing flow if surface or groundwater minimises adverse visual impacts on the amenity of adjoining residents and provides a positive interface with the streetscape.	b. c. d.	involve earthworks exceeding 50m ³ ; involve cut and fill having a height greater than 600mm; involve any retaining wall having a height greater than 600mm; redirect or alter the existing flow of surface or groundwater.
PO	127	E127	,
topo	dings are designed to respond to sloping ography in the siting, design and form of buildings structures by: minimising overuse of cut and fill to create single flat pads and benching; avoiding expanses of retaining walls, loss of trees and vegetation and interference with natural drainage systems; minimising any adverse visual impact on the landscape character ; Protect the amenity of adjoining properties.	a.	ings, excluding domestic outbuildings: are split-level, multiple-slab, pier or pole construction; are not single plane slab on ground.
PO	128	E128	
and on h	elopment protects the safety of people, property the environment from the impacts of landslide nazardous chemicals manufactured, handled or ed by incorporating design measures to ensure: the long-term stability of the development site considering the full nature and end use of the development; site stability during all phases of construction and development; the development is not adversely affected by landslide activity originating on sloping land above the site; emergency access and access from the site for the public and emergency vehicles is available and is not at risk from landslide.		lopment does not involve the manufacture, handling or ge of hazardous chemicals.

Infrastructure buffers (refer Overlay map - Infrastructure buffers to determine if the following assessmer criteria apply)		
PO129	E129	
Odour sensitive development is separated from Wastewater treatment plants so they are not adversely affected by odour emission or other air pollutant impacts.	The following uses are not located within a wastewater treatment site buffer: a. Caretaker's accommodation ⁽¹⁰⁾ ; b. Community residence ⁽¹⁶⁾ ; c. Dual occupancy ⁽²¹⁾ ; d. Dwelling house ⁽²²⁾ e. Dwelling unit ⁽²³⁾ ; f. Hospital ⁽³⁶⁾ ; g. Rooming accommodation ⁽⁶⁹⁾ ; h. Multiple dwelling ⁽⁴⁹⁾ ; i. Non-resident workforce accommodation ⁽⁵²⁾ ; j. Relocatable home park ⁽⁶²⁾ ; k. Residential care facility ⁽⁶⁵⁾ ; l. Resort complex ⁽⁶⁶⁾ ; m. Retirement facility ⁽⁶⁷⁾ ; n. Rural workers' accommodation ⁽⁷¹⁾ ; o. Short-term accommodation ⁽⁷⁷⁾ ; p. Tourist park ⁽⁸⁴⁾ .	
PO130	E130.1	
Development within a Water supply buffer captures solid or liquid waste from all land use, development and activities is designed, constructed and managed to prevent the release of contaminants to surface water or groundwater bodies.	Run-off and sediment from roadways and impervious surfaces within a Water supply buffer are intercepted and treated on-site to remove oil, grease, chemicals, silt, trace metals and nutrients such as nitrogen and phosphorous.	
	E130.2 Incineration or burial of waste within a Water supply buffer is not undertaken onsite.	
	E130.3	
	Solid waste within a Water supply buffer is collected and stored in weather proof, sealed waste receptacles, located in roofed and bunded areas, for disposal by a licenced contractor.	
	E130.4	
	Holding tanks within a Water supply buffer are used for all liquid waste and provide for the separation of oils/solvents and solids prior to pump-out and collection by a licenced contractor.	
	E130.5	
	Management, handling and storage of hazardous chemicals (including fuelling of vehicles) within a Water supply buffer, is undertaken in secured, climate controlled, weather proof, level and bunded enclosures.	

PO131	E131	
On-site sewerage systems within a Water supply buffer are designed and operated to ensure there is no worsening or adverse impacts to health risks, environmental risks and water quality. Editor's Note - For guidance refer to the Seq water Development Guidelines: Development Guidelines for Water Quality Management in Drinking Water Catchments 2012.	 Secondary treated wastewater treatment systems within a Water supply buffer include: a. emergency storage capable of holding 3-6 hours peak flow of treated effluent in the event of emergencies or overload with provision for de-sludging; b. back up pump installation and backup power; c. MEDLI modelling to determine irrigation rates and sizing of irrigation areas; d. vegetated land application areas are not located in overland flow paths or on areas that perform groundwater recharge or discharge functions; and e. wastewater collection and storage systems have a capacity to accommodate full load at peak times and includes temporary facilities. 	
P0132	E132	
 Development within a Bulk water supply infrastructure buffer is located, designed and constructed to: a. protect the integrity of the water supply pipeline; b. maintain adequate access for any required maintenance or upgrading work to the water supply pipeline; 	 Development: a. does not involve the construction of any buildings or structures within a Bulk water supply infrastructure buffer; b. involving a major hazard facility or environmentally relevant activity (ERA) is setback 30m from a Bulk water supply infrastructure buffer. 	
PO133	E133	
Development is located and designed to maintain required access to Bulk water supply infrastructure.	 Development does not restrict access to Bulk water supply infrastructure of any type or size, having regard to (among other things): a. buildings or structures; b. gates and fences; c. storage of equipment or materials; d. landscaping or earthworks or stormwater or other infrastructure. 	
PO134	E134	
 Development within the Gas pipeline buffer: a. avoids attracting people in large numbers to live, work or congregate; b. avoids the storage of hazardous chemicals; c. maintains adequate access for any required maintenance or upgrading work; d. minimises risk of harm to people and property. Editor's note - The <i>Petroleum and Gas (Production and Safety)</i> <i>Act 2004</i> (sections 807 and 808) requires that building or changes in surface level on pipeline land must not occur unless all the pipeline licence holders consent. 	Development does not involve the construction of any buildings or structures within the Gas pipeline buffer. Editor's note - The <i>Petroleum and Gas (Production and Safety) Act 2004</i> (sections 807 and 808) requires that building or changes in surface level on pipeline land must not occur unless all the pipeline licence holders consent.	

PO135	E135
Habitable rooms within an Electricity supply substation buffer are located a sufficient distance from substations ⁽⁸⁰⁾ to avoid any potential adverse impacts on personal health and wellbeing from electromagnetic fields. Note - Habitable room is defined in the Building Code of Australia (Volume 1)	 Habitable rooms: a. are not located within an Electricity supply substation buffer; and b. proposed on a site subject to an Electricity supply supply substation⁽⁸⁰⁾ are acoustically insulted to achieve the noise levels listed in Schedule 1, Acoustic Quality Objectives, Environmental Protection (Noise) Policy 2008. Note - Habitable room is defined in the Building Code of Australia (Volume 1)
PO136	No example provided.
Habitable rooms within an Electricity supply substation buffer are acoustically insulated from the noise of a substation ⁽⁸⁰⁾ to achieve the noise levels listed in Schedule 1 Acoustic Quality Objectives, Environmental Protection (Noise) Policy 2008 and provides a safe, healthy and disturbance free living environment. Note - To demonstrate achievement of the performance outcome, a noise impact assessment report is prepared by a suitably qualified person. Guidance to preparing an noise impact assessment report is provided in Planning scheme policy – Noise.	
PO137	E137
 Development within a High voltage electricity line buffer provides adequate buffers to high voltage electricity lines to protect amenity and health by ensuring development: a. is located and designed to avoid any potential adverse impacts on personal health and wellbeing from electromagnetic fields in accordance with the principle of prudent avoidance; b. is located and designed in a manner that maintains a high level of security of supply; c. is located and design so not to impede upon the functioning and maintenance of high voltage electrical infrastructure. 	Development does not involve the construction of any buildings or structures within a High voltage electricity line buffer.
PO138	E138
Development within a Pumping station buffer is located, designed and constructed to:	Development does not involve the construction of any buildings or structures within a Pumping station buffer.

a.	ensure that odour or other air pollutant impacts on the amenity of the development met the air quality of objectives in the Environmental Protection (Air) Policy 2008;					
b.	ensure that noise impacts on the amenity of the development met the indoor noise objectives set out in the Environmental Protection (Noise) Policy 2008.					
арр	ly)	flow path to determine if the following assessment criteria				
	Note - The applicable river and creek flood planning levels associated with defined flood event (DFE) within the inundation area can be obtained by requesting a flood check property report from Council.					

PO139		No example provided.
Development:		
a. b.	minimises the risk to persons from overland flow; does not increase the potential for damage from overland flow either on the premises or other premises, public land, watercourses, roads or infrastructure.	
P01	40	No example provided.
Deve	elopment:	
 a. maintains the conveyance of overland flow predominantly unimpeded through the premises for any event up to and including the 1% AEP for the fully developed upstream catchment; b. does not concentrate, intensify or divert overland flow onto an upstream, downstream or surrounding property. Note - A report from a suitably qualified Registered Professional Engineer Queensland is required certifying that the development does not increase the potential for significant adverse impacts on an upstream, downstream or surrounding premises. 		
	e - Reporting to be prepared in accordance with Planning eme policy – Flood hazard, Coastal hazard and Overland	
PO141		No example provided.
Development does not:		
 a. directly, indirectly or cumulatively cause any increase in overland flow velocity or level; b. increase the potential for flood damage from overland flow either on the premises or other 		

premises, public lands, watercourses, roads or infrastructure. Note - Open concrete drains greater than 1m in width are not an acceptable outcome, nor are any other design options that may increase scouring. PO142 Development ensures that public safety and the risk	E142 Development ensures that a hazardous chemical is not
to the environment are not adversely affected by a detrimental impact of overland flow on a hazardous chemical located or stored on the premises.	Iocated or stored in an Overland flow path area. Note - Refer to the Work Health and Safety Act 2011 and associated Regulation and Guidelines, the Environmental Protection Act 1994 and the relevant building assessment provisions under the Building Act 1975 for requirements related to the manufacture and storage of hazardous substances.
PO143 Development which is not in a Rural zone ensures that overland flow is not conveyed from a road or public open space onto a private lot.	E143 Development which is not in a Rural zone that an overland flow paths and drainage infrastructure is provided to convey overland flow from a road or public open space area away from a private lot.
PO144 Development ensures that inter-allotment drainage infrastructure, overland flow paths and open drains through private property cater for overland flows for a fully developed upstream catchment and are able to be easily maintained. Note - A report from a suitably qualified Registered Professional Engineer Queensland is required certifying that the development does not increase the potential for significant adverse impacts on an upstream, downstream or surrounding premises. Note - Reporting to be prepared in accordance with Planning scheme policy – Flood hazard, Coastal hazard and Overland flow	 E144.1 Development ensures that roof and allotment drainage infrastructure is provided in accordance with the following relevant level as identified in QUDM: a. Urban area – Level III; b. Rural area – N/A; c. Industrial area – Level V; d. Commercial area – Level V. PO144.2 Development ensures that inter-allotment drainage infrastructure is designed to accommodate any event up to and including the 1% AEP for the fully developed upstream catchment.
 PO145 Development protects the conveyance of overland flow such that an easement for drainage purposes is provided over: a. a stormwater pipe if the nominal pipe diameter exceeds 300mm; b. an overland flow path where it crosses more than one premises; c. inter-allotment drainage infrastructure. 	No example provided.

		1			
Note - Refer to Planning scheme policy - Integrated design for details and examples.					
Note - Stormwater Drainage easement dimensions are provided in accordance with Section 3.8.5 of QUDM.					
Add	ditional criteria for development for a Park ⁽⁵⁷⁾				
PO	146	PO1	146		
Development for a Park ⁽⁵⁷⁾ ensures that the design and layout responds to the nature of the overland flow affecting the premises such that:		Development for a Park ⁽⁵⁷⁾ ensures works are provided in accordance with the requirements set out in Appendix B of the Planning scheme policy - Integrated design.			
a.	public benefit and enjoyment is maximised;				
b.	impacts on the asset life and integrity of park structures is minimised;				
C.	maintenance and replacement costs are minimised.				
Rip	arian and wetland setbacks	<u> </u>			
PO	147	E14	7		
	velopment provides and maintains a suitable	Dev	elopment does not occur within:		
natı by r	back from waterways and wetlands that protects ural and environmental values. This is achieved ecognising and responding to the following	a.	50m from top of bank for W1 waterway and drainage line		
mat a.	ters: impact on fauna habitats;	b.	30m from top of bank for W2 waterway and drainage line		
b.	impact on wildlife corridors and connectivity;	C.	20m from top of bank for W3 waterway and drainage line		
C.	impact on stream integrity;	d.	100m from the edge of a Ramsar wetland, 50m from		
d.	impact of opportunities for revegetation and rehabilitation planting;	u.	all other wetlands.		
e. edge effects.		Note - W1, W2 and W3 waterway and drainage lines, and wetlands are mapped on Schedule 2, Section 2.5 Overlay Maps – Riparian and wetland setbacks.			
Scenic amenity - Regionally significant (Hills) and Locally important (Coast) (refer Overlay map - Scenic amenity to determine if the following assessment criteria apply) Note - In the Rural zone, netting, shade cloth and similar coverings associated with agricultural operations are exempt.					
		1			

PO148	E148	
Development: a. avoids being viewed as a visually conspicuous built form on a hill top or ridgeline;	Where located in the Regionally significant (Hills) scenic amenity overlay, buildings and structures are not:	

).).	retain the natural character or bushland settings as the dominant landscape characteristic; is viewed as being visually consistent with the natural landscape setting and does not diminish the scenic and visual qualities present in the environment.	 a. located on a hill top or ridge line; b. all parts of the building and structure are located below the hill top or ridge line. 		
PO	149	E149		
Dev a. b.	velopment: does not adversely detract or degrade the quality of views, vista or key landmarks; retains the natural character or bushland settings as the dominant landscape characteristic.	 Where located in the Regionally significant (Hills) scenic amenity overlay, driveways and accessways: a. go across land contours, and do not cut straight up slopes; b. follow natural contours, not resulting in batters or retaining walls being greater than 900mm in height. 		
РО	150	E150.1		
Buildings and structures incorporate colours and finishes that: a. are consistent with a natural, open space		Where located in the Regionally significant (hills) scenic amenity overlay, roofs and wall surfaces of buildings and structures adopt the following colours:		
b.	character and bushland environment;	Colours from Austral	lian Standard AS2700s -	- 1996
J.	do not produce glare or appear visual incompatible with the surrounding natural	G12 – Holly	G54 – Mist Green	N 44 – Bridge Grey
с.	character and bushland environment; are not visually dominant or detract from the natural qualities of the landscape.	G13 – Emerald	G55 – Lichen	N45 – Koala Grey
0.		G14 – Moss Green	G56 – Sage Green	N52 – Mid Grey
wit	te - Netting, shade cloth and similar coverings associated h agricultural operations are excluded from this performance	G15 – Rainforest Green	G62 – Rivergum	N54 – Basalt
out	come.	G16 – Traffic Green	G64 – Slate	N55 – Lead Grey
		G17 – Mint Green	G65 – Ti Tree	X54 – Brown
		G21 – Jade	N25 – Birch Grey	X61 – Wombat
		G22 – Serpentine	N32 – Green Grey	X62 – Dark Earth
		G23 – Shamrock	N33 – Lightbox Grey	X63 – Iron Bark
		G24 – Fern Green	N35 – Light Grey	Y51 – Bronze Olive
		G25 – Olive	N41 – Oyster	Y61 – Black Olive
		G34 – Avocado	N42 – Storm Grey	Y63 – Khaki
		G52 – Eucalyptus	N43 – Pipeline Grey	Y66 – Mudstone
		G53 – Banksia		
		amenity overlay, ro	ne Regionally signific ofs and wall surfaces red or finished such th	s of buildings and

Transport noise corridors (refer Overlay map - Transport noise corridors to determine if the following assessment criteria apply)

This is for information purposes only. No requirements for accepted development or criteria for assessable development apply. Development located within a Transport Noise Corridor must satisfy the requirements of the Queensland Development Code.

TABLE A – CEDARTON FORESTER'S COOPERATIVE – LAND MANAGEMENT PLAN

Development in the Cedarton Forester's Cooperative site subject to a land management plan

(see Figures 1 – 6)

1.1 Purpose of the land management plan

The site is situated at 1965 Maleny Stanley River Road, Booroobin on land described as Lot 357 SP119036.

The purpose of the land management plan is to achieve the following identification of:

- a. The nature and extent of development permitted to occur on the site, subject to a land management plan process, namely:
 - i. A maximum of 22 dwelling sites, associated dwellings and driveways;
 - ii. outbuildings associated with dwellings;
 - iii. 1 community hall for the exclusive use of Cedarton Forester's Cooperative members only and is not available to members of the public for public use or hire;
 - iv. 1 plant nursery for the exclusive use of Cedarton Forester's Cooperative members only and the propagation of plants for use on the land management plan site only. The plant nursery is not to be available to the public or sell to the public;
 - v. 1recycling centre exclusive use of Cedarton Forester's Cooperative members only;
 - vi. Accessways and associated passing bays throughout the land management plan site.
- b. The location of development, except for outbuildings listed in (a)(ii) above.
- c. Any additional works required to facilitate and support the development listed in (a) above.

1.2 Outcomes sought

The outcomes sought by the land management plan are as follows:

- a. To acknowledge the presence of a multiple dwelling of 22 units associated with the Cedarton Forester's Cooperative site;
- b. To limit development to that which existed on the day the planning scheme is adopted. Expansion or addition of land use and building is avoided;
- c. To ensure that any recognised development occurs in accordance with a land management plan.

Note - Development permitted to occur on the site - This is based on unlawful development currently existing on the site.

Note - The exact location and number of outbuildings to remain on site is unknown at time of preparing the land management plan. At this stage the Cedarton Forester's Cooperative members have yet to determine which outbuildings are to be retained and upgrade to the necessary standard to obtain building consent. Any outbuilding that has not applied for a building consent to upgrade the building or structure to the necessary standard under the Building Act within the timeframes specified in the land management plan is to be demolished and removed from the site. Failing this, enforcement action will be taken by Council.

Note - Figures 1 – 6 form the Land management plan for the site

Table 1 - Lanc	I management	plan outcomes	to be achieved
----------------	--------------	---------------	----------------

No	Subject	Applicability	Outcome to be achieved		
1.	Development subject to land management plan	The land management plan site	 Development comprises the following: A maximum of 22 dwelling sites, associated dwellings, and driveways. Outbuildings associated with dwellings. 1 community hall for the exclusive use of Cedarton Forester's Cooperative members only and is not available to members of the public for public use or hire. 1 plant nursery for the exclusive use of Cedarton Forester's Cooperative members only and the propagation of plants for use on the land management plan site only. The plant nursery is not to be available to the public. 1 recycling centre exclusive use of Cedarton Forester's Cooperative members only. Accessways and associated passing bays throughout the land management site. Development is to occur in accordance with Figure 1 Cedarton Forester's Cooperative land management plan – Dwelling and building location. 		
2.	Accessways	The land management plan site	 Within 2 years of the adoption of the Moreton Bay Planning scheme, the Cedarton Forester's Cooperative will: Undertake all necessary remedial work to the accessway. Construct the passing bays PB1 – PB8 as identified on Figure 3 Cedarton Forester's Cooperative land management plan – Accessway and driveway improvement areas. Passing bays have a minimum length of 20m and a 6m minimum trafficable width measured at the passing bay; Seal accessway sections as identified on Figure 3 Cedarton Forester's Cooperative land management plan – Accessway sections as identified on Figure 3 Cedarton Forester's Cooperative land management plan – Accessway sections as identified on Figure 3 Cedarton Forester's Cooperative land management plan – Accessway and driveway improvement areas. Accessways are to be sealed in accordance with Council's access standards. 		
3.	Energy	The land management plan site	Electricity is provided by means of solar power.		
4.	Water course separation	The land management plan site	No development is located closer than 40m from the top of the bank of a water course identified on Figure 4 – Cedarton Forester's Cooperative land management plan – Contours, accessway and water courses.		

No	Subject	Applicability	Outcome to be achieved
5.	Northern vinculum-connected	The land management plan site	 Residential development is limited to that part of the site lying south of the Maleny-Stanley River Road. 2. The area lying north of the Maleny-Stanley River Road is to be retained in its natural state or re-vegetated with local native species.
6.	Dwellings and dwelling sites	22 Dwelling and dwelling sites	 Dwellings are to be located on sites in accordance with Figure 1 Cedarton Forester's Cooperative land management plan – Dwelling and building location. Dwellings are to be designed and constructed to comply with the Building Act 1975 and the Building Code of Australia. Dwellings do not exceed their current building height at time of adopting the scheme and any new dwellings do not exceed a height of 8m. The gross floor area of a dwelling is to remain as it is at time of adopting the scheme, or at a maximum of 100m2, whichever is the greater. Development applications are to be accompanied by the reports and study requirements identified in Table 2.
7.	Driveways	22 Dwelling and dwelling sites	Driveways are located on longitudinal gradients not exceeding 1:6 with short sections of no more than 20m length up to 1:4 and constructed driveway cross fall of not more than 1:20.
8.	Out buildings, including nursery and recycling station	All existing out buildings, nursery and recycling station	 All outbuildings, including nursery and recycling station are to be designed and constructed to comply with the Building Act 1975 and the Building Code of Australia. Buildings do not exceed a height of 8m.
9.	Community Hall	Community hall	 Community hall is located in accordance with Figure 1 Cedarton Forester's Cooperative land management plan – Dwelling and building location. Community hall is designed and constructed to comply with the Building Act 1975 and the Building Code of Australia. Community hall does not exceed a height of 8m. The gross floor area of the Community hall is to remain as existing at the time of adopting the scheme. Development applications are to be accompanied by the reports and study requirements identified in table 2.
10.	Vegetation Clearing	The land management plan site	 No clearing of vegetation, except for the following: Clearing associated with establishing a building site for a dwelling; Clearing necessary to maintain a driveway to a dwelling or accessway serving the site; Clearing required for bushfire management purposes.
11.	Bushfire		 All bushfire assessment reports as identified in Table 2, are provided in support of building work. A fire maintenance trail is constructed in accordance with Figure 6 Cedarton Forester's Cooperative land management plan – Accessway and fire maintenance trail: For fire fighting purposes, each dwelling is to have an on-site water storage of not less than 5000 litres (e.g accessible dam or tank with fire brigade tank fittings).

No	Subject	Applicability	Outcome to be achieved	
12.	Effluent and wastewater treatment and disposal	All dwelling sites, Community hall	All development is to comply with the Plumbing and Drainage Ad 2002 and the Queensland Plumbing and Wastewater Code.	
13.	Hazardous substance storage	The land management plan site	1. All development that involves the storage or handling of hazardous chemicals listed in Schedule 9, Development involving hazardous chemicals, Table 9.0.1 Quantity thresholds for hazardous chemicals stored as accepted development subject to requirements complies with Table 9.0.3 Hazardous chemicals.	
			 Development does not involve the storage or handling of hazardous chemicals listed in Schedule 9, Development involving hazardous chemicals, Table 9.0.2 Hazardous chemicals assessable thresholds. 	

Note - Figures 1 – 6 form the land management plan for the site

Dwelling Site Number (Dwelling site)	Name of Cedarton Forester's Cooperative member	Gross Floor area of existing dwelling less than 100m2	Dwelling remain in existing location	Dwelling to relocate to new location (Proposed Dwelling site)	Reports and study requirements to support Development Application to legalise and establish dwelling at location.
D1	M Clark	No	No	PD1	 Bushfire assessment for dwelling
D2	K Manning	Yes	Yes	-	 Bushfire assessment for dwelling
D3	G Fitton	Yes	No	PD3	Bushfire assessment for dwelling
D4	T Bright	No	No	PD4	 Bushfire assessment for dwelling
D5	K Avery	Yes	No	PD5	 Bushfire assessment for dwelling
D6	Haining & Goodreid	Yes	Yes (Note – may possibly relocate to PD6 on basis of bushfire assessment)	PD6 (If required to be relocated)	 Bushfire assessment for dwelling in either location

Dwelling Site Number (Dwelling site)	Name of Cedarton Forester's Cooperative member	Gross Floor area of existing dwelling less than 100m2	Dwelling remain in existing location	Dwelling to relocate to new location (Proposed Dwelling site)	Reports and study requirements to support Development Application to legalise and establish dwelling at location.
D7	Burnett & Nolan	No	No	PD7	 Bushfire assessment for dwelling Bushfire assessment for site
D8	C Adams	Yes	Yes	-	 Bushfire assessment for dwelling Bushfire assessment for site.
D9	M Parks	No	Yes	-	Bushfire assessment for house
D10	R Lyndon	No	Yes	-	Bushfire assessment for house
D11	Hands & Liddington	Yes	Yes	-	Bushfire assessment for house
D12	T Woodhouse	No	Yes	-	 Bushfire assessment for dwelling Bushfire assessment for site
D13	B Kommer	No	No	PD13	 Bushfire assessment for dwelling
D14	P May	Yes	Yes	-	 Bushfire assessment for dwelling Geotechnical stability for dwelling Geotechnical stability and slope for driveway
D15	R Knight	Yes	Yes	-	 Bushfire assessment for dwelling Bushfire assessment for site
D16	Willoughby & Conrad	Yes	Yes	-	 Bushfire assessment for dwelling Bushfire assessment for site
D17	R Davis	Yes	No	PD17	 Bushfire assessment for dwelling Bushfire assessment for site
D18	J Turner	Yes	No	PD18	 Bushfire assessment for dwelling Bushfire assessment for site Geotechnical stability and slope for driveway
D19	S Lyne	No	No	PD19	 Bushfire assessment for dwelling

Dwelling Site Number (Dwelling site)	Name of Cedarton Forester's Cooperative member	Gross Floor area of existing dwelling less than 100m2	Dwelling remain in existing location	Dwelling to relocate to new location (Proposed Dwelling site)	Reports and study requirements to support Development Application to legalise and establish dwelling at location.
					 Bushfire assessment for site Geotechnical stability and slope for driveway
D20	P McCudden	Yes	No	PD20	Bushfire assessment for dwelling
D21	Jones & Bruzova	Yes	Yes	-	 Bushfire assessment for dwelling Bushfire assessment for site Bushfire vegetation land management plan Geotechnical stability for dwelling Geotechnical stability for site Geotechnical stability and slope for driveway
D22	P Hawker	Yes	Yes	-	 Bushfire assessment for dwelling Bushfire assessment for site Bushfire vegetation land management plan Geotechnical stability for dwelling Geotechnical stability for site Geotechnical stability and slope for driveway
СН	Community hall	Yes	Yes	-	 Bushfire assessment for community hall
RS	Recycling station	No	Yes	-	-
N	Nursery	Yes	Yes	-	-
FFP	Fire fighting pump	-	-	-	-
РВ	Access improvements: - Passing bay 1 - 8	-	-	-	-
	Access improvements:	-	-	-	-

Dwelling Site Number (Dwelling site)	Name of Cedarton Forester's Cooperative member	Gross Floor area of existing dwelling less than 100m2	Dwelling remain in existing location	Dwelling to relocate to new location (Proposed Dwelling site)	Reports and study requirements to support Development Application to legalise and establish dwelling at location.
	Sealing (CFC to undertake)				
	Accessway (CFC maintain)	-	-	-	-
	Driveway (Member maintain)	-	-	-	-
	Watercourse	-	-	-	-

The following table details the outcomes anticipated for the required studies and reports. These are not exhaustive but provide guidance as to the minimum information requirements each report is to contain. It is anticipated that actual content of any of the below stated reports will be more extensive and go beyond the minimum report requirements listed below given the complicated physical and topographical characteristics associated with the site.

Table 3 – Guidance to Information requirements

Reports and study requirements to support Development Application	Minimum Report Requirements
Bushfire assessment report for dwelling and for site	 Report is prepared by a suitably qualified person. Report to consider, and be consistent with: a. State Planning Policy Guideline, State interest – natural hazards, Guidance on flood, bushfire and landslide; b. The Moreton Bay Regional Council Planning Scheme Policy – Bushfire hazard; c. The bushfire related matters identified in Table 1 land management plan outcomes to be achieved; d. The recommendations identified in the Bushfire Risk Assessment and Bushfire Risk Land Management plan for Cedarton Forester's Cooperative prepared by Ecological Natural Area Management, Revision 6, July 2013.
Bushfire vegetation land management plan	 Report is prepared by a suitably qualified person. The report is to detail: a. Confirm all vegetation clearance is for bushfire management purposes only; b. The extent of vegetation to be removed; c. The type of vegetation to be removed; d. Why it is necessary for the vegetation to be removed and why it cannot be avoided.

Reports and study requirements to support Development Application	Minimum Report Requirements
Geotechnical stability report	 Report is prepared by a suitably qualified person. Report is to identify and demonstrate any cut to fill pad, roads, retaining structures, outbuilding and dwelling construction has a minimal risk to the safety of people, property by landslide. Report to confirm all buildings are appropriately located to minimise erosion and risk of landslide.
Effluent and wastewater disposal report	 Report is prepared by a suitably qualified person. Report is to be prepared in accordance with Plumbing and Drainage Act 2002 and the Queensland Plumbing and Wastewater Code and associated guidelines to confirm the suitability of each site to accommodate an on-site sewerage facility; or where a centrally located group collection treatment system is proposed, confirmation as to the suitability of the designated site to accommodate the on-site sewerage facility. Detail the preventative measures to limit impact on environmentally sensitive areas such as, but not limited to, watercourses, natural habitat and vegetation. Address the cumulative effects of 23 on-site domestic and community hall treatment plants over the whole site. Alternatively, where a centrally located group collection treatment system is proposed, the cumulative effects of that system and any other on-site treatment plants over the whole site.




Figure 1 – Cedarton Forester's Cooperative land management plan – Dwelling and building location




Figure 2 – Cedarton Forester's Cooperative land management plan – Building development areas




Figure 3 – Cedarton Forester's Cooperative land management plan – Accessway and driveway improvement areas




Figure 4 – Cedarton Forester's Cooperative land management plan – Contours, accessway and water courses




Figure 5 – Cedarton Forester's Cooperative land management plan – Vegetation clearing areas for dwellings




Figure 6 – Cedarton Forester's Cooperative land management plan – Fire management information and fire maintenance trail

Background information

The following documents assisted to inform the detail and content of the land management plan:

- Cedarton Forester's Cooperative Land Management Plan August 2013, prepared by Planning Strategies, printed 2 August 2013.
- Bushfire Risk Assessment and Bushfire Risk Land Management plan for Cedarton Forester's Cooperative (Lot 357 on SP119036) – Revision 6, prepared by Ecological Natural Area Management July 2013.

A copy of these documents can be obtained from Council.

TABLE B – MT NEBO PLANT NURSERY – LAND MANAGEMENT PLAN

Development in the Mt Nebo Plant Nursery site subject to a land management plan (see Figure 1)

1.2 Purpose of the land management plan

The site is situated at 1871 Mt Nebo Road, Mt Nebo, on land described as Lot 2 RP139965.

The purpose of the land management plan is to achieve the following identification of:

- a. The nature and extent of development permitted to occur on the site, subject to a land management plan process, namely:
 - i. A maximum of 16 dwelling sites, associated dwellings and driveways;
 - ii. Outbuildings associated with dwellings;
 - iii. Community building comprising the following:
 - A. 1 community hall for the exclusive use of shareholders only and is not available to members of the public for public use or hire;
 - B. 1 plant nursery for the exclusive use of shareholders only and the propagation of plants for use on the land management plan site only. The plant nursery is not to be available to the public or sell to the public;
 - C. 1 administration/office building for the exclusive use of shareholders only;
 - D. 1 water tank.
 - iv. Accessway throughout the land management plan site.
- b. The location of development identified in (I) (IV) above;
- c. Any additional works required to facilitate and support the development listed in (a) above;

1.2 Outcomes sought

The outcomes sought by the land management plan are as follows:

- a. To acknowledge the presence of a multiple dwelling of 16 units associated with the Mt Nebo Plant Nursery site;
- b. To limit development to that which existed on the day the planning scheme is adopted. Expansion or addition of land use and building is avoided;
- c. To ensure that any recognised development occurs in accordance with a land management plan.

Note - Figure 1 forms the land management plan for the site

Table 1 - Land management plan outcomes to be achieved

1.Development subject to land management planThe land management plan site1.Development comprises the a.1.Development comprises the plan site1.Development comprises the a.	Outcome to be achieved	
i. 1 community hal	e following:	
shareholders on	ellings and associated	

No	Subject	Applicability	Outcome to be achieved
			 ii. 1 plant nursery for the exclusive use of shareholders only and the propagation of plants for use on the land management plan site only. The plant nursery is not to be available to the public or sell to the public;
			iii. 1 administration/office building for the exclusive use of shareholders only;
			iv. 1 water tank.
			d. Accessway throughout the land management plan site.
			 Development is to occur in accordance with Figure 1 Mt Nebo plant nursery land management plan – Dwelling and building location.
2.	Dwellings and dwelling sites D1 – D13 and D15	14 Dwellings and dwelling sites	 Dwellings D1 – D13, D15 are to be located on sites in accordance with Figure 1 Mt Nebo Plant Nursery land management plan – Dwelling and building location.
			2. Dwellings are to be designed and constructed to comply with the Building Act 1975 and the Building Code of Australia.
			 Dwellings do not exceed their current building height at time of planning scheme adoption and any new structures not exceed a height of 8m.
			4. Dwellings retain their existing gross floor area, or a maximum of 100m2, whichever the greater (see Table 2).
3.	Alternate location for dwellings and dwelling site for D14 and D16	D14 and D16	 Dwelling D14 is located to a cleared position downslope or to the north of its current position.
			2. Dwelling D16 may locate in any position along the existing platform already create by a cut in that location.
			3. Dwellings are to be designed and constructed to comply with the Building Act 1975 and the Building Code of Australia.
			 Dwellings do not exceed their current building height at time of planning scheme adoption and any new structures not exceed a height of 8m.
			5. Geotechnical and bush fire reports, as identified in Table 5, are required to confirm suitability of dwelling and dwelling site.

No	Subject	Applicability	Outcome to be achieved
4.	All out buildings	All out buildings on-site, being listed or unlisted.	 All outbuildings are to be designed and constructed to comply with the Building Act 1975 and the Building Code of Australia. Buildings do not exceed a height of 8m.
5.	Identified Community Buildings CB1-4	CB1 Community hall (known as the Galaxy). CB2 – Nursery (known as the Shadehouse). CB3 – Administration /office (known as the Octagon). CB4 – Water tank (known as Top Tank).	 CB1 – CB4 are located on the site in accordance with Figure 7 Mt Nebo Plant Nursery land management plan – Dwelling and building location. All buildings and structures are designed and constructed to comply with the Building Act 1975 and the Building Code of Australia. All buildings and structures do not exceed a height of 8m. The gross floor area associated with CB1 – 4 to be retained.
6.	Bushfire	The land management plan site Where D14 is to remain in current location	 The installed pumps and associated reticulation system with around 50 hosecocks is maintained and available for fire fighting purposes. 1. D14 is to be built to a BAL 19 standard with an 8m separation from any fire source hazard. 2. D14 is to be provided with a 3m wide driveway to the accessway identified in Figure 1 Mt Nebo Plant Nursery land management plan – Dwelling and building location.
7.	Effluent and wastewater treatment and disposal	All dwelling sites, Community hall, outbuildings where applicable.	All development is to comply with the Plumbing and Drainage Act 2002 and the Queensland Plumbing and Wastewater Code.
8.	Hazardous substance storage	The land management plan site	 Any development that involves the storage or handling of hazardous chemicals listed in Schedule 9, Development involving hazardous chemicals, Table 9.0.1 Quantity thresholds for hazardous chemicals stored as accepted development subject to requirements complies with Table 9.0.3 Hazardous chemicals assessment thresholds. Development does not involve the storage or handling of hazardous chemicals listed in Schedule 9, Development involving hazardous chemicals, Table 9.0.2 Hazardous chemicals assessment thresholds.

Dwelling Site Number (Dwelling site)	Name of Mt Nebo Plant Nursery shareholder	Approximate Gross floor area of existing dwelling (m2)	Identified large outbuildings and area (m2)	Reports and study requirements to establish dwelling at location
D1	Millard	105	OB01 98	
			90	
D2	McKavangh & Layton	94	-	
D3	Carrigan	17	-	
D4	Colbert	94	-	
D5	Burkett	72	-	
D6	Lachowicz	124	OB6	
			65	
D7	Rice & Borchers	101	OB7	
			86	
D8	Scattini	108	OB8	
			50	
D9	Scattini	272	-	
D10	Boaler	136	-	
D11	Wills	88	-	
D12	Wills	58	-	
D13	Albinger & Sanders	118	-	
D14	Young	15	-	Where for current location:
				 Bushfire assessment for dwelling Geotechnical stability and slope for driveway
				 Where for new location: Bushfire assessment for dwelling Bushfire assessment for site Geotechnical stability for dwelling

Dwelling Site Number (Dwelling site)	Name of Mt Nebo Plant Nursery shareholder	Approximate Gross floor area of existing dwelling (m2)	Identified large outbuildings and area (m2)	Reports and study requirements to establish dwelling at location
				 Geotechnical stability for site Geotechnical stability and slope for driveway
D15	Scattini	45	-	
D16	Wills	11	-	 Bushfire assessment for dwelling Bushfire assessment for site Geotechnical stability for dwelling Geotechnical stability for site
Community Buildings and notable outbuildings	Name of Mt Nebo Plant Nursery shareholder	Area of existing community building (m2)	ldentifier	
Community hall (Galaxy)	Scattini	206	CB1	
Nursery (Shadehouse)	Scattini	221	CB2	
Administration office (Octagon)	Scattini	14	CB3	
Water Tank (Top Tank)	Community	9	CB4	

The following table details the outcomes anticipated for the required studies and reports. These are not exhaustive but provide guidance as to the minimum information requirements each report is to contain. It is anticipated that actual content of any of the below stated reports will be more extensive and go beyond the minimum report requirements listed below given the complicated physical and topographical characteristics associated with the site.

Table 3 – Guidance to Information requirements

Reports and study requirements to support Development Application	Minimum Report Requirements	
Bushfire assessment report for dwelling and for site	 Report is prepared by a suitably qualified person. Report to consider, and be consistent with: 	
	 a. State Planning Policy Guideline, State interest – natural hazards, Guidance on flood, bushfire and landslide, b. The Moreton Bay Regional Council Planning Scheme Policy – Bushfire hazard, 	
	 c. The bushfire related matters identified in Table 1 land management plan outcomes to be achieved, 	
	d. The recommendations identified in the Bushfire Risk Assessment and Bushfire Risk Land Management Plan for Mount Nebo Plant Nursery prepared by Ecological Natural Area Management, Revision 4, March 2014.	
Geotechnical stability report	 Report is prepared by a suitably qualified person. Report is to identify and demonstrate any cut and fill associated with driveways and accessway, cut to fill pad, retaining structures, outbuilding and dwelling construction has a minimal risk to the safety of people, property by landslide. Report to confirm buildings are appropriately located to minimise erosion and risk of landslide. 	
Effluent and wastewater disposal report	 Report is prepared by a suitably qualified person. Report is to be prepared in accordance with Plumbing and Drainage Act 2 and the Queensland Plumbing and Wastewater Code and associated guidel to confirm the suitability of each site to accommodate an on-site sewerag facility; or where a centrally located group collection treatment system is proposed, confirmation as to the suitability of the designated site to accommodate the on-site sewerage facility. Detail the preventative measures to limit impact on environmentally sensi areas such as, but not limited to, watercourses, natural habitat and vegeta Address the cumulative effects of 16 on-site domestic and community build to be active to active the under some site. 	
	treatment plants over the whole site. Alternatively, where a centrally located group collection treatment system is proposed, the cumulative effects of that system and any other on-site treatment plants over the whole site.	




Figure 1 – Mt Nebo Plant Nursery Land Management Plan

Background information

The following documents assisted to inform the detail and content of the land management plan:

- Mt Nebo Plant Nursery Management Plan March 2014, prepared by Paul Summers Planning Strategies, printed 4 March 2014.
- Mt Nebo Plant Nursery Report on Site Background and Current Circumstances February 2014, prepared by Paul Summers Planning Strategies, printed 20 March 2014.
- Bushfire Risk Assessment and Bushfire Risk Land Management Plan for Mt Nebo Plant Nursery (Lot 2 on RP139965) Revision 4, prepared by Ecological Natural Area Management March 2014.

A copy of these documents can be obtained from Council.