## 9.4.1.5 Extractive industry zone

#### 9.4.1.5.1 Purpose - Extractive industry zone

- 1. The purpose of this part of the Reconfiguring a lot code is to facilitate and manage the outcomes of development for reconfiguring a lot and its associated Operational Works in the Extractive industry zone, to achieve the Overall Outcomes.
- 2. The purpose of this part of the code will be achieved through the overall outcomes as identified in Part 9.4.1 -Reconfiguring a lot code and the following additional Extractive industry zone specific overall outcomes:
- a. Reconfiguring a lot does not compromise the viability of existing and future resource extraction, and ensures existing and future operations are protected from intrusion of incompatible uses.
- b. Reconfiguring a lot avoids areas subject to constraint, limitation, or environmental values. Where reconfiguring a lot cannot avoid these identified areas, it responds by:
  - i. adopting a 'least risk, least impact' approach when designing, siting and locating development to minimise the potential risk to people, property and the environment;
  - ii. ensuring no further instability, erosion or degradation of the land, water or soil resource;
  - iii. maintaining environmental values, including natural, ecological, biological, aquatic, hydrological and amenity values, and enhancing these values through the provision of environmental offsets, landscaping and facilitating safe wildlife movement through the environment;
  - iv. protecting native species and protecting and enhancing native species habitat;
  - v. protecting and preserving the natural, aesthetic, architectural historic and cultural values of significant trees, places, objects and buildings of heritage and cultural significance;
  - vi. establishing effective separation distances, buffers and mitigation measures associated with major infrastructure to minimise adverse effects on sensitive land uses from noise, dust and other nuisance generating activities;
  - vii. ensuring it promotes and does not undermine the ongoing viability, integrity, operation, maintenance and safety of major infrastructure;
  - viii. Ensuring effective and efficient disaster management response and recovery capabilities.
- c. The Reconfiguring a lot, Operational works associated with the Reconfiguring a lot, and uses expected to occur as a result of the Reconfiguring a lot:
  - i. responds to the risk presented by overland flow and minimises risk to personal safety;
  - ii. is resilient to overland flow impacts by ensuring the siting and design accounts for the potential risks to property associated with overland flow;
  - iii. does not impact on the conveyance of overland flow up to and including the Overland Flow Defined Flood Event;
  - iv. directly, indirectly and cumulatively avoids an increase in the severity of overland flow and potential for damage on the premises or to a surrounding property.
- d. Reconfiguring a lot achieves the intent and purpose of the Extractive industry zone outcomes as identified in Part 6.

#### 9.4.1.5.2 Requirement for assessment

#### Part F - Criteria for assessable development - Extractive industry zone

Where development is categorised as assessable development - code assessment in the Table of Assessment, the assessment benchmarks are the criteria set out in Part F, Table 9.4.1.5.1 as well as the purpose statement and overall outcomes of this code.

Where development is categorised as assessable development - impact assessable, the assessment benchmarks become the whole of the planning scheme.

### Assessable development - Extractive industry zone

Performance outcomes	Examples that achieve aspects of the Performance Outcomes
Lot Size	
P01	No example provided.
Lots are of sufficient size to accommodate land uses consistent in the zone and do not compromise extraction in the key resource areas. Note - Refer to the overall outcomes of Extractive industry zone	
for a list of consistent uses.	
PO2	No example provided.
All new lots created for the purpose of extractive resources have direct access to the Extractive resources transport route.	
Access Easements	
PO3	No example provided.
Access easements contain a driveway constructed to an appropriate standard for the intended use.	
PO4	No example provided.
Where the access easement adjoins a constructed road, it has appropriate grade, verge cross section and safe sight distance for accessing vehicles, through traffic, and active transport users.	
P05	E5
The easement covers all works associated with the access.	The easement covers all driveway construction including cut and fill batters, drainage works and utility services.
P06	No example provided.
Relocation or alteration of existing services are undertaken as a result of the access easement.	
Noise	
P07	E7
Noise attenuation structure (e.g. walls, barriers or fences):	Noise attenuation structures (e.g. walls, barriers or fences):
<ul> <li>a. contribute to safe and usable public spaces, through maintaining high levels of surveillance of parks, streets and roads that serve active</li> </ul>	<ul> <li>a. are not visible from an adjoining road or public area unless;</li> <li>i. adjoining a motorway or rail line; or</li> <li>ii. adjoining part of an arterial road that does not serve an existing or future active transport purpose (e.g.</li> </ul>

transport purposes (e.g. existing or future pedestrian paths or cycle lanes etc);	pedestrian paths or cycle lanes) or where attenuation through building location and materials is not possible.
b. maintain the amenity of the streetscape.	<ul> <li>b. do not remove existing or prevent future active transport routes or connections to the street network;</li> </ul>
Note - A noise impact assessment may be required to demonstrate compliance with this PO. Noise impact assessments are to be prepared in accordance with Planning scheme policy - Noise.	c. are located, constructed and landscaped in accordance with Planning scheme policy - Integrated design.
	Note - Refer to Planning Scheme Policy – Integrated design for details and examples of noise attenuation structures.
Note - Refer to Planning Scheme Policy – Integrated design for details and examples of noise attenuation structures.	Note - Refer to Overlay map – Active transport for future active transport routes.

#### Values and constraints criteria

Note - The relevant values and constraints criteria do not apply where the development is consistent with a current Development permit for Reconfiguring a lot or Material change of use or Operational work, where that approval has considered and addressed (e.g. through a development footprint plan (or similar in the case of Landslide hazard) or conditions of approval) the identified value or constraint under this planning scheme.

# Environmental areas (refer Overlay map - Environmental areas to be determined if the following assessment criteria apply)

Note - The identification of a development footprint will assist in demonstrating compliance with the following performance standards.

Editors' Note - The accuracy of overlay mapping can be challenged through the development application process (code assessable development) or by way of a planning scheme amendment. See Council's website for details.

PO8		No example provided.
	ew boundaries are located within 4m of High e Areas.	
PO9		E9
Lots	are designed to:	Reconfiguring a lot ensures that no additional lots are created within a Value Offset Area.
a.	minimise the extent of encroachment into the MLES waterway buffer or a MLES wetland buffer;	
b.	ensure quality and integrity of biodiversity and ecological values is not adversely impacted upon but are maintained and protected;	
C.	incorporate native vegetation and habitat trees into the overall subdivision design, development layout, on-street amenity and landscaping where practicable;	
d.	provide safe, unimpeded, convenient and ongoing wildlife movement;	
e.	avoid creating fragmented and isolated patches of native vegetation;	

	ructure buffers to determine if the following assessment
criteria apply) Note - The identification of a development footprint will assist in d	emonstrating compliance with the following performance criteria.
High voltage electricity line buffer	
PO10	No example provided.
New lots provide a development footprint outside of the buffer.	
PO11	E11
Adequate buffers are provided between utilities and dwellings (e.g. Caretaker's accommodation <sup>(10)</sup> ) to protect residential amenity and health.	New lots provide a development footprint for utilities and dwellings (e.g Caretaker's accommodation <sup>(10)</sup> ) outside of the buffer.
PO12	E12
The creation of new lots does not compromise or adversely impact upon the efficiency and integrity of supply.	No new lots are created within the buffer area.
PO13	E13
The creation of new lots does not compromise or adversely impact upon access to the supply line for any required maintenance or upgrading work.	No new lots are created within the buffer area.
PO14	No example provided.
Boundary realignments:	
<ul><li>i. do not result in the creation of additional building development opportunities within the buffer;</li><li>ii. result in the reduction of building development</li></ul>	
opportunities within the buffer.	

	Overland flow path (refer Overlay map - Overland flow path to determine if the following assessment criteria apply)	
	Note - The applicable river and creek flood planning levels associated with defined flood event (DFE) within the inundation area can be obtained by requesting a flood check property report from Council.	
PO1	5	No example provided.
Dev	elopment:	
a. b.	minimises the risk to persons from overland flow; does not increase the potential for damage from overland flow either on the premises or on a surrounding property, public land, road or infrastructure.	
PO1	6	E16
Dev	elopment:	Development ensures that any buildings are not located in
a.	maintains the conveyance of overland flow predominantly unimpeded through the premises for any event up to and including the 1% AEP for the fully developed upstream catchment;	an Overland flow path area. Note: A report from a suitably qualified Registered Professional Engineer Queensland is required certifying that the development does not increase the potential for significant adverse impacts on an upstream, downstream or surrounding property.
b.	does not concentrate, intensify or divert overland flow onto an upstream, downstream or surrounding property.	
	e - Reporting to be prepared in accordance with Planning eme policy – Flood hazard, Coastal hazard and Overland 	
PO1	7	No example provided.
Dev	elopment does not:	
a. b.	directly, indirectly or cumulatively cause any increase in overland flow velocity or level; increase the potential for flood damage from overland flow either on the premises or on a surrounding property, public land, road or infrastructure.	
an a	e - Open concrete drains greater than 1m in width are not acceptable outcome, nor are any other design options that v increase scouring.	
Eng doe	e - A report from a suitably qualified Registered Professional ineer Queensland is required certifying that the development s not increase the potential for significant adverse impacts an upstream, downstream or surrounding premises.	
	e - Reporting to be prepared in accordance with Planning eme policy – Flood hazard, Coastal hazard and Overland	

PO18	E18
Development ensures that overland flow is not conveyed from a road or public open space onto a private lot, unless the development is in a Rural zone.	Development ensures that overland flow paths and drainage infrastructure is provided to convey overland flow from a road or public open space area away from a private lot, unless the development is in the Rural zone.
PO19	E19.1
Development ensures that Council and inter-allotment drainage infrastructure, overland flow paths and open drains through private property cater for overland flows for a fully developed upstream catchment flows and are able to be easily maintained. Note - A report from a suitably qualified Registered Professional Engineer Queensland is required certifying that the development does not increase the potential for significant adverse impacts on an upstream, downstream or surrounding premises. Note - Reporting to be prepared in accordance with Planning scheme policy – Flood hazard, Coastal hazard and Overland flow	Development ensures that roof and allotment drainage infrastructure is provided in accordance with the following relevant level as identified in QUDM: a. Urban area – Level III; b. Rural area – N/A; c. Industrial area – Level V; d. Commercial area – Level V. <b>E19.2</b> Development ensures that all Council and allotment drainage infrastructure is designed to accommodate any event up to and including the 1% AEP for the fully developed upstream catchment.
PO20	No example provided.
<ul> <li>Development protects the conveyance of overland flow such that easements for drainage purposes are provided over:</li> <li>a. a stormwater pipe if the nominal pipe diameter exceeds 300mm;</li> <li>b. an overland flow path where it crosses more than one property; and</li> <li>c. inter-allotment drainage infrastructure.</li> <li>Note - Refer to Planning scheme policy - Integrated design for details and examples.</li> <li>Note - Stormwater drainage easement dimensions are provided in accordance with Section 3.8.5 of QUDM.</li> </ul>	
Additional criteria for development for a Park <sup>(57)</sup>	
PO21	E21
Development for a Park <sup>(57)</sup> ensures that the design and layout responds to the nature of the overland flow affecting the premises such that: a. public benefit and enjoyment is maximised;	Development for a Park <sup>(57)</sup> ensures works are provided in accordance with the requirements set out in Appendix B of the Planning scheme policy - Integrated Design.

b.	impacts on the asset life and integrity of park structures is minimised;
C.	maintenance and replacement costs are minimised.

Riparian and wetland setbacks (refer Overlay map - Riparian and wetland setback to determine if the following assessment criteria apply)

Note - - W1, W2 and W3 waterway and drainage lines, and wetlands are mapped on Schedule 2, Section 2.5 Overlay Maps – Riparian and wetland setbacks.

PO2	22	E22
Lots	are designed to:	Reconfiguring a lot ensures that:
a.	minimise the extent of encroachment into the riparian and wetland setback;	a. no new lots are created within a riparian and wetland setback;
b.	ensure the protection of wildlife corridors and connectivity;	b. new public roads are located between the riparian and wetland setback and the proposed new lots.
c.	reduce the impact on fauna habitats;	
d.	minimise edge effects;	Note - Riparian and wetlands are mapped on Schedule 2, Section 2.5 Overlay Maps – Riparian and wetland setbacks.
e.	ensure an appropriate extent of public access to waterways and wetlands.	