



Species List for Regional Ecosystem RE 12.2.5

Mixed coastal forest

Description: Open-forest to low closed forest. Species can include Corymbia intermedia, C. tessellaris,

Banksia integrifolia subsp. integrifolia, B. aemula, Acacia spp., Lophostemon confertus, Callitris columellaris, Livistona spp. and Endiandra sieberi. Melaleuca quinquenervia in swales. Understorey generally shrubby and can include vine forest species. Occurs of

Quaternary coastal dunes and beaches and sandy banks of coastal streams.

Representative areas in the MBRC:

Bayside Dr Park, Beachmere Boat Ramp, Beachmere CP, Bestmann Rd - Beach Res, Boama Park, Bribie Island NP, Bribie Island Rd Park, Buckleys Hole CP, Buckleys Hole Environ Pk, First Avenue Park, H E Corbould Park, Ian Fairweather Park, Karissma Rd

Park, Melsa Park, Moreton Terrace Park, Otto

St - Gravel Res, Toorbul Esp (Foreshore), Turners Camp, Verdoni St Park, White Patch

Esp Park, Woorim

Foreshore

Conservation status: Vegetation Management Act (Qld) 1999 - Least concern (37.59 % remaining locally)



Figure 1: RE 12.2.5 Photo by Melinda Laidlaw in Queensland Government, 2012, 'BioCondition benchmark for regional ecosystem condition assessment Southeast Queensland Regional ecosystem 12.2.5.'




Figure 2: Representative areas in the MBRC where RE 12.2.5 can be found.

| Scientific Name | Common Name | Description |
|---------------------------------------|------------------------|-------------|
| Grasses | | |
| Themeda triandra | Kangaroo Grass | |
| Herbs | | |
| Lomandra longifolia | Spiny mat rush | |
| Dianella caerulea var. vannata | | |
| Lomandra multiflora subsp. multiflora | Many-flowered Mat Rush | |
| Shrubs | | |
| Monotoca sp. Fraser Island | | |
| Tall Shrubs | | |
| Acacia concurrens | Black Wattle | |
| Banksia aemula | | |

| Terrestrial Ferns | | |
|--|-------------------------|--------------------|
| Pteridium esculentum | Common Bracken | |
| Trees | | |
| Acacia disparrima | Southern Salwood | |
| Alphitonia excelsa | Soap Tree/Red Ash | |
| Banksia integrifolia subsp. integrifolia | | |
| Callitris columellaris | Bribie Pine | |
| Corymbia intermedia | Pink Bloodwood | Koala habitat tree |
| Corymbia tessellaris | Moreton Bay Ash | Koala habitat tree |
| Endiandra sieberi | Hard Corkwood | |
| Livistona spp. | Fan Palm, Cabbage Palm | |
| Lophostemon confertus | Brush Box | Koala habitat tree |
| Melaleuca quinquenervia | Broad Leaved Paper Bark | Koala habitat tree |

This data is supplied by the Community & Environmental Services Division on the following conditions:-

Data is supplied from information contained in the Council's records which may have been furnished to the Council by other persons. Moreton Bay Regional Council gives no warranty or guarantee of any kind, expressed, implied, or statutory, to the correctness or accuracy of the data or the degree of compliance with any Council standards in this matter. Persons making decisions of any kind, including with financial or legal implications, must not rely upon the data for the purposes of determining whether any particular facts or circumstances exist and the Moreton Bay Regional Council (and its officers and agents) expressly disclaim responsibility for any loss or damage suffered as a result of placing reliance upon this data. Persons should satisfy themselves as to the accuracy and completeness of this information, and are encouraged to access other sources, such as the Department of Natural Resources and Mine's database or Wildlife Online, to obtain information that may not be available to Council.

