

# Integrated Design - Appendix H Standard Drawings

---



To view a complete and up to date version of all standard drawings, please refer to the MBRC Contemporary Standard Drawings webpage at - [www.moretonbay.qld.gov.au/standard-drawings](http://www.moretonbay.qld.gov.au/standard-drawings).

Drawing No.	Drawing Title
<b>INDEX</b>	
<b>Moreton Bay Regional Council (MBRC) Standard Drawings</b>	
<b>IN-0001</b>	Standard Drawing Index - Sheet 1 Of 4
<b>IN-0002</b>	Standard Drawing Index - Sheet 2 Of 4
<b>IN-0003</b>	Standard Drawing Index - Sheet 3 Of 4
<b>IN-0004</b>	Standard Drawing Index - Sheet 4 Of 4
<b>GREEN INFRASTRUCTURE</b>	
<b>Moreton Bay Regional Council (MBRC) Standard Drawings</b>	
<b>GI-0500</b>	Protection Zones Of Trees
<b>GI-0505</b>	Temporary Tree Protection Details (During Construction)
<b>GI-0510</b>	Fauna Refuge Pole
<b>GI-0520</b>	Fauna Escape Poles
<b>GI-0530</b>	Fauna Movement Shelf
<b>GI-0540</b>	Fauna Crossing Underpass - Sheet 1 of 2
<b>GI-0541</b>	Fauna Crossing Underpass - Sheet 2 of 2
<b>GI-0550</b>	Fauna Culvert Crossing Approach Treatment Lead in Log
<b>GI-0560</b>	Fauna Crossing - Rope Cage And Rope Ladder Typical Details - Sheet 1 Of 2
<b>GI-0561</b>	Fauna Crossing - Rope Cage And Rope Ladder Typical Details - Sheet 2 Of 2
<b>GI-0562</b>	Fauna Crossing - Rope Cage Details
<b>GI-0563</b>	Fauna Crossing - Rope Ladder Details
<b>STREETSCAPE AND LANDSCAPE</b>	
<b>Moreton Bay Regional Council (MBRC) Standard Drawings</b>	
<b>SL-1000</b>	Tree Planting Details
<b>SL-1005</b>	Tree With Grate
<b>SL-1010</b>	Tree With Porous Paving
<b>SL-1015</b>	Tree With Break Out Kerb And WSUD Elements
<b>SL-1020</b>	Landscape Treatment Roundabout Central Island
<b>SL-1030</b>	Retaining Walls - Stonepitched
<b>SL-1040</b>	Retaining Walls - Concrete Block Type 1 And Type 2 Footings
<b>SL-1050</b>	Stone Clad Masonry / Concrete Walls
<b>SL-1060</b>	Retaining Walls - Vegetation Screen
<b>Institute Of Public Works Engineering Australia (IPWEA) Standard Drawings</b>	
<b>GS-011</b>	Street Tree Planting Details - Wide Median
<b>GS-012</b>	Street Tree Planting Details - Narrow Median
<b>STREET FURNITURE INC. FENCES</b>	
<b>Moreton Bay Regional Council (MBRC) Standard Drawings</b>	
<b>SF-1500</b>	Pedestrian Fence - Type 1 And 5 - End Post Details (Cast Into Concrete Footing)
<b>SF-1501</b>	Pedestrian Fence - Type 1 And 5 - Intermediate Post Details (Cast Into Concrete Footing)
<b>SF-1502</b>	Pedestrian Fence - Type 1 And 5 - End Post Details (With Base Plate)
<b>SF-1503</b>	Pedestrian Fence - Type 1 And 5 - Intermediate Post Details (With Base Plate)
<b>SF-1504</b>	Pedestrian Fence - Type 1 Panel Details

<b>SF-1505</b>	Pedestrian Fence - Type 5 Panel Details
<b>SF-1506</b>	Pedestrian Fence - Type 1 And 5 - Intermediate Post Cap Details And Type 5 Pedestrian Fence Embellishment Details
<b>SF-1510</b>	Pedestrian Safety Fencing - Alternate Treatment For Low Speed Environments
<b>SF-1520</b>	Noise Barrier Fence - 2.0m High Post And Paling
<b>SF-1521</b>	Noise Barrier Fence - 2.0m High Post And Board
<b>SF-1530</b>	Hardwood Timber Vehicle Barrier And Bollard
<b>Institute Of Public Works Engineering Australia (IPWEA) Standard Drawings</b>	
<b>GS-040</b>	Fencing - Rural - 4 & 6 Strand Barbed Wire Fence
<b>GS-041</b>	Fencing - Chain Wire Security Fence
<b>GS-042</b>	Fencing - Log Barrier And Alternative Hardwood Timber Bollard
<b>GS-043</b>	Fencing - Locking Rail - Types 1, 2 & 3
<b>GS-044</b>	Fencing - Tubular Steel Fence, With & Without Chain Wire
<b>GS-045</b>	Fencing - Welded Mesh Fencing And Control Fence
<b>GS-046</b>	Fencing - Dune Protection
<b>GS-047</b>	Fencing - Entrance Barrier Single Swing Gate
<b>GS-048</b>	Fencing - Entrance Barrier Double Swing Gate
<b>PEDESTRIAN AND CYCLIST FACILITIES</b>	
<b>Moreton Bay Regional Council (MBRC) Standard Drawings</b>	
<b>PC-2000</b>	Bicycle Lanes And Bicycle Awareness Zones On Carriageway Retrofit Only
<b>PC-2010</b>	Traffic Signals - Linemarking Details - Bicycle Facilities
<b>PC-2020</b>	Bicycle Provisions - At Signalised Intersections - Sheet 1 Of 2
<b>PC-2021</b>	Bicycle Provisions - At Signalised Intersections - Sheet 2 Of 2
<b>PC-2030</b>	Bicycle Provisions - Single Lane Roundabout
<b>PC-2031</b>	Bicycle Provisions - Two Lane Roundabout - New Works
<b>PC-2032</b>	Bicycle Provisions - Two Lane Roundabout With Width Limitations
<b>PC-2040</b>	Bicycle Provisions - Road Exit Ramps
<b>PC-2041</b>	Bicycle Provisions - Road Entry Ramps
<b>PC-2050</b>	Bicycle Provisions - Off Road at Roundabout
<b>PC-2060</b>	Pathway Termination Treatments - Sheet 1 Of 2
<b>PC-2061</b>	Pathway Termination Treatments - Sheet 2 Of 2
<b>PC-2070</b>	Bicycle Racks And Rails - Stainless Steel Bicycle Hoop - Bolt Down And Cast In-Situ
<b>PC-2080</b>	W-Beam Guardrail Post Protection for Pedestrians and Cyclists
<b>PC-2110</b>	Pedestrian Crossovers - Tactiled
<b>PC-2120</b>	Staged Pedestrian Crossing Refuge
<b>PC-2130</b>	Pedestrian Refuge Offset Provision With or Without Zebra Crossing
<b>PC-2140</b>	Pedestrian Facilities at Traffic Island Cut Through
<b>PC-2150</b>	Typical Kerb Ramp and Traffic Signal Pedestal Location
<b>PC-2160</b>	Directional TGSI/Wayfinding Trails - Permanent Clearances
<b>PC-2170</b>	Installation of TGSI On Ramped Kerb Crossings
<b>Institute Of Public Works Engineering Australia (IPWEA) Standard Drawings</b>	
<b>RS-065</b>	Concrete Pathway Construction Details
<b>RS-090</b>	Kerb Ramp - Ramped Pedestrian Crossings
<b>RS-093</b>	Installation Of TGSI's On Ramped Kerb Crossings - Application Examples
<b>RS-094</b>	Kerb Ramp Locations And Configurations
<b>BUS INFRASTRUCTURE</b>	
<b>Moreton Bay Regional Council (MBRC) Standard Drawings</b>	
<b>BI-2500</b>	Mini Bus Shelter
<b>Institute Of Public Works Engineering Australia (IPWEA) Standard Drawings</b>	

<b>RS-182</b>	Indented Bus Bay Options Standard Crossfall
<b>RS-183</b>	Indented Bus Bay Slab Adverse Crossfall
<b>Translink Standard Drawings</b>	
<b>0011</b>	Regular Bus Stop - Minimum Boarding Point - With Existing Kerb
<b>0012</b>	Regular Bus Stop - Minimum Boarding Point - Without Existing Kerb
<b>0013</b>	Regular Bus Stop - Site Layout - Without Indented Bus Bay
<b>0014</b>	Regular Bus Stop - Site Layout - With Indented Bus Bay
<b>0015</b>	Regular Bus Stop - Site Layout - Access Examples
<b>0021</b>	Intermediate Stop - Site Layout - Without Indented Bus Bay
<b>0022</b>	Intermediate Stop - Site Layout - With Indented Bus Bay
<b>0025</b>	Intermediate Stop - Site Layout - Access Examples
<b>0031</b>	Premium Stop - Site Layout - Without Indented Bus Bay
<b>0032</b>	Premium Stop - Site Layout - With Indented Bus Bay
<b>0100</b>	Bus Shelter Designs - Overview
<b>0101</b>	Bus Shelter Designs - Type 1A
<b>0102</b>	Bus Shelter Designs - Type 1B
<b>0201</b>	Bus Shelter Designs - Type 2A
<b>0202</b>	Bus Shelter Designs - Type 2B
<b>0301</b>	Bus Shelter Designs - Type 3A
<b>0302</b>	Bus Shelter Designs - Type 3B
<b>0401</b>	Bus Shelter Designs - Suburban Shelter With Ad Panel
<b>0402</b>	Bus Shelter Designs - Suburban Shelter Without Ad Panel
<b>TRAFFIC MANAGEMENT</b>	
<b>Moreton Bay Regional Council (MBRC) Standard Drawings</b>	
<b>TM-3000</b>	Turning Template - Refuse Vehicle
<b>TM-3010</b>	Raised Hump - Pedestrian Crossing Facility
<b>TM-3020</b>	Coloured Pavement Threshold Treatment General Design And Specification
<b>INTERSECTION TREATMENT TYPE</b>	
<b>Moreton Bay Regional Council (MBRC) Standard Drawings</b>	
<b>IT-3500</b>	Radial Roundabout Detail - Local Access Street
<b>IT-3520</b>	Local Traffic Area - Perimeter Gateway - General Design Criteria
<b>IT-3530</b>	Four Way Intersection Treatment - Pavement Narrowing
<b>IT-3531</b>	Four Way Intersection Treatment - Threshold Treatment With Minor Legs
<b>IT-3533</b>	Four Way Intersection Treatment - Continuation Of Channel Across Minor Legs
<b>IT-3534</b>	Four Way Intersection Treatment - Four Way Modal Filtering For Bikes And Pedestrians
<b>IT-3536</b>	Four Way Intersection Treatment - Flat Top Road Humps With Minor Legs
<b>IT-3537</b>	Four Way Intersection Treatment - Roundabout Radial Type 1
<b>ROAD CROSS SECTIONS, KERB TYPES ETC</b>	
<b>Moreton Bay Regional Council (MBRC) Standard Drawings</b>	
<b>RW-4000</b>	Road Edge Guide Posts
<b>RW-4010</b>	Standard Batter Profiles & Stabilisation
<b>RW-4020</b>	Roadside Drainage - Upgrading Of Existing Roads - Swale Drains
<b>RW-4021</b>	Roadside Drainage - Upgrading Of Existing Roads - Shoulder Dykes & Batter Drains
<b>RW-4030</b>	Road Construction Standards - Pavement And Surfacing
<b>RW-4031</b>	Road Construction Standards - Cross Section Tolerances
<b>RW-4040</b>	Floodway - General Arrangement - Low Volume Rural Roads - Sheet 1 Of 2
<b>RW-4041</b>	Floodway - Details - Low Volume Rural Roads - Sheet 2 Of 2

<b>RW-4050</b>	Traffic Island Details - Cast In-Situ
<b>RW-4060</b>	Precast Traffic Island - Typical Details - Sheet 1 Of 2
<b>RW-4061</b>	Precast Traffic Island - Codes And Details - Sheet 2 Of 2
<b>Institute Of Public Works Engineering Australia (IPWEA) Standard Drawings</b>	
<b>RS-049</b>	Driveways - Residential Driveway - Plan 1 Of 2
<b>RS-050</b>	Driveways - Residential Driveway - Plan 2 Of 2
<b>RS-051</b>	Driveways - Heavy Duty Vehicle Crossing
<b>RS-056</b>	Driveways - Rural Driveway
<b>RS-080</b>	Kerb And Channel - Profiles And Dimensions, Including Edge Restraints, Median & Channel
<b>RS-081</b>	Kerb And Channel - Residential Drainage Connections
<b>RS-100</b>	Public Utilities - Typical Service Corridors And Alignments
<b>RS-101</b>	Public Utilities - Typical Service Conduit Sections
<b>RS-103</b>	Public Utilities - Optic Fibre Pit
<b>RS-131</b>	Traffic Sign Installation Details
<b>RS-140</b>	Subsoil Drains Details And Locations
<b>RS-142</b>	Subsoil Drains Access Points
<b>RS-170</b>	Pavement Extension - Trenching And Widening
<b>Department of Transport and Main Roads (DTMR) Standard Drawings</b>	
<b>SD1474</b>	Steel Beam Guardrail - Installation and Setout
<b>SD1475</b>	Steel Beam Guardrail - Installation On Bridge And Barrier Approaches
<b>South East Queensland Water Supply And Sewerage (SEQ WS&amp;S) Standard Drawings</b>	
<b>SEQ-WAT-1300-1</b>	Typical Valve And Hydrant Identification Markers
<b>STORMWATER</b>	
<b>Moreton Bay Regional Council (MBRC) Standard Drawings</b>	
<b>SW-5000</b>	Back Entry Catchpit With Precast Extended Kerb Inlet (On Grade Conditions) Retrofit Situations Only
<b>SW-5001</b>	Back Entry Catchpit With Precast Extended Kerb Inlet (Sag Conditions) Retrofit Situations Only
<b>SW-5010</b>	Side Entry Field Inlet
<b>SW-5020</b>	Drain - Inlet Pit With Grate
<b>SW-5030</b>	Stormwater Culvert - Trench Reinstatement In Existing Roadway
<b>Institute Of Public Works Engineering Australia (IPWEA) Standard Drawings</b>	
<b>DS-010</b>	Stormwater Access Chamber Detail - 1050 To 2100 Diameter
<b>DS-015</b>	Manhole Frame - (Roadway And Non-Roadway) - 1050 To 2100 Diameter
<b>DS-018</b>	Manhole Riser Details - (Roadway)
<b>DS-019</b>	Manhole Cover - (Roadway) - 1050 To 2100 Diameter
<b>DS-020</b>	Manhole Cover - (Non-Roadway) - 1050 To 2100 Diameter
<b>DS-021</b>	Manhole Cover Concrete Infill - (Pedestrian Traffic) - 1050 To 2100 Diameter
<b>DS-030</b>	Excavation, Bedding And Backfilling - Rigid & Flexible Drainage Pipes
<b>DS-031</b>	Excavation, Bedding And Backfilling - Precast Box Culverts
<b>DS-040</b>	Sediment Control Devices - Sediment Fence, Entry/Exit Sediment Trap
<b>DS-041</b>	Sediment Control Devices - Kerb And Field Inlet - Check Dams & Straw Bales
<b>DS-050</b>	Drainage Pits - Field Inlet - Type 1 And Type 2
<b>DS-060</b>	Drainage Pits - Kerb Inlet - Kerb In Line - General Arrangement
<b>DS-061</b>	Drainage Pits - Kerb Inlet - Precast Lintel Details
<b>DS-062</b>	Drainage Pits - Kerb Inlet - Grate And Frame
<b>DS-063</b>	Drainage Pits - Kerb Inlet - Lip In Line - General Arrangement
<b>DS-068</b>	Drainage Pits - Kerb Inlet - Lip In Line - Anti-Ponding
<b>DS-069</b>	Drainage Pits - Field Inlet Pit - Dome Top Cover (900X600)

<b>DS-070</b>	Bioretention Drainage Profile - Type 1 Saturated Zone - Unconstrained
<b>DS-071</b>	Bioretention Drainage Profile - Type 1 Saturated Zone - Constrained
<b>DS-072</b>	Bioretention Drainage Profile - Type 2 Sealed
<b>DS-073</b>	Bioretention Drainage Profile - Type 3 Conventional
<b>DS-074</b>	Bioretention Drainage Profile - Type 4 Pipeless
<b>DS-075</b>	Large Bioretention Sediment Forebay
<b>DS-076</b>	Bioretention Weir
<b>DS-077</b>	Bioretention Street Pit
<b>DS-078</b>	Bioretention Standard Notes
<b>DS-079</b>	Streetscape Swale - Typical Section Sheet 1 Of 2
<b>DS-080</b>	Streetscape Swale - Typical Section Sheet 2 Of 2
<b>DS-082</b>	Drainage Details - Culvert Inlet Screen
<b>Department Of Transport And Main Roads (DTMR) Standard Drawings</b>	
<b>SD1303</b>	R C Box Culverts And Slab Link Box Culverts - Construction Of Reinforced Concrete Wingwalls And Headwalls
<b>SD1304</b>	Pipe Culverts - Wingwalls, Headwall And Apron For Pipe Diameter 750 To 2400 - Drawings 1 Of 2 To 2 Of 2
<b>SD1305</b>	Pipe Culverts - Headwall And Apron For Pipe Diameter 375 To 675
<b>SD1316</b>	R C Box Culverts And Slab Link Box Culverts - General Arrangement And Installation Of Precast Units
<b>SD1317</b>	R C Box Culverts And Slab Link Culverts - Construction Of Bases With Nibs And Aprons
<b>SD1318</b>	R C Box Culverts And Slab Link Culverts - Construction Of Bases With Recesses And Aprons
<b>SD1320</b>	R C Box Culverts And Slab Link Box Culverts - Crown Unit Holding Down Anchors
<b>SD1359</b>	Culverts - Installation, Bedding And Filling/Backfilling Against/Over Culverts
<b>TRAFFIC SIGNALS AND ITS</b>	
<b>TS-5000</b>	Traffic Signal Design Requirements
<b>SIGNAGE</b>	
<b>Moreton Bay Regional Council (MBRC) Standard Drawings</b>	
<b>SI-6000</b>	Typical Intersection Signage Details
<b>SI-6010</b>	Single Lane Roundabout Signage Details
<b>SI-6015</b>	Two Lane Roundabout Signage Details
<b>SI-6020</b>	Street Name Sign And Location (Finger Board)
<b>SI-6030</b>	Trail Marker Post
<b>SI-6040</b>	Open Space Signage Graphics Details
<b>SI-6041</b>	Open Space Signage Level 1 General Arrangement
<b>SI-6042</b>	Open Space Signage Level 2 General Arrangement
<b>SI-6043</b>	Open Space Signage Level 3 General Arrangement
<b>SI-6044</b>	Open Space Signage Level 4 General Arrangement
<b>SI-6045</b>	Open Space Signage Level 5 Type 3, 4 & 5
<b>SI-6050</b>	Suburb Signage - Hoop Style Suburb Sign - Higher Order Type 1
<b>SI-6051</b>	Suburb Signage - Hoop Style Suburb Sign - Higher Order Type 2 (Over Concrete Pathway)
<b>SI-6060</b>	Suburb Signage - Finger Board Suburb Sign - Low Order Type 1 (Short Suburb Name)
<b>SI-6061</b>	Suburb Signage - Finger Board Suburb Sign - Low Order Type 2 (Short Suburb Name)
<b>PARKS AND NATURAL AREAS</b>	

<b>Moreton Bay Regional Council (MBRC) Standard Drawings</b>	
<b>PN-6500</b>	Sub-Soil Drainage Details
<b>PN-6510</b>	Drainage Swale Details - Sheet 1
<b>PN-6511</b>	Drainage Swale Details - Sheet 2
<b>PN-6520</b>	Typical Edge Details
<b>PN-6530</b>	Playground Edge Details
<b>PN-6540</b>	Deco And Asphalt Path Details
<b>PN-6550</b>	Root Barrier Details
<b>PN-6560</b>	Typical Planting Details
<b>PN-6590</b>	Horse Step-Over Details
<b>PN-6600</b>	Park Furniture Setout - Sheet 1
<b>PN-6601</b>	Park Furniture Setout - Sheet 2
<b>PN-6655</b>	Retaining Wall - Boulder
<b>PN-6670</b>	Basketball Halfcourt - Sheet 1 Of 2 - General Notes
<b>PN-6671</b>	Basketball Halfcourt - Sheet 2 Of 2 - Plans And Post Details
<b>PN-6680</b>	Cricket Practice Net - Sheet 1 Of 3 - Plans And Sections
<b>PN-6681</b>	Cricket Pitch - Sheet 2 Of 3 - Plans And Sections
<b>PN-6682</b>	Cricket Pitch And Nets - Sheet 3 Of 3 - Notes And Specifications
<b>PN-6690</b>	Stairway - Reinforced concrete
<b>PN-6695</b>	Steps - Concrete
<b>COASTAL AND FLOOD MITIGATION</b>	
<b>Department Of Transport And Main Roads (DTMR) Standard Drawings</b>	
<b>SD4000</b>	Precast Planks For Boat Ramp - Types RG4000 And RG3500
<b>SD4001</b>	Precast Planks For Boat Ramp - Types OS4000 And OS3500
<b>SD4020</b>	Boat Ramp - Boat Ramp Construction - Precast Plank Installation And Anchor Beam - Types 1 And 2
<b>SD4021</b>	Boat Ramp - Boat Ramp Construction - Earthworks And Crushed Rock Core Details
<b>SD4022</b>	Boat Ramp - Boat Ramp Construction - Fully Grouted Shoulders And Ungouted Shoulders
<b>SD4023</b>	Boat Ramp - Boat Ramp Construction - Concrete Slab And Joint Details