9.4.1.9 Recreation and open space zone

9.4.1.9.1 Purpose - Recreation and open space zone

- 1. The purpose of this part of the Reconfiguring a lot code is to facilitate and manage the outcomes of development for reconfiguring a lot and its associated Operational Works in the Recreation and open space zone, to achieve the Overall Outcomes.
- 2. The purpose of this part of the code will be achieved through the overall outcomes as identified in Part 9.4.1 -Reconfiguring a lot code and the following additional Recreation and open space zone specific overall outcomes:
- a. Park⁽⁵⁷⁾ and open space is located within walking distance to all residential lots, and is designed and constructed to a standard sufficient to service the social, cultural and recreational needs of the community.
- Reconfiguring a lot maintains lots of sufficient size and dimensions to cater for the desired standard for service for Park⁽⁵⁷⁾ and open space provision.
- c. Reconfiguring a lot avoids areas subject to constraint, limitation, or environmental values. Where reconfiguring a lot cannot avoid these identified areas, it responds by:
 - i. adopting a 'least risk, least impact' approach when designing, siting and locating development to minimise the potential risk to people, property and the environment;
 - ii. ensuring no further instability, erosion or degradation of the land, water or soil resource;
 - iii. maintaining environmental values, including natural, ecological, biological, aquatic, hydrological and amenity values, and enhancing these values through the provision of environmental offsets, landscaping and facilitating safe wildlife movement through the environment;
 - iv. protecting native species and protecting and enhancing native species habitat;
 - v. protecting and preserving the natural, aesthetic, architectural historic and cultural values of significant trees, places, objects and buildings of heritage and cultural significance;
 - vi. establishing effective separation distances, buffers and mitigation measures associated with major infrastructure to minimise adverse effects on sensitive land uses from noise, dust and other nuisance generating activities;
 - vii. ensuring it promotes and does not undermine the ongoing viability, integrity, operation, maintenance and safety of major infrastructure;
 - viii. Ensuring effective and efficient disaster management response and recovery capabilities.
- d. The Reconfiguring a lot, Operational works associated with the Reconfiguring a lot, and uses expected to occur as a result of the Reconfiguring a lot:
 - responds to the risk presented by overland flow and minimises risk to personal safety;
 - ii. is resilient to overland flow impacts by ensuring the siting and design accounts for the potential risks to property associated with overland flow;
 - iii. does not impact on the conveyance of overland flow up to and including the Overland Flow Defined Flood Event;
 - iv. directly, indirectly and cumulatively avoids an increase in the severity of overland flow and potential for damage on the premises or to a surrounding property.
- e. Reconfiguring a lot achieves the intent and purpose of the Recreation and open space zone outcomes as identified in Part 6 or where in the Redcliffe Kippa-Ring local plan area, achieves the intent and purpose of the Redcliffe Kippa-Ring local plan and applicable precinct as identified in Part 7.

9.4.1.9.2 Criteria for assessment

i.

To determine if boundary realignment is self-assessable development, it must comply with the self-assessable acceptable outcomes set out in Part T, Table 9.4.1.9.1. Where development does not meet any of the relevant criteria in Part T, Table 9.4.1.9.1, assessment is limited to the subject matter of the self-assessable acceptable outcomes that were not complied with. The following table identifies the corresponding performance outcomes where a development does not comply with a self-assessable acceptable outcome.

Self-assessable acceptable outcomes	Corresponding performance outcomes
SAO1	PO4
SAO2	PO5
SAO3	PO21-PO57
SAO4	PO25-PO26
SAO5	PO19

Where reconfiguring a lot is code assessable development in the Table of Assessment, the assessment criteria for that development are set out in Part U, Table 9.4.1.9.2.

Part T - Criteria for self-assessable development - Recreation and open space zone

Table 9.4.1.9.1 Self-assessable development - Recreation and open space zone

Self-assessable acceptable outcomes								
General criteria								
Bounda	Boundary realignment							
SAO1	Lots created by boundary realignment:							
	a. contain all service connections to water, sewer, electricity and other infrastructure wholly within the lot they serve;							
	b. have constructed road access;							
	c. do not require additional infrastructure connections or modification to existing connections;							
	d. do not result in the creation of any additional lots.							
SAO2	Boundary realignment does not result in existing land uses on-site becoming non-compliant:							
	Note - Examples may include but are not limited to:							
	a. minimum lot size requirements;							
	b. minimum or maximum required setbacks							
	c. parking and access requirements;							
	d. servicing and Infrastructure requirements;							
	e. dependant elements of an existing or approved land use being separately titled, including but not limited to:							
	i. Where premises are approved as Multiple dwelling ⁽⁴⁹⁾ with a communal open space area, the communal open space cannot be separately titled as it is required by the Multiple dwelling approval.							
	ii. Where a commercial or industrial land use contains an ancillary office ⁽⁵³⁾ , the office ⁽⁵³⁾ cannot be separately titled as it is considered part of the commercial or industrial use.							
	iii. Where a Dwelling house ⁽²²⁾ includes a secondary dwelling or associated outbuildings, they cannot be separately titled as they are dependent on the Dwelling house ⁽²²⁾ use.							

SAO3	Boundary realignment does not result in the creation of additional building development opportunities within an area subject to an overlay map.			
SAO4	No new boundaries are located within 2m of High Value Areas as identified in Overlay map - Environmental areas.			
SAO5	Boundary realignment does not result in the clearing of any Habitat trees.			

Part U - Criteria for assessable development - Recreation and open space zone

Table 9.4.1.9.2 Assessable development - Recreation and open space zone

Performance outcomes	Acceptable outcomes		
Lot size and design			
PO1 Areas for recreation and open space purposes are provided in locations, and of a size and design standard to meet the needs of the expected users. Note - To determine the size and design standards for Parks ⁽⁵⁷⁾ refer to Planning scheme policy - Integrated design.	No acceptable outcome provided.		
PO2	No acceptable outcome provided.		
The safety and useability of areas for recreation and open space purposes are ensured through the careful design of the street network and lot locations which provide high levels of surveillance and access.			
PO3	A03		
Lots are of a sufficient grade to accommodate effective stormwater drainage to a lawful point of discharge.	The surface level of a lot is at a minimum grade of 1:100 and slopes towards the street frontage, or other lawful point of discharge.		
Boundary realignment			
PO4	No acceptable outcome provided.		
Boundary alignments ensure that infrastructure and services are wholly contained within the lot they serve.			
PO5	No acceptable outcome provided.		
Boundary realignment does not result in:			
a. existing land uses on-site becoming non-complying with planning scheme criteria;			
b. lots being unserviced by infrastructure;			
c. lots not providing for own private servicing.			
Note - Examples of a. above may include but are not limited to:			

a.	minin	num lot size requirements;	
b.	setba	acks	
C.	parkii	ng and access requirements;	
d.	servio	cing and Infrastructure requirements;	
e.		ndant elements of an existing or approved land use being rately titled, including but not limited to:	
	i.	Where premises is approved as Multiple dwelling ⁽⁴⁹⁾ with a communal open space area, the communal open space cannot be separately titled as it is required by the Multiple dwelling approval.	
	ii.	Where a commercial or industrial land use contains an ancillary office (53) , the office (53) cannot be separately titled as it is considered part of the commercial or industrial use.	
	iii.	Where a Dwelling house ⁽²²⁾ includes a secondary dwelling or associated outbuildings, they cannot be separately titled as they are dependent on the Dwelling house ⁽²²⁾ use.	
Reco	onfigu	ring a lot other than creating freehold lots	S
PO6			No acceptable outcome provided.
buildi by wa non-c	ngs w ay of I compli	ring a lot which separates existing or approved whether or not including land, or separates land ease does not result in land uses becoming iant or dependant elements of a use being by title.	
Volur	netrio	c subdivision	
PO7			No acceptable outcome provided.
of the acces the pr	e land ss arra	iguring of the space above or below the surface ensures appropriate area, dimensions and angements to cater for uses consistent with ct and does not result in existing land uses coming non-compliant.	
Retic	ulate	d supply	
PO8			A08
and ir mana electr mann	nfrast igeme icity, f ier tha		 Lots are provided with: a. a connection to the reticulated water supply infrastructure network; b. a connection to the reticulated sewerage infrastructure network;
		cient in delivery of service; ective in delivery of service;	 infrastructure network; a connection to the reticulated electricity infrastructure network; and

C.				
	is conveniently accessible in the event of maintenance or repair;	d. where available, access to a high speed telecommunication network;		
 d. minimises whole of life cycle costs for that e infrastructure; e. minimises risk of potential adverse impacts on the natural and built environment; 		 e. lots containing resident's (caretaker's accommodation⁽¹⁰⁾) are not exposed to electromagnetic fields from powerlines >33kV 		
		exceeding 2mG (average).		
f.	minimises risk of potential adverse impact on amenity and character values;			
g.	recognises and promotes Councils Total Water Cycle Management policy and the efficient use of water resources;	C V		
h.	ensures that resident's (caretaker's accommodation ⁽¹⁰⁾) exposure to electromagnetic fields from powerlines exceeding 2mG is minimised.			
Stor	rmwater location and design			
PO9 The development is planned and designed considering the land use constraints of the site and incorporates water sensitive urban design principles.		No acceptable outcome provided.		
	sitive urban design principles.			
sens PO1 Stor ripar		No acceptable outcome provided.		
sens PO1 Stor ripar banl PO1 Natu	10 rmwater management facilities are located outside of rian areas and prevent increased channel bed and k erosion.	No acceptable outcome provided. No acceptable outcome provided.		
PO1 Stor ripan banl PO1 Natu enha PO1 Dev	 10 rmwater management facilities are located outside of rian areas and prevent increased channel bed and k erosion. 11 ural streams and riparian vegetation are retained and anced through revegetation. 			
sens PO1 Stor ripar banl PO1 Natu enha PO1 Dev wate	 10 rmwater management facilities are located outside of rian areas and prevent increased channel bed and k erosion. 11 ural streams and riparian vegetation are retained and anced through revegetation. 12 velopment maintains the environmental values of 	No acceptable outcome provided.		
Sens PO1 Stor ripar banl PO1 Natu enha PO1 Dev wate	 10 rmwater management facilities are located outside of rian areas and prevent increased channel bed and k erosion. 11 ural streams and riparian vegetation are retained and anced through revegetation. 12 relopment maintains the environmental values of erway ecosystems. rmwater management system 	No acceptable outcome provided.		
Sense PO1 Stor ripan ban PO1 Natu enha PO1 Dev wate Stor PO1 The	 10 rmwater management facilities are located outside of rian areas and prevent increased channel bed and k erosion. 11 ural streams and riparian vegetation are retained and anced through revegetation. 12 relopment maintains the environmental values of erway ecosystems. rmwater management system 	No acceptable outcome provided.		


con	erland flow paths (for any storm event) from newly structed roads and public open space areas do not s through private lots.	
PO	15	No acceptable outcome provided.
Bur	ere located within the Upper Pine, Hays Inlet and pengary Creek catchments, development achieves greater pollutant removal of: 100% reductions in mean annual loads from unmitigated development for total suspended solids, total phosphorus, total nitrogen and gross pollutants >5mm;	
ma der Gui Pla loca Not bou PO' Whe Bur the for I and Not Pla loca Not	the stormwater management design objectives relevant for Moreton Bay Regional Council identified in Table A and B in Appendix 3 of the SPP. te - To demonstrate compliance with this PO a stormwater quality nagement plan is to be prepared by a suitable qualified person monstrating compliance with the Urban Stormwater Planning ideline 2010, Planning Scheme Policy – Stormwater Management, nning Scheme Policy - Integrated Design and considering any al area stormwater management planning prepared by Council. te - Refer to Overlay map - Stormwater catchments for catchment undaries.	No acceptable outcome provided.
PO	17	No acceptable outcome provided.
The	stormwater management system is designed to:	
a.	Protect the environmental values in downstream waterways; and	
b.	Maintain ground water recharge areas; and	
C.	Preserve existing natural wetlands and associated buffers	
1		

	e. Avoid altering the natural hydrologic regime in acid sulphate soil and nutrient hazardous areas.	
	f. Maintain and improve receiving water quality;	
	g. Protect natural waterway configuration;	
	h. Protect natural wetlands and vegetation;	
	i. Protect downstream and adjacent properties; and	
	j. Protect and enhance riparian areas.	
·	PO18	No acceptable outcome provided.
	Design and construction of the stormwater management system:	
	a. utilise methods and materials to minimise the whole of lifecycle costs of the stormwater management system; and	
	b. are coordinated with civil and other landscaping works.	
	Note - To determine the standards for stormwater management system construction refer to Planning scheme policy - Integrated design.	
	Native vegetation where not located in the Environm	ental areas overlay
	P019	No acceptable outcome provided
	Reconfiguring a lot facilitates the retention of native vegetation by:	
	a. incorporating native vegetation and habitat trees into the overall subdivision design, development layout, on-street amenity and landscaping where practicable;	
	b. ensuring habitat trees are located outside a development footprint. Where habitat trees are to	
	be cleared, replacement fauna nesting boxes are provided at the rate of 1 nest box for every hollow removed. Where hollows have not yet formed in trees > 80cm in diameter at 1.3m height, 3 nest boxes are required for every habitat tree removed.	
	c. providing safe, unimpeded, convenient and ongoing wildlife movement;	
	d. avoiding creating fragmented and isolated patches of native vegetation.	
	e. ensuring that biodiversity quality and integrity of habitats is not adversely impacted upon but are maintained and protected;	

9 Development codes

f.	ensuring that soil erosion and land degradation does not occur;				
g.	ensuring that quality of surface water is not adversely impacted upon by providing effective				
	vegetated buffers to water bodies.				
Nois	se				
PO2	0	AO20			
Nois a.	e attenuation structure (e.g. walls, barriers or fences): contribute to safe and usable public spaces, through maintaining high levels of surveillance of parks, streets and roads that serve active transport	Noise attenuation structures (e.g. walls, barriers or fences): a. are not visible from an adjoining road or public area unless;			
	purposes (e.g. existing or future pedestrian paths or cycle lanes etc);	adjoining a motorway or rail line; oradjoining part of an arterial road that does not serve			
com prep	maintain the amenity of the streetscape. e - A noise impact assessment may be required to demonstrate pliance with this PO. Noise impact assessments are to be bared in accordance with Planning scheme policy - Noise.	 an existing or future active transport purpose (e.g. pedestrian paths or cycle lanes) or where attenuation through building location and materials is not possible. b. do not remove existing or prevent future active transport routes or connections to the street 			
Note - Refer to Planning Scheme Policy – Integrated design for details and examples of noise attenuation structures.		network; c. are located, constructed and landscaped in accordance with Planning scheme policy - Integrated design.			
		Note - Refer to Planning Scheme Policy – Integrated design for details and examples of noise attenuation structures.			
		Note - Refer to Overlay map – Active transport for future active transport routes.			
	Values and cons	straints criteria			
cons unde of ap	Note - The relevant values and constraints criteria do not apply where the development, the subject of the application, is associated and consistent with, and subsequent to a current Development permit for Reconfiguring a lot or Material change of use, where that approval, under this or a superseded planning scheme, has considered and addressed (e.g. through a development footprint plan or similar, or conditions of approval) the identified value or constraint under this planning scheme.				
	Bushfire hazard areas (refer Overlay map - Bushfire hazard to determine if the following assessment criteria apply)				
Note - The preparation of a bushfire management plan in accordance with Planning scheme policy – Bushfire prone areas can assist in demonstrating compliance with the following performance criteria. The identification of a development footprint will assist in demonstrating compliance with the following performance criteria.					
PO2	1	AO21			
Lots a.	are designed to: minimise the risk from bushfire hazard to each lot and provide the safest possible siting for buildings and structures;	Reconfiguring a lot ensures that all new lots are of an appropriate size, shape and layout to allow for the siting of future buildings being located: a. within an appropriate development footprint;			

 b. limit the possible spread paths of bushfire within the reconfiguring; c. achieve sufficient separation distance between development and hazardous vegetation to minimise the risk to future buildings and structures during bushfire events; d. maintain the required level of functionality for emergency services and uses during and immediately after a natural hazard event. 	 b. within the lowest hazard locations on a lot; c. to achieve minimum separation between development or development footprint and any source of bushfire hazard of 20m or the distance required to achieve a Bushfire Attack Level BAL (as identified under AS3959-2009), whichever is the greater; d. to achieve a minimum separation between development or development footprint and any retained vegetation strips or small areas of vegetation of 10m or the distance required to achieve a Bushfire Attack Level BAL (as identified under AS3959-2009), whichever is the greater; e. away from ridgelines and hilltops; f. on land with a slope of less than 15%; g. away from north to west facing slopes.
P022	A022
PO22 Lots provide adequate water supply and infrastructure to support fire-fighting.	 AO22 For water supply purposes, reconfiguring a lot ensures that: a. lots have access to a reticulated water supply provided by a distributer retailer for the area; or b. where no reticulated water supply is available, on-site fire fighting water storage containing not less than 10000 litres and located within a development footprint.
P023	AO23
Lots are designed to achieve:	Reconfiguring a lot ensures a new lot is provided with:
a. safe site access by avoiding potential entrapment	a. direct road access and egress to public roads;
situations;	b. an alternative access where the private driveway
b. accessibility and manoeuvring for fire-fighting during	is longer than 100m to reach a public road;
bushfire.	 c. driveway access to a public road that has a gradient no greater than 12.5%;
	d. minimum width of 3.5m.
PO24	AO24
The road layout and design supports:	Reconfiguring a lot provides a road layout which:
 a. safe and efficient emergency services access to all lots; and manoeuvring within the subdivision; b. availability and maintenance of access routes for the purpose of safe evacuation. 	 a. includes a perimeter road that separating the new lots from hazardous vegetation on adjacent lots incorporating by: i. a cleared width of 20m;



Environmental areas (refer Overlay map - Environmental areas to determine if the following assessment criteria apply)

Note - The identification of a development footprint will assist in demonstrating compliance with the following performance criteria.

Editors' Note - The accuracy of overlay mapping can be challenged through the development application process (code assessable development) or by way of a planning scheme amendment. See Council's website for details.

PO25	No acceptable outcome provided
No new boundaries are to be located within 2m of a High Value Area.	

PO26

Lots are designed to:

- a. minimise the extent of encroachment into the MLES waterway buffer or a MLES wetland buffer;
- b. ensure quality and integrity of biodiversity and ecological values is not adversely impacted upon but are maintained and protected;
- c. incorporate native vegetation and habitat trees into the overall subdivision design, development layout, on-street amenity and landscaping where practicable;
- d. provide safe, unimpeded, convenient and ongoing wildlife movement;
- e. avoid creating fragmented and isolated patches of native vegetation;
- f. ensuring that soil erosion and land degradation does not occur;
- g. ensuring that quality of surface water is not adversely impacted upon by providing effective vegetated buffers to water bodies.

AND

Where development results in the unavoidable loss of native vegetation within a MLES waterway buffer or a MLES wetland buffer, an environmental offset is required in accordance with the environmental offset requirements identified in Planning scheme policy - Environmental areas.

Extractive resources transport route buffer (refer Overlay map - Extractive resources to determine if the following assessment criteria apply)

Note The identification of a	douglopmont footprint u	uill against in d	amonatrating compliance	with the following	norformance oritoria
Note - The identification of a	development lootbrint w	vin assist in o	emonstrating compliance	with the following	benormance criteria.

P027	No acceptable outcome provided.
Lots provide a development footprint outside of the buffer.	
PO28	No acceptable outcome provided.
Access to a new lot is not from an identified extractive industry transportation route, but to an alternative public road.	
Extractive resources separation area (refer Overlay ma assessment criteria apply)	ap - Extractive resources to determine if the following
Note - The identification of a development footprint will assist in demor	nstrating compliance with the following performance criteria.

PO29	No acceptable outcome provided.
Lots provide a development footprint outside of the separation area.	

Reconfiguring a lot ensures that no additional lots are created within a Value Offset Area.

PO3	30	No acceptable outcome provided.
New buffe	v lots provide a development footprint outside of the er.	
PO3	1	No acceptable outcome provided.
	creation of new lots does not compromise or ersely impact upon the efficiency and integrity of bly.	
PO3	2	No acceptable outcome provided.
adve	creation of new lots does not compromise or ersely impact upon access to the supply line for any ired maintenance or upgrading work.	
PO3	3	No acceptable outcome provided.
Bou	ndary realignments:	
i. ii.	do not result in the creation of additional building development opportunities within the buffer; results in the reduction of building development opportunities within the buffer.	
the	itage and landscape character (refer Overlay map following assessment criteria apply) e - The identification of a development footprint will assist in demon	
PO3	4	No acceptable outcome provided
Lots	do not:	
a.	reduce public access to a heritage place, building, item or object;	
b.	create the potential to adversely affect views to and from the heritage place, building, item or object;	
C.	obscure or destroy any pattern of historic subdivision, historical context, landscape setting or the scale and consistency of the urban fabric relating to the local heritage place.	

Reconfiguring a lot retains significant trees and incorporates them into the subdivision design, development layout and provision of infrastructure.	
High voltage electricity line buffer (refer Overlay map assessment criteria apply)	- Infrastructure buffers to determine if the following
Note - The identification of a development footprint will assist in demo	nstrating compliance with the following performance criteria.
PO36	No acceptable outcome provided.
New lots provide a development footprint outside of the buffer.	5
PO37	A037
The creation of lots does not compromise or adversely impact upon the efficiency and integrity of supply.	No new lots are created within the buffer area.
PO38	AO38
The creation of new lots does not compromise or adversely impact upon access to the supply line for any required maintenance or upgrading work.	No new lots are created within the buffer area.
PO39	No acceptable outcome provided.
Boundary realignments:	
i. do not result in the creation of additional building development within the buffer;	
ii. result in the reduction of building development opportunities within the buffer.	
Landfill buffer (refer Overlay map - Infrastructure buff apply)	iers to determine if the following assessment criteria
Note - The identification of a development footprint will assist in demo	nstrating compliance with the following performance criteria.
PO40	No acceptable outcome provided.
Lots provide a development footprint outside of the buffer.	
PO41	No acceptable outcome provided.
Boundary realignments:	
 do not result in the creation of additional building development within the buffer; 	
ii. results in the reduction of building development opportunities within the buffer.	

Landslide (refer Overlay map - Landslide hazard to determine if the following assessment criteria apply) Note -The preparation of a site-specific geotechnical assessment report in accordance with Planning scheme policy - Landslide hazard can assist in demonstrating compliance with the following performance criteria. The identification of a development footprint on will assist in demonstrating compliance with the following performance criteria. AO42.1 **PO42** Lots ensure that: Lots provides a development footprint free from risk of landslide. future building location is located in part of a site not a. subject to landslide risk; AO42.2 b. the need for excessive on-site works, change to Development footprints and driveways for lots does not finished landform, or excessive vegetation clearance exceed 15% slope. to provide for future development is avoided; there is minimal disturbance to natural drainage C. patterns; and earthworks do not: d. i. involve cut and filling having a height greater than 1.5m; involve any retaining wall having a height ii. greater than 1.5m; involve earthworks exceeding 50m³ iii. redirect or alter the existing flows of surface iv or groundwater. Overland flow path (refer Overlay map - Overland flow path to determine if the following assessment criteria apply) Note - The applicable river and creek flood planning levels associated with defined flood event (DFE) within the inundation area can be obtained by requesting a flood check property report from Council. **PO43** No acceptable outcome provided. Development: minimises the risk to persons from overland flow; a. does not increase the potential for damage from b. overland flow either on the premises or on a surrounding property, public land, road or infrastructure. **PO44** AO44 Development: Development ensures that any buildings are not located in an Overland flow path area.

a. maintains the conveyance of overland flow predominantly unimpeded through the premises for any event up to and including the 1% AEP for the fully developed upstream catchment;	Note: A report from a suitably qualified Registered Professional Engineer Queensland is required certifying that the development does not increase the potential for significant adverse impacts on an upstream, downstream or surrounding property.
 does not concentrate, intensify or divert overland flow onto an upstream, downstream or surrounding property. 	
Note - Reporting to be prepared in accordance with Planning scheme policy – Flood hazard, Coastal hazard and Overland flow	
PO45	No acceptable outcome provided.
Development does not:	
 a. directly, indirectly or cumulatively cause any increase in overland flow velocity or level; b. increase the potential for flood damage from overland flow either on the premises or on a surrounding property, public land, road or infrastructure. 	Cherne
Note - Open concrete drains greater than 1m in width are not an acceptable outcome, nor are any other design options that may increase scouring.	S
Note - A report from a suitably qualified Registered Professional Engineer Queensland is required certifying that the development does not increase the potential for significant adverse impacts on an upstream, downstream or surrounding premises.	
Note - Reporting to be prepared in accordance with Planning scheme policy – Flood hazard, Coastal hazard and Overland flow	
PO46	AO46
Development ensures that overland flow is not conveyed from a road or public open space onto a private lot, unless the development is in a Rural zone.	Development ensures that overland flow paths and drainage infrastructure is provided to convey overland flow from a road or public open space area away from a private lot, unless the development is in the Rural zone
P047	AO47.1
Development ensures that Council and inter-allotment drainage infrastructure, overland flow paths and open drains through private property cater for overland flows for a fully developed upstream catchment flows and are able to be easily maintained. Note - A report from a suitably qualified Registered Professional Engineer Queensland is required certifying that the development does not increase the potential for significant adverse impacts on an	Development ensures that roof and allotment drainag infrastructure is provided in accordance with the followin relevant level as identified in QUDM: a. Urban area – Level III; b. Rural area – N/A; c. Industrial area – Level V; d. Commercial area – Level V.
upstream, downstream or surrounding premises.	AO47.2

	developed upstream catchment.
PO48	No acceptable outcome provided
Development protects the conveyance of overland flow such that easements for drainage purposes are provided over:	
a. a stormwater pipe if the nominal pipe diameter exceeds 300mm;	
b. an overland flow path where it crosses more than one property; and	
c. inter-allotment drainage infrastructure.	
Note - Refer to Planning scheme policy - Integrated design for details and examples.	
Note - Stormwater drainage easement dimensions are provided in accordance with Section 3.8.5 of QUDM.	CC C
Additional criteria for development for a Park ⁽⁵⁷⁾	
PO49	A049
Development for a Park ⁽⁵⁷⁾ ensures that the design and layout responds to the nature of the overland flow affecting the premises such that:	Development for a Park ⁽⁵⁷⁾ ensures works are provided in accordance with the requirements set out in Appendix B of the Planning scheme policy - Integrated Design.
a. public benefit and enjoyment is maximised;	
b. impacts on the asset life and integrity of park structures is minimised;	
c. maintenance and replacement costs are minimised.	
Riparian and wetland setbacks (refer Overlay map - following assessment criteria apply)	Riparian and wetland setback to determine if the
	are mapped on Schedule 2, Section 2.5 Overlay Maps – Riparian and
PO50	AO50
Lots are designed to:	Reconfiguring a lot ensures that:
a. minimise the extent of encroachment into the riparian and wetland setback;	a. no new lots are created within a riparian and wetland setback;

reduce the impact on fauna habitats; minimise edge effects; ensure an appropriate extent of public access to waterways and wetlands. ic amenity (refer Overlay map - Scenic amenity to - The identification of a development footprint will assist in demon	Note - Riparian and wetlands are mapped on Schedule 2, Sect 2.5 Overlay Maps – Riparian and wetland setbacks.
ensure an appropriate extent of public access to waterways and wetlands. ic amenity (refer Overlay map - Scenic amenity to	
waterways and wetlands. ic amenity (refer Overlay map - Scenic amenity to	
- The identification of a development footprint will assist in demor	determine if the following assessment criteria app
- The identification of a development footprint will assist in demor	
	nstrating compliance with the following performance criteria.
I	No acceptable outcome provided
are sited, designed and oriented to:	
maximise the retention of existing trees and land cover including the preservation of ridgeline vegetation and coastal trees	
maximise the retention of highly natural and vegetated areas and natural landforms by minimising the use of cut and fill;	
ensure that buildings and structures are not located on a hill top or ridgeline;	S
ensure that roads, driveways and accessways go across land contours, and do not cut straight up slopes and follow natural contours, not resulting in batters or retaining walls being greater than 1.5m in height.	
ewater treatment plant buffer (refer Overlav map	- Infrastructure buffers to determine if the follow
ssment criteria apply)	
- The identification of a development footorint will assist in demor	nstrating compliance with the following performance criteria
2	No acceptable outcome provided.
late provide a development featurint outside of the	
r.	
	No acceptable outcome provided.
dary realignments:	
do not result in the creation of additional building	
development opportunities within the buffer;	
results in the reduction of building development opportunities within the buffer.	
	maximise the retention of existing trees and land cover including the preservation of ridgeline vegetation and coastal trees maximise the retention of highly natural and vegetated areas and natural landforms by minimising the use of cut and fill; ensure that buildings and structures are not located on a hill top or ridgeline; ensure that roads, driveways and accessways go across land contours, and do not cut straight up slopes and follow natural contours, not resulting in batters or retaining walls being greater than 1.5m in height. ewater treatment plant buffer (refer Overlay map ssment criteria apply) - The identification of a development footprint will assist in demo clots provide a development footprint outside of the clots provide a development footprint outside of the clots provide a development opportunities within the buffer;

PO54	No acceptable outcome provided.
Reconfiguration of lots does not compromise or adversely impact upon the efficiency and integrity of Bulk water supply infrastructure.	
PO55	AO55
Reconfiguring of lots ensures that access requirements of Bulk water supply infrastructure are maintained.	Bulk water supply infrastructure traversing or with private land are protected by easement in favour service provider for access and maintenance.
PO56	A056
Development within a Bulk water supply infrastructure buffer:	New lots provide a development footprint outside Bulk water supply infrastructure buffer.
a. is located, designed and constructed to protect the integrity of the water supply pipeline;	
b. maintains adequate access for any required maintenance or upgrading work to the water supply pipeline.	S
P057	No acceptable outcome provided.
Boundary realignments:	N
i. do not result in the creation of additional building development opportunities within the buffer;	
ii. results in the reduction of building development opportunities within the buffer.	