6.2.5 Extractive industry zone code

6.2.5.1 Application - Extractive industry zone

This code applies to undertaking development in the Extractive industry zone, if:

- the development has been categorised as either accepted development subject to requirements or assessable 1. development - code assessment, and this code is identified as applicable to that development in the assessment benchmarks for assessable development and requirements for accepted development column of a table of assessment (Part 5);
- 2. the development has been categorised as assessable development - impact assessment (Part 5).

When using this code, reference should be made to section 5.3.2 Determining the category of development and category of assessment and, where applicable, section 5.3.3 Determining and applying the requirements for accepted development and the assessment benchmarks for assessable development located in Part 5.

For accepted development subject to requirements or assessable development under this Code:

- 1. Part A of the code applies only to accepted development subject to requirements;
- 2. Part B of the code applies only to assessable development.

6.2.5.2 Purpose - Extractive industry zone

The purpose of the Extractive industry zone code is to appropriately manage the extraction of natural resources such as sand, gravel, guarry rock, clay and soil; and protect the zone from inappropriate uses. Development such as storage, processing, treatment and transportation facilities may be established within the extractive industry zone only where ancillary to the extractive industry (27).

Extractive resources of local and regional significance are protected for future optimal utilisation of the resources, separated and buffered from incompatible development and developed in an ecologically sustainable manner. At the cessation of the use the land is rehabilitated for the establishment of appropriate end uses. The purpose of the Extractive Industry zone code is to implement the policy direction as set out in Part 3, Strategic Framework.

- The purpose of the code will be achieved through the following overall outcomes: 2.
 - Development is appropriately located, designed and managed to maintain safety to people, avoid significant adverse effects on the natural environment and ensure sufficient buffers are maintained in order to minimise impacts on adjacent sensitive or future sensitive land uses.
 - Development is designed to incorporate sustainable water usage practises.
 - The viability of existing and future extractive industry⁽²⁷⁾ is protected from intrusion of incompatible uses. C.
 - d. The impact of traffic and transport noise on residential and other sensitive land uses is minimised through appropriate site design and management of activities.
 - Extractive industry⁽²⁷⁾ activities are screened by vegetation to protect the visual amenity of the surrounding e. area.
 - Extractive Industry Zone Transportation Routes are designed, constructed, upgraded and maintained to f. cater for the expected haulage loads and frequency of extractive resource transportation.
 - Development of non-extractive industry uses is compatible with existing and future extractive industry (27) and does not compromise the future utilisation of the extractive resource.
 - Once the resource is exhausted or discontinued, land used for extractive industry (27) activities is rehabilitated h. in a manner that achieves a stable land form suitable for appropriate end uses compatible with the character and amenity of the local area.

- Development in a Water supply buffer is undertaken in a manner which contributes to the maintenance i. and enhancement where possible of water quality to protect the drinking water and aquatic ecosystem environmental values in those catchments.
- j. Development avoids areas subject to constraint, limitation, or environmental value. Where development cannot avoid these identified areas, it responds by:
 - adopting a 'least risk, least impact' approach when designing, siting and locating development in any area subject to a constraint, limitation or environmental value to minimise the potential risk to people, property and the environment;
 - ensuring no further instability, erosion or degradation of the land, water or soil resource; ii.
 - when located within a Water buffer area, complying with the Water Quality Vision and Objectives contained in the Segwater Development Guidelines: Development Guidelines for Water Quality Management in Drinking Water Catchments 2012.
 - maintaining, restoring and rehabilitating environmental values, including natural, ecological, biological, aquatic, hydrological and amenity values, and enhancing these values through the provision of planting and landscaping, and facilitating safe wildlife movement and connectivity through:
 - the provision of replacement, restoration, rehabilitation planting and landscaping;
 - B. the location, design and management of development to avoid or minimise adverse impacts on ecological systems and processes;
 - C. the requiring of environmental offsets in accordance with the Environmental Offsets Act 2014.
 - protecting native species and protecting and enhancing species habitat; ٧.
 - protecting and preserving the natural, aesthetic, architectural historic and cultural values of significant trees, places, objects and buildings of heritage and cultural significance;
 - establishing effective separation distances, buffers and mitigation measures associated with identified infrastructure to minimise adverse effects on sensitive land uses from odour, noise, dust and other nuisance generating activities;
 - viii. establishing, maintaining and protecting appropriate buffers to waterways, wetlands, native vegetation and significant fauna habitat;
 - ensuring it promotes and does not undermine the ongoing viability, integrity, operation, maintenance ix. and safety of identified infrastructure;
 - ensuring effective and efficient disaster management response and recovery capabilities; Χ.
 - where located in an overland flow path:
 - development siting, built form, layout and access responds to the risk presented by the overland flow and minimises risk to personal safety;
 - development is resilient to the impacts of overland flow by ensuring the siting and design accounts B. for the potential risks to property associated with the overland flow;
 - development does not impact on the conveyance of the overland flow for any event up to and including the 1% AEP for the fully developed upstream catchment;
 - development directly, indirectly and cumulatively avoid an increase in the severity of overland flow and potential for damage on the premises or other premises, public lands, watercourses, roads or infrastructure.
- k. Development in the Extractive industry zone includes one or more of the following:

•	Animal husbandry ⁽⁴⁾	•	Cropping ⁽¹⁹⁾	•	Medium impact
•	Caretaker's accommodation ⁽¹⁰⁾	•	Extractive Industry ⁽²⁷⁾		industry ⁽⁴⁷⁾ (where for the batching, manufacturing
		•	High Impact Industry ⁽³⁴⁾ (where for the batching, manufacturing		or recycling of concrete or asphalt only)
			or recycling of concrete or asphalt only)	•	Park ⁽⁵⁷⁾
			, ,,,		

I. Development in the Extractive industry zone does not include any of the following:

Adult store⁽¹⁾ Hospital⁽³⁶⁾ Agricultural supplies store (2) • • Hotel⁽³⁷⁾ Air services⁽³⁾ • Aquaculture (6) Bar⁽⁷⁾ . Brothel⁽⁸⁾ . Landing⁽⁴¹⁾ Bulk landscape supplies (9) • Car wash⁽¹¹⁾ • Cemetery⁽¹²⁾ • Child care centre⁽¹³⁾ Club⁽¹⁴⁾ • Market⁽⁴⁶⁾ Community care centre (15) • Community residence (16) • Community use (17) Crematorium⁽¹⁸⁾ Detention facility⁽²⁰⁾ Dual occupancy⁽²¹⁾ Dwelling house⁽²²⁾ Educational establishment (24) Environment facility⁽²⁶⁾

concrete or asphalt only)

•

Home based business⁽³⁵⁾ Research and technology industry⁽⁶⁴⁾ Residential care facility (65) • Resort complex⁽⁶⁶⁾ Indoor sport and recreation (38) Retirement facility⁽⁶⁷⁾ • Intensive animal industry (39) Roadside stall⁽⁶⁸⁾ . Intensive horticulture (40) . Rooming accommodation(69) Low Impact Industry⁽⁴²⁾ Rural industry⁽⁷⁰⁾ • Major sport, recreation and Rural workers' . accommodation⁽⁷¹⁾ entertainment facility (44) Marine industry (45) Sales office⁽⁷²⁾ • Service industry⁽⁷³⁾ Medium impact industry⁽⁴⁷⁾ Service station⁽⁷⁴⁾ (excluding the batching, Shop⁽⁷⁵⁾ manufacturing or recycling of . concrete or asphalt only) Shopping centre⁽⁷⁶⁾ . Motor sport facility (48) • Short-term Multiple dwelling (49) accommodation(77) Showroom⁽⁷⁸⁾ Nature-based tourism⁽⁵⁰⁾ • Nightclub entertainment facility⁽⁵¹⁾ Special industry⁽⁷⁹⁾ . Theatre⁽⁸²⁾ Non-resident workforce Tourist attraction⁽⁸³⁾ accommodation(52) • Food and drink outlet (28) Tourist park (84) Office⁽⁵³⁾ . Function facility (29) Outdoor sales⁽⁵⁴⁾ Transport depot⁽⁸⁵⁾ . . Funeral parlour⁽³⁰⁾ Veterinary services (87) Outdoor sport and recreation (55) • . • Garden centre⁽³¹⁾ Warehouse⁽⁸⁸⁾ Parking station⁽⁵⁸⁾ . Hardware and trade supplies (32) Wholesale nursery (89) Permanent plantation⁽⁵⁹⁾ • • Winery⁽⁹⁰⁾ Place of worship (60) . Health care services (33) Port services (61) • High impact industry⁽³⁴⁾ Relocatable home park (62) (excluding the batching, • manufacturing or recycling of Renewable energy facility⁽⁶³⁾

Development not listed in the tables above may be considered on its merits and where it reflects and supports the outcomes of the zone;

6.2.5.3 Accepted development subject to requirements

If development is to be categorised as accepted development subject to requirements it must comply with the requirements for accepted development set out in Part A, Table 6.2.5.1. Where the development does not meet a requirement for accepted development (RAD) within Part A ,Table 6.2.5.1, the category of development changes to assessable development under the rules outlined in section 5.3.3.(1), and assessment is against the corresponding performance outcome (PO) identified in the table below. This only occurs whenever a RAD is not met, and is therefore limited to the subject matter of the RADs that are not complied with. To remove any doubt, for those RADs that are complied with, there is no need for assessment against the corresponding PO.

Requirements for accepted development (RAD)	Corresponding performance outcomes (PO)
RAD1	PO
RAD2	PO

Part A — Requirements for accepted development - Extractive industry zone

Table 6.2.5.1 Requirements for accepted development - Extractive industry zone

Requirem	Requirements for accepted development		
	General requirements		
Building	neight		
RAD1	Building height and all structures do not exceed the maximum height identified on Overlay map - Building heights.		
Lighting			
RAD2	Artificial lighting on-site is directed and shielded in such a manner as not to exceed the recommended maximum values of light technical parameters for the control of obtrusive light given in Table 2.1 of Australian Standard AS 4282 (1997) Control of Obtrusive Effects of Outdoor Lighting.		
	Note - "Curfewed hours" are taken to be those hours between 10pm and 7am on the following day		
Waste tre	atment		
RAD3	All concentrated use areas (e.g. sheds, pens, holding yards, stables) are provided with site drainage to ensure all runoff is directed to suitable detention basins, filtration or other treatment areas.		
Specific r	ural uses setbacks		
RAD4	The following uses, associated buildings and structures are setback from all lot boundaries as follows:		
	a. Animal husbandry ⁽⁴⁾ (buildings only) – 10m		
	b. Cropping ⁽¹⁹⁾ (building only) – 10m		
On-site c	ar parking		
RAD5	On-site car parking is provided at a rate identified in Schedule 7 - Car parking.		

Telecommunications facility⁽⁸¹⁾

Editor's note - In accordance with the Federal legislation Telecommunications facilities (81) must be constructed and operated in a manner that will not cause human exposure to electromagnetic radiation beyond the limits outlined in the Radiocommunications (Electromagnetic Radiation

- Human Ex	xposure) Standard 2003 and Radio Protection Standard for Maximum Exposure Levels to Radiofrequency Fields - 3Khz to 300Ghz.		
RAD6	A minimum of 45m² is available at ground level to allow for additional equipment shelters and associated structures for the purpose of co-locating on the proposed facility.		
RAD7	The development results in no net reduction in the minimum quantity and standard of landscaping, private or communal open space or car parking spaces required under the planning scheme or under an existing development approval.		
RAD8	Equipment shelters and associated structures are located:		
	 a. directly beside the existing equipment shelter and associated structures; b. behind the main building line; c. further away from the frontage than the existing equipment shelter and associated structures; 		
	d. a minimum of 10m from side and rear boundaries, except where in the Industry and Extractive industry zones, the minimum side and rear setback is 3m.		
RAD9	Equipment shelters and other associated structures are either the same type of colour or material to match the surrounding locality.		
RAD10	The facility is enclosed by security fencing or by other means to ensure public access is prohibited.		
RAD11	A minimum 3m wide strip of dense planting is provided around the perimeter of the fenced area, between the development and street frontage and adjoining uses.		
	Note - Landscaping is provided in accordance with Planning scheme policy - Integrated design.		
	Note - Council may require a detailed landscaping plan, prepared by a suitably qualified person to ensure compliance with Planning scheme policy - Integrated design.		
RAD12	All equipment comprising the telecommunications facility ⁽⁸¹⁾ which produces audible or non-audible sound is housed within a fully enclosed building incorporating sound control measures sufficient to ensure no noise from this equipment can be heard, or felt at the site boundary.		
RAD13	Development is not located within a Resource Area on the Extractive Resources overlay map.		

Values and constraints requirements


Note - The relevant values and constraints requirements do not apply where the development is consistent with a current Development permit for Reconfiguring a lot or Material change of use or Operational work, where that approval has considered and addressed (e.g. through a development footprint plan (or similar in the case of Landslide hazard) or conditions of approval) the identified value or constraint under this planning scheme.

Acid sulfate soils - (refer Overlay map - Acid sulfate soils to determine if the following requirements apply)

Note - Planning scheme policy - Acid sulfate soils provides guidance for requirements for accepted development development that has the potential to disturb acid sulfate soils i.e. development involving filling or excavation works below the thresholds of 100m³ and 500m³ respectively.

RAD14	Development does not involve:

- excavation or otherwise removing of more than 100m³ of soil or sediment where below 5m Australian Height Datum AHD, or
- b. filling of land of more than 500m³ of material with an average depth of 0.5m or greater where below the 5m AHD.




Bushfire hazard (refer Overlay map - Bushfire hazard to determine if the following requirements apply)

Note - For the purposes of section 12 of the Building Regulation 2006, land identified as very high potential bushfire intensity, high potential bushfire intensity, medium potential bushfire intensity or potential impact buffer on the Bushfire hazard overlay map is the 'designated bushfire hazard area'. AS 3959-2009 Construction of buildings in bushfire hazard areas applies within these areas.

RAD15

- Building and structures are:
 - i. not located on a ridgeline
 - ii. not located on land with a slope greater than 15% (see Overlay map – Landslide hazard)
- b. Dwellings are located on east to south facing slopes.



(1 being the safest, 6 being the most hazardous.) From Bushfire Prone Areas: Siting and Design of Residential Buildings (1997), Queensland Department of Local Government and Planning, and Queensland Fire & Rescue Service.

RAD16

Buildings and structures have contained within the site:

- a separation from classified vegetation of 20m or the distance required to achieve a bushfire attack level (BAL) at the building, roofed structure or fire fighting water supply of no more than 29, whichever is the greater;
- a separation from low threat vegetation of 10m or the distance required to achieve a bushfire attack b. level (BAL) at the building, roofed structure or fire fighting water supply of no more than 29, whichever is the greater;
- a separation of no less than 10m between a fire fighting water supply extraction point and any classified C. vegetation, buildings and other roofed structures;
- d. an area suitable for a standard fire fighting appliance to stand within 3m of a fire fighting water supply extraction point; and
- an access path suitable for use by a standard fire fighting appliance having a formed width of at least e. 4m, a cross-fall of no greater than 5%, and a longitudinal gradient of no greater than 25%:
 - i. to, and around, each building and other roofed structure; and
 - ii. to each fire fighting water supply extraction point.

Note - The meaning of the terms classified vegetation and low threat vegetation as well as the method of calculating the bushfire attack level are as described in Australian Standard AS 3959.

RAD17 The length of driveway:

- to a public road does not exceed 100m between the most distant part of a building used for any purpose other than storage and the nearest part of a public road;
- has a maximum gradient no greater than 12.5%; b.
- have a minimum width of 3.5m; C.
- accommodate turning areas for fire fighting appliances in accordance with Qld Fire and Emergency d Services' Fire Hydrant and Vehicle Access Guideline.

RAD18

- A reticulated water supply is provided by a distributer retailer for the area or, where not connected to a reticulated water supply, on-site fire fighting water storage containing not less than 10 000 litres (tanks with fire brigade tank fittings, swimming pools) is provided and located within 10m of buildings and structures.
- b. Where a swimming pool is the nominated on-site fire fighting water storage source, vehicle access to within 3m of that water storage source is provided.
- C. Where a tank is the nominated on-site fire fighting water storage source, it includes:
 - a hardstand area allowing medium rigid vehicle (15 tonne fire appliance) access within 6m of the tank;
 - ii. fire brigade tank fittings, comprising 50mm ball valve and male camlock coupling and, if underground, an access hole of 20mm (minimum) to accommodate suction lines.

RAD19

Development does not involve the manufacture or storage of hazardous chemicals.

Environmental areas (refer Overlay map - Environmental areas to determine if the following requirements apply)

Note - The following are excluded from the native clearing provisions of this planning scheme:

- Clearing of native vegetation located within an approved development footprint; a.
- b. Clearing of native vegetation within 10m from a lawfully established building reasonably necessary for emergency access or immediately required in response to an accident or emergency;
- Clearing of native vegetation reasonably necessary to remove or reduce the risk vegetation poses to serious personal injury or damage C. to infrastructure:

- d Clearing of native vegetation reasonably necessary to construct and maintain a property boundary fence and not exceed 4m in width either side of the fence where in the Rural, Rural residential and Environmental Management and Conservation zones. In any other zone, clearing is not to exceed 2m in width either side of the fence;
- Clearing of native vegetation reasonably necessary for the purpose of maintenance or works within a registered easement for public e. infrastructure or drainage purposes;
- Clearing of native vegetation in accordance with a bushfire management plan prepared by a suitably qualified person, submitted to and accepted by Council;
- Clearing of native vegetation associated with removal of recognised weed species, maintaining existing open pastures and cropping land, g. windbreaks, lawns or created gardens;
- Grazing of native pasture by stock; h.
- Native forest practice where accepted development under Part 1, 1.7.7 Accepted development.

Note - Definition for native vegetation is located in Schedule 1 Definitions.

Note - Native vegetation subject to this requirement primarily comprises of matters of national environmental significance (MNES), matters of state environmental significance (MSES). They also comprise some matters of local environmental significance (MLES). A MLES is defined in Schedule 1.2, Administrative definitions. A list of the elements that apply to the mapped MSES and MLES is provided in Appendix 1 of the Planning scheme policy - Environmental areas.

Editors' Note - The accuracy of overlay mapping can be challenged through the development application process (code assessable development) or by way of a planning scheme amendment. See Council's website for details.

Editors' Note - When clearing native vegetation within a MSES area, you may still require approval from the State government.

RAD20

Where no suitable land cleared of native vegetation exists, clearing of native vegetation in a High Value Area or Value Area is for the purpose of a new dwelling house⁽²²⁾ or extension to an existing dwelling house⁽²²⁾ only on lots less than 750m².

Editor's note - See in heading above for other uses excluded from native vegetation clearing requirements.

Editor's note - Where vegetation clearance is accepted development subject to requirements, care should be undertaken to avoid adverse impacts on koalas, koala habitat values and habitat connectivity and to encourage existing koala usage of the site. Measures to minimise impacts include:

- co-locating all associated activities, infrastructure and access strips;
- be the least valued area of koala habitat on the site; ii.
- minimise the footprint of the development envelope area;
- minimise edge effects to areas external to the development envelope; iv.
- V. location and design consideration to ensure koala safety and movement in accordance with the Koala-sensitive Design Guideline and Planning scheme policy - Environmental areas;
- vi sufficient area between the development and koala habitat trees to achieve their long-term viability.

Editor's note - Where vegetation clearing is accepted development subject to requirements, consideration should be given to avoid clearing habitat trees. Habitat trees may contain structural hollows where animals live, breed and shelter. The provision of nest boxes or salvaging of hollows will provide compensatory roosting and nesting opportunities for local wildlife including sugar gliders, possums and owls. For further information see Planning scheme policy - Environmental areas.

RAD21

No clearing of native vegetation is to occur within the Value Offset Area MLES - Waterway buffer or Value Offset Area MLES - Wetland buffer.

This does not apply to the following:

Clearing of native vegetation located within an approved development footprint;

- b. Clearing of native vegetation within 10m from a lawfully established building reasonably necessary for emergency access or immediately required in response to an accident or emergency;
- C. Clearing of native vegetation reasonably necessary to remove or reduce the risk vegetation poses to serious personal injury or damage to infrastructure;
- Clearing of native vegetation reasonably necessary to construct and maintain a property boundary d. fence and not exceed 4m in width either side of the fence where in the Rural, Rural residential and Environmental management and conservation zones. In any other zone, clearing is not to exceed 2m in width either side of the fence;
- Clearing of native vegetation reasonably necessary for the purpose of maintenance or works within e. a registered easement for public infrastructure or drainage purposes;
- Clearing of native vegetation in accordance with a bushfire management plan prepared by a suitably f. qualified person, submitted to and accepted by Council;
- Clearing of native vegetation associated with removal of recognised weed species, maintaining g. existing open pastures and cropping land, windbreaks, lawns or created gardens;
- h. Grazing of native pasture by stock;
- Native forest practice where accepted development under Part 1, 1.7.7 Accepted development.

Extractive resources separation area (refer Overlay map - Extractive resources (separation area) to determine if the following requirements apply)

Development does not result in more than one dwelling house⁽²²⁾ per lot within separation areas. RAD22 RAD23 Development within the separation area does not include the following uses: caretaker's accommodation⁽¹⁰⁾: a. community residence⁽¹⁶⁾; b. dual occupancy⁽²¹⁾; C. dwelling unit⁽²³⁾: d. hospital⁽³⁶⁾: e. rooming accommodation (69); f. multiple dwelling⁽⁴⁹⁾; g. non-resident workforce accommodation (52); h. relocatable home park (62): i. residential care facility (65). į. resort complex⁽⁶⁶⁾: k. retirement facility(67); I. rural workers' accommodation(71); m. short-term accommodation⁽⁷⁷⁾; n. tourist park (84). RAD24 All habitable rooms within the separation area are: acoustically insulated to achieve the noise levels listed in Schedule 1 Acoustic Quality Objectives. Environmental Protection (Noise) Policy 2008; b. provided with mechanical ventilation. RAD25 Private open space areas are separated from the resource processing area by buildings or a 1.8m high solid structure. Extractive resources transport routes (refer Overlay map - Extractive resources (transport route and buffer) to determine if the following requirements apply)

RAD26

The following uses are not located within the 100m wide transport route buffer:

- Caretaker's accommodation⁽¹⁰⁾, except where located in the Extractive industry zone; a.
- Community residence⁽¹⁶⁾; b.
- Dual occupancy⁽²¹⁾: C.

	d. Dwelling house; ⁽²²⁾
	e. Dwelling unit ⁽²³⁾ ;
	f. Hospital ⁽³⁶⁾ ;
	g. Rooming accommodation ⁽⁶⁹⁾ ;
	h. Multiple dwelling ⁽⁴⁹⁾ ;
	i. Non-resident workforce accommodation ⁽⁵²⁾ ;
	j. Relocatable home park ⁽⁶²⁾ ;
	k. Residential care facility ⁽⁶⁵⁾ ;
	I. Resort complex ⁽⁶⁶⁾ ;
	m. Retirement facility ⁽⁶⁷⁾ ;
	n. Rural workers' accommodation ⁽⁷¹⁾ ;
	o. Short-term accommodation ⁽⁷⁷⁾ ;
	p. Tourist park ⁽⁸⁴⁾ .
RAD27	Except for an existing vacant lot, development does not create a new vehicle access point onto an Extractive
IVADZI	resources transport route.
RAD28	A vehicle access point is located, designed and constructed in accordance with Planning scheme policy - Integrated design.
_	nd landscape character (refer Overlay map - Heritage and landscape character to determine if the requirements apply)
landscape cl significance	s, including sites, objects and buildings having local cultural heritage significance, are identified on Overlay map - Heritage and naracter and listed in Schedule 1 of Planning scheme policy - Heritage and landscape character. Places also having cultural heritage at a State level and being entered in the Queensland Heritage Register, are also identified in Schedule 1 of Planning scheme policy and landscape character.
RAD29	Development is for the preservation, maintenance, repair and restoration of the site, object or building.
	This does not apply to Listed item 99, in Schedule 1 - List of sites, objects and buildings of significant historical and cultural value of Planning scheme policy - Heritage and landscape character.
	Note - Preservation, maintenance, repair and restoration are defined in Schedule 1 - Definitions
RAD30	A cultural heritage conservation management plan is prepared in accordance with Planning scheme policy – Heritage and landscape character and submitted to Council prior to the commencement of any preservation, maintenance, repair and restoration works. Any preservation, maintenance, repair and restoration works are in accordance with the Council approved cultural heritage conservation management plan.
	This does not apply to Listed item 99 in Schedule 1 - List of sites, objects and buildings of significant historical and cultural value of Planning scheme policy - Heritage and landscape character.
RAD31	Development does not result in the removal of or damage to any significant tree identified on Overlay map – Heritage and landscape character and listed in Appendix 2 of Planning scheme policy – Heritage and landscape character.
RAD32	The following development does not occur within 20m of the base of any significant tree, identified on Overlay map – Heritage and landscape character and listed in Appendix 2 of Planning scheme policy – Heritage and landscape character:
	a. construction of any building;
	b. laying of overhead or underground services;
	c. any sealing, paving, soil compaction;
	d. any alteration of more than 75mm to the ground level prior to work commencing.
	and the second s

RAD33	Pruning of a significant tree occurs in accordance with Australian Standard AS 4373-2007 - Pruning of Amenity Trees.		
Landslide	e hazard (refer Overlay map - Landslide hazard to determine if the following requirements apply)		
RAD34	a. involve earthworks exceeding 50m³; b. involve cut and fill having a height greater than 600mm; c. involve any retaining wall having a height greater than 600mm; d. redirect or alter the existing flow of surface or groundwater.		
RAD35	Buildings, excluding domestic outbuildings: a. are split-level, multiple-slab, pier or pole construction; b. are not single plane slab on ground.		
RAD36	Development does not involve the manufacture, handling or storage of hazardous chemicals.		
Infrastruc apply)	cture buffers (refer Overlay map - Infrastructure buffers to determine if the following requirements		
RAD37	Development within a Water supply buffer does not include the incineration or burial of waste and all other waste is collected and stored in weather proof, sealed waste receptacles, located in roofed and bunded areas, for disposal by a licenced contractor.		
RAD38	Management, handling and storage of hazardous chemicals (including fuelling of vehicles) within a Water supply buffer, is undertaken in secured, climate controlled, weather proof, level and bunded enclosures.		
RAD39	Development does not restrict access to Bulk water supply infrastructure of any type or size, having regard to (among other things): a. buildings or structures; b. gates and fences; c. storage of equipment or materials; d. landscaping or earthworks or stormwater or other infrastructure.		
RAD40	On-site sewerage facilities in a Water supply buffer produce a minimum secondary treated effluent (90th percentile) and effluent application to ensure water quality is maintained and protected.		
RAD41	On-site sewerage facilities in a Water supply buffer for a dwelling house ⁽²²⁾ include: a. emergency storage capacity of 1,000 litres and adequate buffering for shock loading/down time; b. a reserve land application area of 100% of the effluent irrigation design area; c. land application areas that are vegetated; d. the base of the land application field is at least 2 metres above the seasonal high water table/bedrock (whichever is the closest to the base of the application area); e. wastewater collection and storage systems must have capacity to accommodate full load at peak times.		
RAD42	On-site sewerage facilities in a Water supply buffer for development other than a dwelling house include emergency storage capable of holding 3-6 hours peak flow of treated effluent in the event of emergencies/overload with provision for de-sludging.		
RAD43	Development involving Permanent plantation ⁽⁵⁹⁾ within a Water supply buffer maintains a minimum of 30% ground cover at all times.		

RAD44	Development does not involve the construction of any buildings or structures within a Bulk water supply infrastructure buffer.	
RAD45	Development involving a major hazard facility or an Environmentally Relevant Activity (ERA) is setback 30m from a Bulk water supply infrastructure buffer.	
RAD46	Development does not involve the construction of any buildings or structures containing habitable room or sensitive land uses within a High voltage electricity line buffer.	
Overland	flow path (refer Overlay map - Overland flow path to determine if the following requirements apply	
RAD47	Development for a material change of use or building work does not involve the construction of a buildin or structure in an Overland flow path area.	
RAD48	Development for a material change of use or operational work does not impede the flow of flood waters through the premises or worsen flood flows to other premises.	
	Note - A report from a suitably qualified Registered Professional Engineer Queensland is required certifying that the development does not increase the potential for significant adverse impacts on an upstream, downstream or surrounding premises.	
	Note - Reporting to be prepared in accordance with Planning scheme policy – Flood hazard, Coastal hazard and Overland flow	
RAD49	Development for a material change of use or building work ensures that fencing in an overland flow path area is at least 50% permeable.	
RAD50	Development for a material change of use or building work that involves a hazardous chemical ensures the hazardous chemicals is not located within an overland flow path area.	
RAD51	Development for a material change of use or building work for a Park ⁽⁵⁷⁾ ensures that work is provided in accordance with the requirements set out in Appendix B of the Planning scheme policy - Integrated design	
requirem	and wetland setbacks (refer Overlay map - Riparian and wetland setback to determine if the following ents apply) W2 and W3 waterway and drainage lines, and wetlands are mapped on Schedule 2, Section 2.5 Overlay Maps – Riparian and wetland	
RAD52	No development is to occur within:	
	a. 50m from top of bank for W1 waterway and drainage line	
	b. 30m from top of bank for W2 waterway and drainage line	
	c. 20m from top of bank for W3 waterway and drainage line	
	d. 100m from the edge of a Ramsar wetland, 50m from all other wetlands.	
	Note - W1, W2 and W3 waterways and drainage lines, and wetlands are mapped on Schedule 2, Section 2.5 Overlay Maps – Rinarian and wetland sethacks	

Note - In some cases, the top of bank may not be easily defined, as such a hydraulic measurement may be applied instead. Moreton Bay Regional Council will provide further direction on how to determine and locate the setback boundary in these locations.

Note - The minimum setback distance applies to the each side of waterway.


Riparian and wetland setbacks.

Scenic amenity - Regionally significant (Hills) and Locally important (Coast) - (refer Overlay map - Scenic amenity to determine if the following requirements apply)

RAD53

Where located in the Regionally significant (Hills) scenic amenity overlay, buildings and structures are not:


- located on a hill top or ridge line; and a.
- b. all parts of the building and structure are located below the hill top or ridge line.



RAD54

Where located in the Regionally significant (Hills) scenic amenity overlay, driveways and accessways:

- go across land contours and do not cut straight up slopes; a.
- b. follow natural contours, not resulting in batters or retaining walls being greater than 1m in height.



RAD55

Where located in the Regionally significant (Hills) scenic amenity overlay, roofs and wall surfaces of buildings and structures adopt the following colours:

Colours from Australian Standard AS2700s – 1996			
G12 – Holly	G53 – Banksia	N44 – Bridge Grey	
G13 – Emerald	G54 – Mist Green	N45 – Koala Grey	
G14 – Moss Green	G55 – Lichen	N52 – Mid Grey	
G15 – Rainforest Green	G56 – Sage Green	N54 – Basalt	
G16 – Traffic Green	G62 – Rivergum	N55 – Lead Grey	
G17 – Mint Green	G64 – Slate	X54 – Brown	
G21 – Jade	G65 – Ti Tree	X61 – Wombat	
G22 – Serpentine	N25 – Birch Grey	X62 – Dark Earth	
G23 – Shamrock	N32 – Green Grey	X63 – Iron Bark	
G24 – Fern Green	N33 – Lightbox Grey	Y51 – Bronze Olive	
G25 – Olive	N35 – Light Grey	Y61 – Black Olive	
G34 – Avocado	N41 – Oyster	Y63 – Khaki	
G52 – Eucalyptus	N42 – Storm Grey	Y66 – Mudstone	
	N43 – Pipeline Grey		

RAD56

Where located in the Regionally significant (Hills) scenic amenity overlay, roofs and wall surfaces of buildings and structures are painted or finished such that reflectivity is less than 35%.

RAD57

Where located in the Locally important (Coast) scenic amenity overlay;

- landscaping comprises indigenous coastal species; a.
- fences and walls facing the coast are no higher than 1m. Where fences and walls are higher than b. 1m, they have 50% transparency. This does not apply to a fence or wall at an angle of 90o to the
- where over 12m in height, the building design includes the following architectural character elements:
- curving balcony edges and walls, strong vertical blades and wall planes;









ii. balcony roofs, wall articulation expressed with different colours, curves in plan and section, and window awnings;



iii. Roof top outlooks, tensile structure as shading devices; and



lightweight structures use white frame elements in steel and timber, bold colour contrast.



existing pine trees, palm trees, mature fig and cotton trees are retained.

Note - A list of appropriate indigenous coastal species is identified in Planning scheme policy - Integrated design.

Part B — Criteria for assessable development - Extractive industry zone

Where development is categorised as assessable development - code assessment in the Table of Assessment, and located in a precinct, the assessment benchmarks are the criteria set out in Part B, Table 6.2.5.2 as well as the purpose statement and overall outcomes of this code.

Where development is categorised as assessable development - impact assessment, the assessment benchmarks become the whole of the planning scheme.

Table 6.2.5.2 Assessable development - Extractive industry zone

Performance outcomes	Examples that achieve aspects of the Performance Outcomes		
General criteria			
Building height			
PO1	E1		
Height of buildings:	Building height and all structures do not exceed the maximum height identified on Overlay map - Building heights.		

- is consistent with the low rise, open character and a. amenity of the surrounding area; or
- b. does not unduly impact on access to daylight, sunlight, overshadowing or privacy experienced by adjoining premises.

Amenity

P₀2

The amenity of the area and adjacent sensitive land uses are protected from the impacts of dust, odour, noise, light, chemicals and other environmental nuisances.

No example provided.

Hazardous Chemicals

Note - To assist in demonstrating compliance with the following performance outcomes, a Hazard Assessment Report may be required to be prepared and submitted by a suitably qualified person in accordance with 'State Planning Policy Guideline - Guidance on development involving hazardous chemicals'.

PO₃

Off sites risks from foreseeable hazard scenarios involving hazardous chemicals are commensurate with the sensitivity of the surrounding land use zones.

E3.1

Off site impacts or risks from any foreseeable hazard scenario does not exceed the dangerous dose at the boundary of land zoned for vulnerable or sensitive land uses as described below: Dangerous Dose

- For any hazard scenario involving the release of gases or vapours:
 - i. AEGL2 (60minutes) or if not available ERPG2:
 - An oxygen content in air <19.5% or >23.5% at normal atmospheric pressure.
- For any hazard scenario involving fire or explosion:
 - 7kPa overpressure;
 - ii 4.7kW/m2 heat radiation.

If criteria E3.1 (a) or (b) cannot be achieved, then the risk of any foreseeable hazard scenario shall not exceed an individual fatality risk level of 0.5 x 10-6/year.

E3.2

Off site impacts or risks from any foreseeable hazard scenario does not exceed the dangerous dose at the boundary of a commercial or community activity land use zone as described below: Dangerous Dose

- For any hazard scenario involving the release of gases or vapours:
 - AEGL2 (60minutes) or if not available ERPG2:
 - ii. An oxygen content in air <19.5% or >23.5% at normal atmospheric pressure.
- For any hazard scenario involving fire or explosion:
 - i. 7kPa overpressure;
 - 4.7kW/m2 heat radiation. ii.

If criteria E3.2 (a) or (b) cannot be achieved, then the risk of any foreseeable hazard scenario shall not exceed an individual fatality risk level of 5 x 10-6/year.

E3.3

Off site impacts or risks from any foreseeable hazard scenario does not exceed the dangerous dose at the boundary of an industrial land use zone as described below: Dangerous Dose

- a. For any hazard scenario involving the release of gases or vapours:
 - AEGL2 (60minutes) or if not available ERPG2:
 - An oxygen content in air <19.5% or >23.5% at normal atmospheric pressure.
- b. For any hazard scenario involving fire or explosion:
 - i. 14kPa overpressure;
 - ii. 12.6kW/m2 heat radiation.

If criteria E3.3 (a) or (b) cannot be achieved, then the risk of any foreseeable hazard scenario shall not exceed an individual fatality risk level of 50 x 10-6/year.

PO4

Buildings and package stores containing fire-risk hazardous chemicals are designed to detect the early stages of a fire situation and notify a designated person.

E4

Buildings and package stores containing fire-risk hazardous chemicals are provided with 24 hour monitored fire detection system for early detection of a fire event.

PO5

Common storage areas containing packages of flammable and toxic hazardous chemicals are designed with spill containment system(s) that are adequate to contain releases, including fire fighting media.

E5

Storage areas containing packages of flammable and toxic hazardous chemicals are designed with spill containment system(s) capable of containing a minimum of the total aggregate capacity of all packages plus the maximum operating capacity of any fire protection system for the storage area(s) over a minimum of 60 minutes.

PO6

Storage and handling areas, including manufacturing areas, containing hazardous chemicals in quantities greater than 2,500L or kg within a Local Government "flood hazard area" are located and designed in a manner to minimise the likelihood of inundation of flood waters from creeks, rivers, lakes or estuaries.

E6.1

The base of any tank with a WC >2,500L or kg is higher than any relevant flood height level identified in an area's flood hazard area. Alternatively:

- bulk tanks are anchored so they cannot float if a. submerged or inundated by water; and
- b. tank openings not provided with a liquid tight seal, i.e. an atmospheric vent, are extended above the relevant flood height level.

E6.2

The lowest point of any storage area for packages>2,500L or kg is higher than any relevant flood height level identified in an area's flood hazard area. Alternatively, package stores are provided with impervious bund walls or racking systems higher than the relevant flood height level.

Lighting

PO7

Lighting is directed and shielded to not cause unreasonable disturbance to any person on adjoining land.

E7

Artificial lighting on-site is directed and shielded in such a manner as not to exceed the recommended maximum values of light technical parameters for the control of obtrusive light given in Table 2.1 of Australian Standard AS 4282 (1997) Control of Obtrusive Effects of Outdoor Lighting.

Note - "Curfewed hours" are taken to be those hours between 10pm and 7am on the following day

Traffic matters

PO8

Traffic generation, vehicle movement and on-site car parking associated with an activity:

provides safe, convenient and accessible access for vehicles and pedestrians;

E8

Development ensures that:

vehicle access is designed and located in a. accordance with Planning scheme policy -Integrated design.

- b. provides safe and convenient on-site parking and manuoevring to meet anticipated parking demand;
- C. is appropriate to the road classification and carrying capacity of the local network and able to meet the additional demands generated by the development:
- d. does not result adverse impacts on the efficient and safe functioning of the road network.

Note - Refer to Planning scheme policy - Integrated transport assessment for guidance on how to achieve compliance with this outcome

- the design of on-site vehicle manoeuvring and parking is provided in accordance with the Australian Standard AS2890.1 Parking facilities Part 1: Off-street car parking;
- C. On-site car parking is provided at a rate identified in Schedule 7 - Car parking.

Utilities

PO9

The development is connected to an existing reticulated electricity supply system approved by the relevant energy regulating authority.

No example provided.

PO10

The development provides for the treatment and disposal of sewage and other waste water in a way that will not cause environmental harm or pose a risk to public health.

E10.1

Where in a sewered area, the development is connected to a reticulated sewerage network.

E10.2

Trade waste is pre-treated on-site prior to discharging into the sewerage network.

E10.3

Where not in a sewered area, the development is serviced by an appropriate on-site sewerage facility.

Note - A site and soil evaluation report is generally required to demonstrate compliance with this outcome. Reports are to be prepared in accordance with AS1547 On-site domestic wastewater management and the Queensland Plumbing and Wastewater Code.

PO11

The development is provided with an adequate and sustainable supply of potable (drinking and general use e.g. gardening, washing, fire fighting) water.

E11.1

Where in an existing connections area or a future connections area as detailed in the Unitywater Connections Policy, the development is connected to the reticulated water supply system in accordance with the South East Queensland Water Supply and Sewerage Design and Construction Code and the relevant Water Service Association of Australia (WSAA) codes and standards.

E11.2

Where not in an existing connections area or a future connections area as detailed in the Unitywater Connections Policy, the development is provided with an adequate water supply of 45,000 litres by way of on-site storage which provides equivalent water quality and reliability to support the use requirements of the development. **PO12** No example provided. The development is provided with dedicated and

Where for extractive industry (27) use only

Buffers, separation and amenity

constructed road access.

PO13

Extractive industry⁽²⁷⁾ is adequately separated from residential uses and other sensitive receptors to minimise potential for nuisance or complaint.

E13

Resource and processing activities are separated from sensitive receptors by the following minimum distances:

Extractive resource separation distances

Activity	Minimum separation distance
Resource and processing not involving blasting or crushing (namely sand, gravel, clay and soil)	200m
Resource and processing involving blasting or crushing (namely rock)	1000m

Management of operations

PO14

The design, operation and staging of the extractive industry⁽²⁷⁾:

- a. promotes the efficient utilisation of the resource;
- b. ensures vibration and noise levels do not exceed the Acoustic Quality Objectives contained in the Environmental Protection (Noise) Policy 2008;
- ensures dust and other potential air pollutants do not C. exceed the Air Quality Objectives contained in the Environmental Protection (Air) Policy 2008;
- d. ensures lighting complies with the Australian Standard AS4282 Control of the Obtrusive Effects of Outdoor Lighting;
- avoid impacts on natural environmental values to the greatest extent practicable and where impacts cannot be avoided the loss or decrease in values is minimised or offset;

No example provided.

- f. protects water quality and demonstrates compliance with relevant water quality objectives and outcomes;
- mitigate the potential adverse impacts of constraints g. present on the site including but not limited to acid sulfate soils, flood, bushfire and landslide;
- optimises potential alternative land uses after the h. cessation of extractive activities;
- i. has regard to the desired visual character of the locality.

Note - An Environmental management plan is to be prepared and submitted in accordance with Planning scheme policy - Extractive industry.

PO15

Disturbances to surrounding land uses are minimised through limited hours of operation for Extractive Industry⁽²⁷⁾ activities.

Activity	Hours of operation
Blasting Operations	9am to 5pm Monday to Friday No operations Saturday, Sunday or public holidays
All Other Operations	6am to 6pm Monday to Friday.7am to 1pm Saturday. No operations Sunday or public holidays.

No example provided.

PO16

On-site drainage is designed, constructed and maintained to:

- a. avoid erosion;
- b. avoid pollution of groundwater and surface water;
- C. maintain the natural flow of water through and and under the site;
- provide opportunities to conserve and reuse water d. on the site;
- prevent flooding or inundation of downstream and upstream properties; and adjoining sites.
- f. where in a Water supply buffer (refer to Overlay map - Infrastructure buffers), demonstrate compliance with the development and water quality vision and objectives and specific outcomes of the Seqwater Development Guidelines; Development guidelines for water quality management in drinking water catchments.

No example provided.

Note - An on-site Stormwater Management Plan is to be prepared and submitted in accordance with Planning scheme policy - Stormwater management. **PO17** No example provided. Development is designed and operated in a manner which will not compromise the stability, safety or operation of major infrastructure. Note - Refer to Major Infrastructure Map figure X for identified Major Infrastructure locations. **PO18** E18 Development is designed and managed to minimise the Storage of fuels and chemicals on-site is undertaken risk and impact of any accidental spills and/or releases of in accordance with AS.1940 - Storage & Handling of chemicals and other materials that may contaminate soil, Flammable and Combustible Liquids. stormwater, groundwater and/or air. **PO19** E19.1 Caretaker's accommodation (10) is provided on site, where: A Caretaker's accommodation (10) is: it is compatible with and does not constrain existing and future extractive industry⁽²⁷⁾ activities; a maximum GFA of 80m²; b. separated from the processing and operational is safe for the residents; and areas of the site by at least 150m; b. has regard to the residents' needs for recreation provided with separate access from a road C. space. frontage to that of the extractive resource activity. E19.2 No more than 1 Caretaker's accommodation⁽¹⁰⁾ unit is established per Extractive Industry⁽²⁷⁾ operation. Note - Refer to Key Resource Area Map figure X. for identified Resource and Processing Areas **Traffic and transport PO20** No example provided. Transport of materials from the site to a major road is undertaken: a. on an Extractive resources transport route; b. in a way which maintains the safety and efficiency of roads comprising the Extractive resources transport route. Note - Refer to Overlay map - Extractive resources for identified Extractive resource transport routes.

PO21

Extractive resource transport routes are constructed and maintained to a sufficient standard to cater for the proposed use.

Note - A Transport route impact assessment outlining the existing standard and condition of the identified transport route is to be prepared and submitted in accordance with Planning scheme policy - Extractive industry. The report is to identify potential impacts on the network as a result of the development.

No example provided.

Building height

PO22

Height of buildings for Animal husbandry⁽⁴⁾ and Cropping⁽¹⁹⁾ uses:

- is consistent with the low rise, open character and amenity of the surrounding area;
- does not unduly impact on access to daylight, b. sunlight, overshadowing or privacy experienced by adjoining premises.

E22

Building height and all structures do not exceed the maximum height identified on Overlay map - Building heights.

Waste treatment

PO23

Stormwater generated on site is treated and disposed of in an acceptable manner to mitigate any impacts on soil, surface water or ground water quality. Development resulting in the degradation of soil, surface water or ground water quality is avoided.

E23

All concentrated use areas (eg sheds, pens, holding yards, stables, kennels and other animal enclosures) are provided with site drainage to ensure all runoff is directed to suitable detention basins, filtration or other treatment areas.

Industrial Uses Only

Ancillary office⁽⁵³⁾ and administration

PO24

Ancillary office⁽⁵³⁾, administration functions, retail sales and customer service components do not compromise the primary use of the site or other industrial activities in the precinct.

E24

The combined area of ancillary administration functions, does not exceed 10% of the GFA or 200m², whichever is the lesser.

Staff recreation

PO25

Staff are provided with adequate and amenable break/dining facilities to suit the nature of the activities on-site.

E25

Where the nature of the activities on-site do not allow staff to eat in their work environment, the development provides an on-site recreation area for staff that:

- a. Includes adequate seating, tables and rubbish bins for the number of staff on-site;
- b. is adequately protected from the weather;

	c. is safely accessible to all staff;
	d. is separate and private from public areas;
	e. is located away from a noisy or odorous activity.
Waste	
PO26	No example provided.
Bins and bin storage area/s are provided, designed and managed in accordance with Planning scheme policy – Waste.	
Environmental impacts	
PO27	E27
Where a use is not an environmentally relevant activity under the Environmental Protection Act, the release of any containment that may cause environmental harm is mitigated to an acceptable level.	Development achieves the standard listed in Schedule 1 Air Quality Objectives, Environmental Protection (Air) Policy 2008.
PO28	E28
Where a use is not an environmentally relevant activity under the Environmental Protection Act, noise emissions at receptor sites is mitigated to an acceptable level.	Development does not generate noise exceeding the standards listed in Schedule 1 Acoustic Quality Objectives, Environmental Protection (Noise) Policy 2008.
Noise	
PO29	No example provided.
Noise generating uses do not adversely affect existing noise sensitive uses.	
Note - The use of walls, barriers or fences that are visible from or adjoin a road or public area are not appropriate noise attenuation measures unless adjoining a motorway, arterial road or rail line.	
Note - A noise impact assessment may be required to demonstrate compliance with this PO. Noise impact assessments are to be prepared in accordance with Planning scheme policy - Noise.	
PO30	E30.1
Sensitive land uses are provided with an appropriate acoustic environment within designated external private outdoor living spaces and internal areas while:	Development is designed to meet the criteria outlined in the Planning Scheme Policy – Noise.
a. contributing to safe and usable public spaces, through	E30.2
maintaining high levels of surveillance of parks, streets and roads that serve active transport purposes	Noise attenuation structures (e.g. walls, barriers or fences):

(e.g. existing or future pedestrian paths or cycle lanes etc):

b. maintaining the amenity of the streetscape.

Note - A noise impact assessment may be required to demonstrate compliance with this PO. Noise impact assessments are to be prepared in accordance with Planning scheme policy - Noise.

Note - Refer to Planning Scheme Policy - Integrated design for details and examples of noise attenuation structures.

- are not visible from an adjoining road or public area unless:
 - i. adjoining a motorway or rail line; or
 - ii. adjoining part of an arterial road that does not serve an existing or future active transport purpose (e.g. pedestrian paths or cycle lanes) or where attenuation through building location and materials is not possible.
- b. do not remove existing or prevent future active transport routes or connections to the street network;
- are located, constructed and landscaped in C. accordance with Planning scheme policy -Integrated design.

Note - Refer to Planning scheme policy - Integrated design for details and examples of noise attenuation structures.

Note - Refer to Overlay map - Active transport for future active transport routes.

Emissions into Brisbane operational airspace

PO31

Emissions do not significantly increase air turbulence, reduce visibility or compromise the operation of aircraft engines in Brisbane airport's operational airspace.

Note - Refer to State Planning Policy December 2013 mapping to identify Brisbane airport's operational airspace.

E31.1

Development does not emit a gaseous plume into the airport's operational airspace at a velocity exceeding 4.3m per second.

E31.2

Development emitting smoke, dust, ash, steam or a gaseous plume exceeding 4.3m per second is designed and constructed to mitigate adverse impacts of emissions upon operational airspace.

Stormwater

PO32

Stormwater run-off from the site is conveyed to a point of lawful discharge without causing nuisance or annoyance to any person, property or premises.

Note - Refer to Planning scheme policy - Integrated design for details.

Note - A downstream drainage discharge report in accordance with Planning scheme policy - Stormwater management may be required to demonstrate achievement of this performance outcome.

Note - A watercourse as defined in the Water Act may be accepted as a lawful point of discharge providing the drainage discharge from the site does not increase the downstream flood levels during events up to and including the 1% AEP storm. An afflux of +20mm may be

No example provided.

accepted on Council controlled land and road infrastructure. No worsening is ensured when stormwater is discharged into a catchment that includes State Transport Infrastructure.	
PO33	No example provided.
Stormwater generated from the development does not compromise the capacity of existing stormwater infrastructure downstream of the site.	
Note - A downstream drainage discharge report in accordance with Planning scheme policy - Stormwater management may be required to demonstrate achievement of this performance outcome.	
PO34	No example provided.
Stormwater quality management systems are designed and constructed to minimise the environmental impact of stormwater discharge on surface and underground receiving water quality and meet the design objectives in Tables A and B in Appendix 2 of the SPP.	
Note - A stormwater management plan prepared by a suitably qualified professional will be required in accordance with Planning scheme policy - Stormwater management.	
PO35	No example provided.
Easements for drainage purposes are provided over:	
a. stormwater pipes located in freehold land if the pipe diameter exceeds 300mm;	
b. overland flow paths where they cross more than one property boundary.	
Note - Refer to Planning scheme policy - Integrated design for details.	
Note - Stormwater Drainage easement dimensions are provided in accordance with Section 3.8.5 of QUDM.	
Site works and construction management	
PO36	No example provided.
The site and any existing structures are maintained in a tidy and safe condition.	
PO37	E37.1
All works on-site are managed to:	Works incorporate temporary stormwater runoff, erosion and sediment controls and trash traps designed in
a. minimise as far as practicable, impacts on adjoining or adjacent premises and the streetscape in regard to erosion and sedimentation, dust, noise, safety and light;	accordance with the Urban Stormwater Quality Planning Guidelines, Planning scheme policy - Stormwater management and Planning scheme policy - Integrated design, including but not limited to the following:

- b. minimise as far as possible, impacts on the natural environment;
- C. ensure stormwater discharge is managed in a manner that does not cause nuisance or annoyance to any person or premises;
- d. avoid adverse impacts on street trees and their critical root zone.
- stormwater is not discharged to adjacent properties in a manner that differs significantly from pre-existing conditions;
- b. stormwater discharged to adjoining and downstream properties does not cause scour and erosion;
- C. stormwater discharge rates do not exceed pre-existing conditions;
- d. the 10% AEP storm event is the minimum design storm for all temporary diversion drains; and
- the 50% AEP storm event is the minimum design e. storm for all silt barriers and sedimentation basins.

E37.2

Stormwater runoff, erosion and sediment controls are constructed prior to commencement of any clearing or earthworks and are maintained and adjusted as necessary at all times to ensure their ongoing effectiveness.

Note - The measures are adjusted on-site to maximise their effectiveness.

E37.3

The completed earthworks area is stabilised using turf, established grass seeding, mulch or sprayed stabilisation techniques to control erosion and sediment and dust from leaving the property.

E37.4

Where works are proposed in proximity to an existing street tree, an inspection and a root management plan is undertaken by a qualified arborist which demonstrates and ensures that no permanent damage is caused to the tree.

PO38

Dust suppression measures are implemented during soil disturbances and construction works to protect nearby premises from unreasonable dust impacts.

E38

No dust emissions extend beyond the boundaries of the site during soil disturbances and construction works.

PO39

All works on-site and the transportation of material to and from the site are managed to not negatively impact the existing road network, the amenity of the surrounding area or the streetscape.

Note - Where the amount of imported or exported material is greater than 50m³, a haulage route must be identified and approved by Council.

E39.1

Construction traffic including contractor car parking is controlled in accordance with a traffic management plan, prepared in accordance with the Manual of Uniform Traffic Control Devices (MUTCD) to ensure all traffic movements to and from the site are safe.

E39.2

All contractor car parking is either provided on the development site, or on an alternative site in the general locality which has been set aside for car parking. Contractors vehicles are generally not to be parked in existing roads. Note - A Traffic Management Plan may be required for the site in accordance with the Manual of Uniform Traffic Control Devices (MUTCD). E39.3 Any material dropped, deposited or spilled on the road(s) as a result of construction processes associated with the site are to be cleaned at all times. **PO40** No example provided. All disturbed areas are rehabilitated at the completion of construction. Note - Refer to Planning scheme policy - Integrated design for details. **PO41** E41.1 The clearing of vegetation on-site: All native vegetation to be retained on-site is temporarily fenced or protected prior to and during development is limited to the area of infrastructure works, building works. areas and other necessary areas for the works; and includes the removal of declared weeds and other Note - No parking of vehicles of storage of machinery or goods is materials which are detrimental to the intended use to occur in these areas during development works. of the land: is disposed of in a manner which minimises nuisance C. and annoyance to existing premises. E41.2 Disposal of materials is managed in one or more of the Note - No burning of cleared vegetation is permitted. following ways: all cleared vegetation, declared weeds, stumps, rubbish, car bodies, scrap metal and the like are removed and disposed of in a Council land fill facility; or b. all native vegetation with a diameter below 400mm is to be chipped and stored on-site. Note - The chipped vegetation must be stored in an approved location, preferably a park or public land. **PO42** No example provided. Any alteration or relocation in connection with or arising from the development to any service, installation, plant, equipment or other item belonging to or under the control of the telecommunications authority, electricity authorities,

the Council or other person engaged in the provision of public utility services is to be carried with the development and at no cost to Council.

Other uses

Specific rural uses setbacks

PO43

Development ensures:

- chemical spray, fumes, odour, dust are contained on a.
- unreasonable nuisance or annoyance resulting from -but not limited to - noise, storage of materials and rubbish does not adversely impact upon land users adjacent to, or within the general vicinity; and
- C. buildings and other structures are consistent with the open area, low density, low built form character and amenity associated with the surrounding environment.

E43

The following uses and associated buildings are setback from all property boundaries as follows:

- Animal husbandry⁽⁴⁾ (buildings only) 10m
- Cropping⁽¹⁹⁾ (building only) 10m

Major electricity infrastructure⁽⁴³⁾, Substation⁽⁸⁰⁾ and Utility installation⁽⁸⁶⁾

PO44

The development does not have an adverse impact on the visual amenity of a locality and is:

- a. high quality design and construction;
- b. visually integrated with the surrounding area;
- C. not visually dominant or intrusive;
- located behind the main building line; d.
- below the level of the predominant tree canopy or e. the level of the surrounding buildings and structures;
- f. camouflaged through the use of colours and materials which blend into the landscape;
- treated to eliminate glare and reflectivity; g.
- landscaped; h.
- i. otherwise consistent with the amenity and character of the zone and surrounding area.

E44.1

Development is designed to minimise surrounding land use conflicts by ensuring infrastructure, buildings, structures and other equipment:

- are enclosed within buildings or structures; a.
- are located behind the main building line; b.
- C. have a similar height, bulk and scale to the surrounding fabric;
- have horizontal and vertical articulation applied to all exterior walls.

E44.2

A minimum 3m wide strip of dense planting is provided around the outside of the fenced area, between the development and street frontage, side and rear boundaries.

PO45

Infrastructure does not have an impact on pedestrian health and safety.

E45

Access control arrangements:

- do not create dead-ends or dark alleyways adjacent to the infrastructure;
- b. minimise the number and width of crossovers and entry points;
- C. provide safe vehicular access to the site:
- do not utilise barbed wire or razor wire. d.

PO46

E46

All activities associated with the development occur within an environment incorporating sufficient controls to ensure the facility:

- generates no audible sound at the site boundaries a. where in a residential setting; or
- meet the objectives as set out in the Environmental b. Protection (Noise) Policy 2008.

All equipment which produces audible or non-audible sound is housed within a fully enclosed building incorporating sound control measures sufficient to ensure noise emissions meet the objectives as set out in the Environmental Protection (Noise) Policy 2008.

PO47

Development does not constrain utilisation of existing and anticipated extractive resources.

E47

Development is not located within a Resource Area on the Extractive Resources overlay map.

Telecommunications facility (81)

Editor's note - In accordance with the Federal legislation Telecommunications facilities (81) must be constructed and operated in a manner that will not cause human exposure to electromagnetic radiation beyond the limits outlined in the Radiocommunications (Electromagnetic Radiation - Human Exposure) Standard 2003 and Radio Protection Standard for Maximum Exposure Levels to Radiofrequency Fields - 3Khz

PO48

Telecommunications facilities $^{(81)}$ are co-located with existing telecommunications facilities $^{(81)}$, Utility installation $^{(86)}$, Major electricity infrastructure $^{(43)}$ or Substation $^{(80)}$ if there is already a facility in the same coverage area.

E48.1

New telecommunication facilities (81) are co-located on existing towers with new equipment shelter and associated structures positioned adjacent to the existing shelters and structures.

E48.2

If not co-located with an existing facility, all co-location opportunities have been investigated and fully exhausted within a 2km radius of the site.

PO49

A new Telecommunications facility (81) is designed and constructed to ensure co-masting or co-siting with other carriers both on the tower or pole and at ground level is possible in the future.

E49

A minimum of 45m² is available at ground level to allow for additional equipment shelters and associated structures for the purpose of co-locating on the proposed facility.

PO50

Telecommunications facilities (81) do not conflict with lawful existing land uses both on and adjoining the site.

E50

The development results in no net reduction in the minimum quantity and standard of landscaping, private or communal open space or car parking spaces required under the planning scheme or under an existing development approval.

PO51

The Telecommunications facility⁽⁸¹⁾ does not have an adverse impact on the visual amenity of a locality and is:

- high quality design and construction; a.
- b. visually integrated with the surrounding area;

E51.1

Where in an urban area, the development does not protrude more than 5m above the level of the existing treeline, prominent ridgeline or building rooftops in the surrounding townscape.

- not visually dominant or intrusive; C.
- d. located behind the main building line:
- below the level of the predominant tree canopy or e. the level of the surrounding buildings and structures;
- camouflaged through the use of colours and materials f. which blend into the landscape;
- treated to eliminate glare and reflectivity; g.
- landscaped; h.
- i. otherwise consistent with the amenity and character of the zone and surrounding area.

E51.2

In all other areas towers do not exceed 35m in height.

E51.3

Towers, equipment shelters and associated structures are of a design, colour and material to:

- reduce recognition in the landscape; a.
- b. reduce glare and reflectivity.

E51.4

All structures and buildings are setback behind the main building line and a minimum of 10m from side and rear boundaries, except where in the Industry and Extractive industry zones, the minimum side and rear setback is 3m.

Where there is no established building line the facility is located at the rear of the site.

E51.5

The facility is enclosed by security fencing or by other means to ensure public access is prohibited.

E51.6

A minimum 3m wide strip of dense planting is provided around the perimeter of the fenced area, between the facility and street frontage and adjoining uses.

Note - Landscaping is provided in accordance with Planning scheme policy - Integrated design.

Note - Council may require a detailed landscaping plan, prepared by a suitably qualified person, to ensure compliance with Planning scheme policy - Integrated design.

PO52

Lawful access is maintained to the site at all times that does not alter the amenity of the landscape or surrounding uses.

E52

An Access and Landscape Plan demonstrates how 24 hour vehicular access will be obtained and maintained to the facility in a manner that is appropriate to the site's context.

PO53

All activities associated with the development occur within an environment incorporating sufficient controls to ensure the facility generates no audible sound at the site boundaries where in a residential setting.

E53

All equipment comprising the Telecommunications facility⁽⁸¹⁾ which produces audible or non-audible sound is housed within a fully enclosed building incorporating sound control measures sufficient to ensure no noise from this equipment can be heard, or felt at the site boundary.

PO54

Development does not constrain utilisation of existing and anticipated extractive resources.

E54

Development is not located within a Resource Area on the Extractive Resources overlay map.

Values and constraints criteria

Note - The relevant values and constraints criteria do not apply where the development is consistent with a current Development permit for Reconfiguring a lot or Material change of use or Operational work, where that approval has considered and addressed (e.g. through a development footprint plan (or similar in the case of Landslide hazard) or conditions of approval) the identified value or constraint under this planning scheme.

Acid sulfate soils - (refer Overlay map - Acid sulfate soils to determine if the following assessment criteria apply)

Note - To demonstrate achievement of the performance outcome, an Acid sulfate soils (ASS) investigation report and soil management plan

is prepared by a qualified engineer. Guidance for the preparation an ASS investigation report and soil management plan is provided in

Planning scheme policy - Acid sulfate soils.

PO55

Development avoids disturbing acid sulfate soils. Where development disturbs acid sulfate soils, development:

- is managed to avoid or minimise the release of surface or groundwater flows containing acid and metal contaminants into the environment;
- protects the environmental and ecological values and b. health of receiving waters;
- protects buildings and infrastructure from the effects of acid sulfate soils.

E55

Development does not involve:

- excavation or otherwise removing of more than 100m³ of soil or sediment where below than 5m Australian Height datum AHD; or
- filling of land of more than 500m³ of material with an average depth of 0.5m or greater where below the 5m Australian Height datum AHD.

Bushfire hazard (refer Overlay map - Bushfire hazard to determine if the following assessment criteria apply)

Note - To demonstrate achievement of the performance outcomes, a bushfire management plan is prepared by a suitably qualified person. Guidance for the preparation of a bushfire management plan is provided in Planning scheme policy – Bushfire prone areas.

Note - Unacceptable risk is defined as a situation where people or property are exposed to a predictable hazard event that may result in serious injury, loss of life, failure of community infrastructure, or property damage.

PO56

Development:

- minimises the number of buildings and people a. working and living on a site exposed to bushfire risk;
- b. ensures the protection of life during the passage of a fire front:
- is located and designed to increase the chance of C. survival of buildings and structures during a bushfire;

E56.1

Buildings and structures are:

- not located on a ridgeline; a.
- not located on land with a slope greater than 15% (see Overlay map - Landslide hazard);
- dwellings are located on east to south facing C. slopes.

E56.2

- d. minimises bushfire risk from build up of fuels around buildings and structures;
- ensure safe and effective access for emergency e. services during a bushfire.

Buildings and structures have contained within the site:

- a separation from classified vegetation of 20m or the distance required to achieve a bushfire attack level (BAL) at the building, roofed structure or fire fighting water supply of no more than 29, whichever is the greater:
- b. a separation from low threat vegetation of 10m or the distance required to achieve a bushfire attack level (BAL) at the building, roofed structure or fire fighting water supply of no more than 29, whichever is the greater;
- C. a separation of no less than 10m between a fire fighting water supply extraction point and any classified vegetation, buildings and other roofed structures:
- d. an area suitable for a standard fire fighting appliance to stand within 3m of a fire fighting water supply extraction point; and
- an access path suitable for use by a standard fire fighting appliance having a formed width of at least 4m, a cross-fall of no greater than 5%, and a longitudinal gradient of no greater than 25%:
 - to, and around, each building and other roofed structure: and
 - ii. to each fire fighting water supply extraction point.

Note - The meaning of the terms classified vegetation and low threat vegetation as well as the method of calculating the bushfire attack level are as described in Australian Standard AS 3959

PO57

Development and associated driveways and access ways:

- avoid potential for entrapment during a bushfire; a.
- b. ensure safe and effective access for emergency services during a bushfire;
- enable safe evacuation for occupants of a site during C. a bushfire.

E57

A length of driveway:

- to a road does not exceed 100m between the most distant part of a building used for any purpose other than storage and the nearest part of a public road;
- b. has a maximum gradient no greater than 12.5%;
- have a minimum width of 3.5m; C.
- d. accommodate turning areas for fire fighting appliances in accordance with Qld Fire and Emergency Services' Fire Hydrant and Vehicle Access Guideline.

PO58

Development provides an adequate water supply for fire-fighting purposes.

E58

- a reticulated water supply is provided by a a. distributer retailer for the area or:
- b. where not connected to a reticulated water supply, on-site fire fighting water storage containing not less than 10 000 litres (tanks with fire brigade tank fittings, swimming pools) is located within 10m of buildings and structures.

- Where a swimming pool is the nominated on-site fire fighting water storage source, vehicle access is provided to within 3m of that water storage source.
- Where a tank is the nominated on-site fire fighting water storage source, it includes:
 - i. a hardstand area allowing medium rigid vehicles (15 tonne fire appliance) access within 6m of the tank;
 - fire brigade tank fittings, comprising 50mm ball valve and male camlock coupling and, if underground, an access hole of 200mm (minimum) to accommodate suction lines.

PO59

Development:

- does not present unacceptable risk to people or а environment due to the impact of bushfire on dangerous goods or combustible liquids;
- b. does not present danger or difficulty to emergency services for emergency response or evacuation.

Editor's note - Unacceptable risk is defined as a situation where people or property are exposed to a predictable hazard event that may result in serious injury, loss of life, failure of community infrastructure, or property damage.

E59

Development does not involve the manufacture or storage of hazardous chemicals.

Environmental areas (refer Overlay map - Environmental areas to determine if the following assessment criteria apply)

Note – The following are excluded from the native vegetation clearing provisions of this planning scheme:

- a. Clearing of native vegetation located within an approved development footprint;
- Clearing of native vegetation within 10m from a lawfully established building reasonably necessary for emergency access or immediately b. required in response to an accident or emergency;
- C. Clearing of native vegetation reasonably necessary to remove or reduce the risk vegetation poses to serious personal injury or damage to infrastructure;
- Clearing of native vegetation reasonably necessary to construct and maintain a property boundary fence and not exceed 4m in width d either side of the fence where in the Rural, Rural residential and Environmental Management and Conservation zones. In any other zone, clearing is not to exceed 2m in width either side of the fence;
- Clearing of native vegetation reasonably necessary for the purpose of maintenance or works within a registered easement for public e. infrastructure or drainage purposes;
- Clearing of native vegetation in accordance with a bushfire management plan prepared by a suitably qualified person, submitted to f. and accepted by Council;
- Clearing of native vegetation associated with removal of recognised weed species, maintaining existing open pastures and cropping g. land, windbreaks, lawns or created gardens;
- h. Grazing of native pasture by stock;
- Native forest practice where accepted development under Part 1, 1.7.7 Accepted development

Note - Definition for native vegetation is located in Schedule 1 Definitions.

Note - Native vegetation subject to this criteria primarily comprises of matters of national environmental significance (MNES), matters of state environmental significance (MSES). They also comprise some matters of local environmental significance (MLES). A MLES is defined in Schedule 1.2, Administrative definitions. A list of the elements that apply to the mapped MSES and MLES is provided in Appendix 1 of the Planning scheme policy - Environmental areas.

Editors' Note - The accuracy of overlay mapping can be challenged through the development application process (code assessable development) or by way of a planning scheme amendment. See Council's website for details.

Note - To demonstrate achievement of the performance outcome, an ecological assessment, vegetation management plan and fauna management plan, as required, are prepared by a suitably qualified person. Guidance for the preparation of above mentioned reports is provided in Planning scheme policy - Environmental areas.

Vegetation clearing, ecological value and connectivity

PO60

Development avoids locating in a High Value Area or a Value Offset Area. Where it is not practicable or reasonable for development to avoid establishing in these areas, development must ensure that:

- the quality and integrity of the biodiversity and a. ecological values inherent to a High Value Area and a Value Offset Area is maintained and not lost or degraded;
- b. on-site mitigation measures, mechanisms or processes are in place demonstrating the quality and integrity of the biodiversity and ecological values inherent to a High Value Area and a Value Offset Area are maintained. For example, this can be achieved through replacement, restoration or rehabilitation planting as part of any proposed covenant, the development of a Vegetation Management Plan, a Fauna Management Plan, and any other on-site mitigation options identified in the Planning scheme policy - Environmental areas*.
- * Editor's note This is not a requirement for an environmental offset under the Environmental Offsets Act 2014.

No example provided.

PO61

Development provides for safe, unimpeded, convenient and ongoing wildlife movement and establishes and maintains habitat connectivity by:

- retaining habitat trees; a.
- b. providing contiguous patches of habitat;
- provide replacement and rehabilitation planting to C. improve connectivity;
- d. avoiding the creation of fragmented and isolated patches of habitat;
- providing wildlife movement infrastructure. e.

No example provided.

Editor's note - Wildlife movement infrastructure may include refuge poles, tree boulevarding, 'stepping stone' vegetation plantings, tunnels, appropriate wildlife fencing; culverts with ledges, underpasses,	
overpasses, land bridges and rope bridges. Further information is provided in Planning scheme policy – Environmental areas.	
Vegetation clearing and habitat protection	
PO62	No example provided.
Development ensures that the biodiversity quality and integrity of habitats is not adversely impacted upon but maintained and protected.	
PO63	No example provided.
Development does not result in the net loss or degradation of habitat value in a High Value Area or a Value Offset Area. Where development does result in the loss or degradation of habitat value, development will:	
 a. rehabilitate, revegetate, restore and enhance an area to ensure it continues to function as a viable and healthy habitat area; b. provide replacement fauna nesting boxes in the event 	
of habitat tree loss in accordance with Planning scheme policy - Environmental areas; c. undertake rehabilitation, revegetation and restoration in accordance with the South East Queensland Ecological Restoration Framework.	
PO64	No example provided.
Development ensures safe, unimpeded, convenient and ongoing wildlife movement and habitat connectivity by:	
a. providing contiguous patches of habitat;b. avoiding the creation of fragmented and isolated patches of habitat;	
c. providing wildlife movement infrastructure;d. providing replacement and rehabilitation planting to improve connectivity.	
Vegetation clearing and soil resource stability	
PO65	No example provided.
Development does not:	
 a. result in soil erosion or land degradation; b. leave cleared land exposed for an unreasonable period of time but is rehabilitated in a timely manner. 	
Vegetation clearing and water quality	
PO66	No example provided.

Development maintains or improves the quality of groundwater and surface water within, and downstream, of a site by: ensuring an effective vegetated buffers and setbacks from waterbodies is retained to achieve natural filtration and reduce sediment loads: avoiding or minimising changes to landforms to b. maintain hydrological water flows; adopting suitable measures to exclude livestock from C. entering a waterbody where a site is being used for animal husbandry and animal keeping activities. **PO67** No example provided. Development minimises adverse impacts of stormwater run-off on water quality by: minimising flow velocity to reduce erosion; a. b. minimising hard surface areas; C. maximising the use of permeable surfaces; d. incorporating sediment retention devices; e. minimising channelled flow. Vegetation clearing and access, edge effects and urban heat island effects **PO68** No example provided. Development retains safe and convenient public access in a manner that does not result in the adverse edge effects or the loss or degradation of biodiversity values within the environment. **PO69** No example provided. Development minimises potential adverse 'edge effects' on ecological values by: providing dense planting buffers of native vegetation a. between a development and environmental areas; b. retaining patches of native vegetation of greatest possible size where located between a development and environmental areas: restoring, rehabilitating and increasing the size of existing patches of native vegetation; d. ensuring that buildings and access (public and vehicle) are setback as far as possible from environmental areas and corridors: landscaping with native plants of local origin. e. Editor's note - Edge effects are factors of development that go to detrimentally affecting the composition and density of natural populations at the fringe of natural areas. Factors include weed invasion, pets, public and vehicle access, nutrient loads, noise and light pollution, increased fire frequency and changes in the groundwater and surface water flow. **PO70** No example provided.

Development avoids adverse microclimate change and does not result in increased urban heat island effects. Adverse urban heat island effects are minimised by:

- pervious surfaces:
- providing deeply planted vegetation buffers and green b. linkage opportunities;
- landscaping with local native plant species to achieve C. well-shaded urban places;
- increasing the service extent of the urban forest d. canopy.

Vegetation clearing and Matters of Local Environmental Significance (MLES) environmental offsets

PO71

Where development results in the unavoidable loss of native vegetation within a Value Offset Area MLES waterway buffer or a Value Offset Area MLES wetland buffer, an environmental offset is required in accordance with the environmental offset requirements identified in Planning scheme policy - Environmental areas.

Editor's note - For MSES Koala Offsets, the environmental offset provisions in schedule 11 of the Regulation, in combination with the requirements of the Environmental Offset Act 2014, apply.

No example provided.

Extractive resources separation area (refer Overlay map - Extractive resources (separation area) to determine if the following assessment criteria apply)

Note - To demonstrate achievement of the performance outcomes, a noise impact assessment report is prepared by a suitably qualified person. Guidance to preparing noise impact assessment report is provided in Planning scheme policy - Noise.

PO72

Development does not increase the number of people living in the Extractive Resources separation area.

E72

One dwelling house⁽²²⁾ permitted per lot within separation area.

PO73

Development:

- does not introduce or increase uses that are sensitive to the impacts of an Extractive industry (27);
- is compatible with the operation of an Extractive b. industry⁽²⁷⁾;
- does not comprise or undermine the function and C. integrity of the separation area in providing a buffer between key extractive and processing activities and sensitive, incompatible uses outside the separation area.

E73

Development within the separation area does not include the following activities:

- Caretaker's accommodation⁽¹⁰⁾; a.
- Community residence⁽¹⁶⁾; b.
- Dual occupancy⁽²¹⁾; C.
- Dwelling unit⁽²³⁾: d.
- Hospital⁽³⁶⁾. e.
- Rooming accommodation (69); f.
- Multiple dwelling⁽⁴⁹⁾: g.
- Non-resident workforce accommodation (52); h.
- Relocatable home park (62); i.
- Residential care facility⁽⁶⁵⁾; j.
- Resort complex⁽⁶⁶⁾; k.
- Retirement facility (67); I.
- Rural workers' accommodation⁽⁷¹⁾; m.

Short-term accommodation (77):

Tourist park⁽⁸⁴⁾. Ο.

PO74

Habitable rooms achieve the noise levels listed in Schedule 1 Acoustic Quality Objectives. Environmental Protection (Noise) Policy 2008 and provides a safe, healthy and disturbance free living environment.

E74

All habitable rooms within the separation area are:

- acoustically insulated to achieve the noise levels listed in Schedule 1 Acoustic Quality Objectives. Environmental Protection (Noise) Policy 2008;
- provided with mechanical ventilation. b.

PO75

Development provides open space areas for passive recreation in a manner where impacts from key extractive/processing activities, particularly noise, is minimised.

E75

Private open space areas are separated from the resource processing area by buildings or a 1.8m high solid structure.

Extractive resources transport route (refer Overlay map - Extractive resources (transport route and buffer) to determine if the following assessment criteria apply)

PO76

Development:

- does not increase in the number of people living in a. close proximity to a transport route and being subject to the adverse effects from the transportation route:
- does not result in the establishment of uses that are b. incompatible with the operation of Extractive resources transport routes;
- adopts design and location measures to satisfactorily mitigate the potential adverse impacts associated with transportation routes on sensitive land uses. Such measures include, but are not limited to:
 - i. locating the furthest distance possible from the transportation route;
 - ii. habitable rooms being located the furthest from the transportation route;
 - iii. shielding and screening private outdoor recreation space from the transportation routes.

E76

The following uses are not located within the 100m wide transport route buffer:

- Caretaker's accommodation (10), except where a. located in the Extractive industry zone;
- Community residence⁽¹⁶⁾; b.
- Dual occupancy⁽²¹⁾; C.
- Dwelling house⁽²²⁾; d.
- Dwelling unit⁽²³⁾; e.
- Hospital (36): f.
- Rooming accommodation (69); g.
- Multiple dwelling⁽⁴⁹⁾; h.
- Non-resident workforce accommodation (52): i.
- Relocatable home park⁽⁶²⁾; j.
- Residential care facility (65): k.
- Resort complex⁽⁶⁶⁾: Ι.
- Retirement facility⁽⁶⁷⁾; m.
- Rural workers' accommodation⁽⁷¹⁾; n.
- Short-term accommodation⁽⁷⁷⁾;
- Tourist park (84). p.

PO77

Development:

- a. does not adversely impact upon the efficient and effective transportation of extractive material along a transportation route;
- b. ensures vehicle access and egress along transportation routes are designed and located to achieve a high degree of safety, having good visibility;
- C. utilises existing vehicle access points and where existing vehicle access points are sub-standard or

E77.1

Development does not create a new vehicle access point onto an Extractive resources transport route.

E77.2

A vehicle access point is located, designed and constructed in accordance with Planning scheme policy Integrated design.

poorly formed, they are upgraded to an appropriate standard.

Heritage and landscape character (refer Overlay map - Heritage and landscape character to determine if the following assessment criteria apply)

Note - To assist in demonstrating achievement of heritage performance outcomes, a Cultural heritage impact assessment report is prepared by a suitably qualified person verifying the proposed development is in accordance with The Australia ICOMOS Burra Charter.

Note - To assist in demonstrating achievement of this performance outcome, a Tree assessment report is prepared by a qualified arborist in accordance with Planning scheme policy - Heritage and landscape character. The Tree assessment report will also detail the measures adopted in accordance with AS 4970-2009 Protection of trees on development sites.

Note - Places, including sites, objects and buildings having local cultural heritage significance, are identified on Overlay map - Heritage and landscape character and listed in Schedule 1 of Planning scheme policy - Heritage and landscape character. Places also having cultural heritage significance at a State level and being entered in the Queensland Heritage Register, are also identified in Schedule 1 of Planning scheme policy - Heritage and landscape character.

PO78

Development will:

- not diminish or cause irreversible damage to the cultural heritage values present on the site, and associated with a heritage site, object or building;
- b. protect the fabric and setting of the heritage site. object or building;
- be consistent with the form, scale and style of the C. heritage site, object or building;
- utilise similar materials to those existing, or where d. this is not reasonable or practicable, neutral materials and finishes:
- incorporate complementary elements, detailing and ornamentation to those present on the heritage site, object or building;
- f. retain public access where this is currently provided.

E78

Development is for the preservation, maintenance, repair and restoration of a site, object or building of cultural heritage value.

Note - A cultural heritage conservation management plan for the preservation, maintenance, repair and restoration of a site, object or building of cultural heritage value is prepared in accordance with Planning scheme policy - Heritage and landscape character. The plan is sent to, and approved by Council prior to the commencement of any preservation, maintenance, repair and restoration works.

PO79

Demolition and removal is only considered where:

- a report prepared by a suitably qualified conservation a. architect or conservation engineer demonstrates that the building is structurally unsound and is not reasonably capable of economic repair; or
- demolition is confined to the removal of outbuildings. b. extensions and alterations that are not part of the original structure; or
- limited demolition is performed in the course of repairs, maintenance or restoration; or
- d. demolition is performed following a catastrophic event which substantially destroys the building or object.

No example provided.

PO80

Where development is occurring on land adjoining a site of cultural heritage value, the development is to be sympathetic to and consistent with the cultural heritage

No example provided.

values present on the site and not result in their values being eroded, degraded or unreasonably obscured from public view.

PO81

Development does not adversely impact upon the health and vitality of significant trees. Where development occurs in proximity to a significant tree, construction measures and techniques as detailed in AS 4970-2009 Protection of trees on development sites are adopted to ensure a significant tree's health, wellbeing and vitality.

Significant trees are only removed where they are in a poor state of health or where they pose a health and safety risk to persons or property. A Tree Assessment report prepared by a suitably qualified arborist confirming a tree's state of health is required to demonstrate achievement of this performance outcome.

E81

Development does:

- not result in the removal of a significant tree;
- b. not occur within 20m of a protected tree;
- involve pruning of a tree in accordance with Australian Standard AS 4373-2007 - Pruning of Amenity Trees.

Landslide hazard (refer Overlay map - Landslide hazard to determine if the following assessment criteria apply)

Note - To demonstrate achievement of the performance outcomes, a site-specific geotechnical assessment report is prepared by a qualified engineer. Guidance for the preparation of a geotechnical assessment report is provided in Planning scheme policy - Landslide hazard.

PO82

Development:

- maintains the safety of people and property on a site and neighbouring sites from landslides;
- ensures the long-term stability of the site considering b. the full nature and end use of the development;
- ensures site stability during all phases of construction C. and development:
- minimises disturbance of natural drainage patterns d. of the site and does not result in the redirection or alteration of the existing flow if surface or groundwater
- minimises adverse visual impacts on the amenity of adjoining residents and provides a positive interface with the streetscape.

E82

Development does not:

- involve earthworks exceeding 50m3;
- involve cut and fill having a height greater than b. 600mm;
- involve any retaining wall having a height greater C. than 600mm;
- d. redirect or alter the existing flow of surface or groundwater.

PO83

Buildings are designed to respond to sloping topography in the siting, design and form of buildings and structures by:

- minimising overuse of cut and fill to create single flat a. pads and benching;
- avoiding expanses of retaining walls, loss of trees b. and vegetation and interference with natural drainage systems:

E83

Buildings, excluding domestic outbuildings:

- a. are split-level, multiple-slab, pier or pole construction:
- b. are not single plane slab on ground.

- minimising any adverse visual impact on the landscape character;
- Protect the amenity of adjoining properties. d.

Development protects the safety of people, property and the environment from the impacts of landslide on hazardous chemicals manufactured, handled or stored by incorporating design measures to ensure:

- the long-term stability of the development site a. considering the full nature and end use of the development;
- site stability during all phases of construction and b. development:
- the development is not adversely affected by C. landslide activity originating on sloping land above the site:
- emergency access and access from the site for the public and emergency vehicles is available and is not at risk from landslide.

E84

Development does not involve the manufacture. handling or storage of hazardous chemicals.

Infrastructure buffers (refer Overlay map - Infrastructure buffers to determine if the following assessment criteria apply)

PO85

Development within a Water supply buffer captures solid or liquid waste from all land use, development and activities is designed, constructed and managed to prevent the release of contaminants to surface water or groundwater bodies.

E85.1

Run-off and sediment from roadways and impervious surfaces within a Water supply buffer are intercepted and treated on-site to remove oil, grease, chemicals, silt, trace metals and nutrients such as nitrogen and phosphorous.

E85.2

Incineration or burial of waste within a Water supply buffer is not undertaken onsite.

E85.3

Solid waste within a Water supply buffer is collected and stored in weather proof, sealed waste receptacles, located in roofed and bunded areas, for disposal by a licenced contractor.

E85.4

Holding tanks within a Water supply buffer are used for all liquid waste and provide for the separation of oils/solvents and solids prior to pump-out and collection by a licenced contractor.

E85.5

Management, handling and storage of hazardous chemicals (including fuelling of vehicles) within a Water supply buffer, is undertaken in secured, climate controlled, weather proof, level and bunded enclosures. **PO86** E86 On-site sewerage systems within a Water supply buffer Secondary treated wastewater treatment systems within are designed and operated to ensure there is no worsening a Water supply buffer include: or adverse impacts to health risks, environmental risks emergency storage capable of holding 3-6 hours and water quality. peak flow of treated effluent in the event of emergencies or overload with provision for Editor's Note - For guidance refer to the Seq water Development de-sludging; Guidelines: Development Guidelines for Water Quality Management in Drinking Water Catchments 2012. b. back up pump installation and backup power; C. MEDLI modelling to determine irrigation rates and sizing of irrigation areas; d. vegetated land application areas are not located in overland flow paths or on areas that perform groundwater recharge or discharge functions; and wastewater collection and storage systems have a capacity to accommodate full load at peak times and includes temporary facilities. **PO87** E87 Development within a Bulk water supply infrastructure Development: buffer is located, designed and constructed to: does not involve the construction of any buildings protect the integrity of the water supply pipeline; or structures within a Bulk water supply a. infrastructure buffer; b. maintain adequate access for any required maintenance or upgrading work to the water supply involving a major hazard facility or environmentally b. relevant activity (ERA) is setback 30m from a Bulk pipeline; water supply infrastructure buffer. **PO88 E88** Development is located and designed to maintain required Development does not restrict access to Bulk water access to Bulk water supply infrastructure. supply infrastructure of any type or size, having regard to (among other things): a. buildings or structures; b. gates and fences; C. storage of equipment or materials; landscaping or earthworks or stormwater or other infrastructure. **PO89** E89 Development within a High voltage electricity line buffer Development does not involve the construction of any provides adequate buffers to high voltage electricity lines buildings or structures within a High voltage electricity line buffer. to protect amenity and health by ensuring development:

is located and designed to avoid any potential

adverse impacts on personal health and wellbeing

a.

- from electromagnetic fields in accordance with the principle of prudent avoidance;
- is located and designed in a manner that maintains b. a high level of security of supply;
- is located and design so not to impede upon the functioning and maintenance of high voltage electrical infrastructure.

Development within a Pumping station buffer is located, designed and constructed to:

- ensure that odour or other air pollutant impacts on a. the amenity of the development met the air quality of objectives in the Environmental Protection (Air) Policy 2008;
- ensure that noise impacts on the amenity of the b. development met the indoor noise objectives set out in the Environmental Protection (Noise) Policy 2008.

E90

Development does not involve the construction of any buildings or structures within the Gas pipeline buffer.

Overland flow path (refer Overlay map - Overland flow path to determine if the following assessment criteria apply)

Note - The applicable river and creek flood planning levels associated with defined flood event (DFE) within the inundation area can be obtained by requesting a flood check property report from Council.

PO91

Development:

- a. minimises the risk to persons from overland flow;
- does not increase the potential for damage from overland flow either on the premises or other premises, public land, watercourses, roads or infrastructure.

No example provided.

PO92

Development:

- maintains the conveyance of overland flow predominantly unimpeded through the premises for any event up to and including the 1% AEP for the fully developed upstream catchment;
- b. does not concentrate, intensify or divert overland flow onto an upstream, downstream or surrounding property.

Note - A report from a suitably qualified Registered Professional Engineer Queensland is required certifying that the development does not increase the potential for significant adverse impacts on an upstream, downstream or surrounding premises.

Note - Reporting to be prepared in accordance with Planning scheme policy - Flood hazard, Coastal hazard and Overland flow.

No example provided.

Development does not:

- directly, indirectly or cumulatively cause any increase in overland flow velocity or level;
- b. increase the potential for flood damage from overland flow either on the premises or other premises, public lands, watercourses, roads or infrastructure.

Note - Open concrete drains greater than 1m in width are not an acceptable outcome, nor are any other design options that may increase scouring.

No example provided.

PO94

Development ensures that public safety and the risk to the environment are not adversely affected by a detrimental impact of overland flow on a hazardous chemical located or stored on the premises.

E94

Development ensures that a hazardous chemical is not located or stored in an Overland flow path area.

Note - Refer to the Work Health and Safety Act 2011 and associated Regulation and Guidelines, the Environmental Protection Act 1994 and the relevant building assessment provisions under the Building Act 1975 for requirements related to the manufacture and storage of hazardous substances.

PO95

Development which is not in a Rural zone ensures that overland flow is not conveyed from a road or public open space onto a private lot.

E95

Development which is not in a Rural zone that an overland flow paths and drainage infrastructure is provided to convey overland flow from a road or public open space area away from a private lot.

PO96

Development ensures that inter-allotment drainage infrastructure, overland flow paths and open drains through private property cater for overland flows for a fully developed upstream catchment and are able to be easily maintained.

Note - A report from a suitably qualified Registered Professional Engineer Queensland is required certifying that the development does not increase the potential for significant adverse impacts on an upstream, downstream or surrounding premises.

Note - Reporting to be prepared in accordance with Planning scheme policy - Flood hazard, Coastal hazard and Overland flow

E96.1

Development ensures that roof and allotment drainage infrastructure is provided in accordance with the following relevant level as identified in QUDM:

- a. Urban area – Level III;
- b. Rural area - N/A;
- Industrial area Level V; C.
- Commercial area Level V.

E96.2

Development ensures that inter-allotment drainage infrastructure is designed to accommodate any event up to and including the 1% AEP for the fully developed upstream catchment.

PO97

Development protects the conveyance of overland flow such that an easement for drainage purposes is provided over:

a stormwater pipe if the nominal pipe diameter a. exceeds 300mm;

No example provided.

- an overland flow path where it crosses more than one premises;
- C. inter-allotment drainage infrastructure.

Note - Refer to Planning scheme policy - Integrated design for details and examples.

Note - Stormwater Drainage easement dimensions are provided in accordance with Section 3.8.5 of QUDM.

Additional criteria for development for a Park (57)

PO98

Development for a Park⁽⁵⁷⁾ ensures that the design and layout responds to the nature of the overland flow affecting the premises such that:

- public benefit and enjoyment is maximised; a.
- b. impacts on the asset life and integrity of park structures is minimised;
- C. maintenance and replacement costs are minimised.

E98

Development for a Park⁽⁵⁷⁾ ensures works are provided in accordance with the requirements set out in Appendix B of the Planning scheme policy - Integrated design.

Riparian and wetland setbacks

PO99

Development provides and maintains a suitable setback from waterways and wetlands that protects natural and environmental values. This is achieved by recognising and responding to the following matters:

- impact on fauna habitats; a.
- impact on wildlife corridors and connectivity; b.
- impact on stream integrity; C.
- d. impact of opportunities for revegetation and rehabilitation planting;
- edge effects.

E99

Development does not occur within:

- 50m from top of bank for W1 waterway and drainage line
- b. 30m from top of bank for W2 waterway and drainage line
- 20m from top of bank for W3 waterway and drainage line
- d. 100m from the edge of a Ramsar wetland, 50m from all other wetlands.

Note - W1, W2 and W3 waterway and drainage lines, and wetlands are mapped on Schedule 2, Section 2.5 Overlay Maps - Riparian and wetland setbacks.

Scenic amenity - Regionally significant (Hills) and Locally important (Coast) (refer Overlay map - Scenic amenity to determine if the following assessment criteria apply)

PO100

Development:

avoids being viewed as a visually conspicuous built form on a hill top or ridgeline;

E100

Where located in the Regionally significant (Hills) scenic amenity overlay, buildings and structures are not:

- b. retain the natural character or bushland settings as the dominant landscape characteristic;
- is viewed as being visually consistent with the natural landscape setting and does not diminish the scenic and visual qualities present in the environment.
- located on a hill top or ridge line;
- all parts of the building and structure are located b. below the hill top or ridge line.

Development:

- does not adversely detract or degrade the quality of a. views, vista or key landmarks;
- b. retains the natural character or bushland settings as the dominant landscape characteristic.

E101

Where located in the Regionally significant (Hills) scenic amenity overlay, driveways and accessways:

- go across land contours, and do not cut straight a. up slopes;
- b. follow natural contours, not resulting in batters or retaining walls being greater than 900mm in height.

PO102

Buildings and structures incorporate colours and finishes that:

- are consistent with a natural, open space character a. and bushland environment;
- b. do not produce glare or appear visual incompatible with the surrounding natural character and bushland environment;
- are not visually dominant or detract from the natural C. qualities of the landscape.

E102.1

Where located in the Regionally significant (hills) scenic amenity overlay, roofs and wall surfaces of buildings and structures adopt the following colours:

Colours from Australian Standard AS2700s – 1996		
G12 – Holly	G54 – Mist Green	N 44 – Bridge Grey
G13 – Emerald	G55 – Lichen	N45 – Koala Grey
G14 – Moss Green	G56 – Sage Green	N52 – Mid Grey
G15 – Rainforest Green	G62 – Rivergum	N54 – Basalt
G16 – Traffic Green	G64 – Slate	N55 – Lead Grey
G17 – Mint Green	G65 – Ti Tree	X54 – Brown
G21 – Jade	N25 – Birch Grey	X61 – Wombat
G22 – Serpentine	N32 – Green Grey	X62 – Dark Earth
G23 – Shamrock	N33 – Lightbox Grey	X63 – Iron Bark
G24 – Fern Green	N35 – Light Grey	Y51 – Bronze Olive
G25 – Olive	N41 – Oyster	Y61 – Black Olive
G34 – Avocado	N42 – Storm Grey	Y63 – Khaki
G52 – Eucalyptus	N43 – Pipeline Grey	Y66 – Mudstone
G53 – Banksia		

E102.2

Where located in the Regionally significant (hills) scenic amenity overlay, roofs and wall surfaces of buildings and structures are painted or finished such that reflectivity is less than 35%.

PO103

E103

Landscaping

- complements the coastal landscape character and
- has known resilience and robustness in the coastal b. environment;

Fences and walls:

- do not appear visually dominant or conspicuous a. within its setting:
- reduce visual appearance through the use of built b. form articulation, setbacks, and plant screening;
- use materials and colours that are complementary C. to the coastal environment.

Building design responds to the bayside location and complements the particular bayside character and amenity by adopting and incorporating a range of architectural character elements.

Vegetation that contributes to bayside character and identity are:

- retained: a.
- b. protected from development diminishing their significance.

Where located in the Locally Important (Coast) scenic amenity overlay:

- landscaping comprises indigenous coastal a. species:
- b. fences and walls are no higher than 1m; and
- existing pine trees, palm trees, mature fig and C. cotton trees are retained.
- d. where over 12m in height, the building design includes the following architectural character elements:
 - i. curving balcony edges and walls, strong vertical blades and wall planes;
 - balcony roofs, wall articulation expressed ii. with different colours, curves in plan and section, and window awnings;
 - roof top outlooks, tensile structures as iii. shading devices;
 - iv. lightweight structures use white frame elements in steel and timber, bold colour contrast.